








# **(local)**
































## **DNNCE612**







































**Server** (local)  
**Author** Scott Willhite  
**Created** 01 February 2012 10:54




# Table of Contents







































 DNNCE612 Database .....	21
 Tables .....	22
 [dbo].[Affiliates] .....	25
 [dbo].[AnonymousUsers] .....	27
 [dbo].[aspnet_Applications] .....	28
 [dbo].[aspnet_Membership] .....	30
 [dbo].[aspnet_Profile] .....	32
 [dbo].[aspnet_Roles] .....	34
 [dbo].[aspnet_SchemaVersions] .....	36
 [dbo].[aspnet_Users] .....	37
 [dbo].[aspnet_UsersInRoles] .....	39
 [dbo].[Assemblies] .....	41
 [dbo].[Authentication] .....	42
 [dbo].[Banners] .....	44
 [dbo].[Classification] .....	46
 [dbo].[ContentItems] .....	47
 [dbo].[ContentItems_MetaData] .....	49
 [dbo].[ContentItems_Tags] .....	51
 [dbo].[ContentTypes] .....	53
 [dbo].[Dashboard_Controls] .....	54
 [dbo].[DesktopModulePermission] .....	56
 [dbo].[DesktopModules] .....	58
 [dbo].[EventLog] .....	60
 [dbo].[EventLogConfig] .....	62
 [dbo].[EventLogTypes] .....	64
 [dbo].[EventQueue] .....	65
 [dbo].[Files] .....	67
 [dbo].[FolderMappings] .....	69
 [dbo].[FolderMappingsSettings] .....	71
 [dbo].[FolderPermission] .....	73
 [dbo].[Folders] .....	75
 [dbo].[HostSettings] .....	77
 [dbo].[HtmlText] .....	78
 [dbo].[HtmlTextLog] .....	80
 [dbo].[HtmlTextUsers] .....	82
 [dbo].[LanguagePacks] .....	84

 [dbo].[Languages] .....	86
 [dbo].[Links] .....	88
 [dbo].[Lists] .....	90
 [dbo].[Messaging_Messages].....	92
 [dbo].[MetaData] .....	94
 [dbo].[Mobile_PreviewProfiles] .....	95
 [dbo].[Mobile_RedirectionRules].....	97
 [dbo].[Mobile_Redirections].....	98
 [dbo].[ModuleControls].....	100
 [dbo].[ModuleDefinitions].....	102
 [dbo].[ModulePermission].....	104
 [dbo].[Modules] .....	106
 [dbo].[ModuleSettings] .....	108
 [dbo].[Packages] .....	110
 [dbo].[PackageTypes] .....	112
 [dbo].[Permission] .....	113
 [dbo].[PortalAlias].....	115
 [dbo].[PortalDesktopModules] .....	117
 [dbo].[PortalGroups] .....	119
 [dbo].[PortalLanguages] .....	120
 [dbo].[PortalLocalization].....	122
 [dbo].[Portals].....	124
 [dbo].[PortalSettings].....	127
 [dbo].[Profile].....	129
 [dbo].[ProfilePropertyDefinition].....	131
 [dbo].[RoleGroups].....	133
 [dbo].[Roles].....	135
 [dbo].[Schedule] .....	137
 [dbo].[ScheduleHistory] .....	139
 [dbo].[ScheduleItemSettings] .....	141
 [dbo].[SearchCommonWords] .....	142
 [dbo].[SearchIndexer].....	143
 [dbo].[SearchItem].....	144
 [dbo].[SearchItemWord] .....	146
 [dbo].[SearchItemWordPosition].....	148
 [dbo].[SearchWord] .....	149
 [dbo].[SiteLog].....	150
 [dbo].[SkinControls].....	152

 [dbo].[SkinPackages] .....	154
 [dbo].[Skins] .....	156
 [dbo].[SystemMessages] .....	157
 [dbo].[TabModules] .....	159
 [dbo].[TabModuleSettings] .....	162
 [dbo].[TabPermission] .....	164
 [dbo].[Tabs] .....	166
 [dbo].[TabSettings] .....	170
 [dbo].[Taxonomy_ScopeTypes] .....	172
 [dbo].[Taxonomy_Terms] .....	173
 [dbo].[Taxonomy_Vocabularies] .....	175
 [dbo].[Taxonomy_VocabularyTypes] .....	177
 [dbo].[UrlLog] .....	178
 [dbo].[Urls] .....	179
 [dbo].[UrlTracking] .....	180
 [dbo].[UserAuthentication] .....	182
 [dbo].[UserPortals] .....	184
 [dbo].[UserProfile] .....	186
 [dbo].[UserRoles] .....	188
 [dbo].[Users] .....	190
 [dbo].[UsersOnline] .....	192
 [dbo].[VendorClassification] .....	194
 [dbo].[Vendors] .....	196
 [dbo].[Version] .....	198
 [dbo].[WebServers] .....	199
 [dbo].[Workflow] .....	200
 [dbo].[WorkflowStates] .....	201
 Views .....	203
 [dbo].[vw_aspnet_Applications] .....	204
 [dbo].[vw_aspnet_MembershipUsers] .....	205
 [dbo].[vw_aspnet_Profiles] .....	207
 [dbo].[vw_aspnet_Roles] .....	208
 [dbo].[vw_aspnet_Users] .....	209
 [dbo].[vw_aspnet_UsersInRoles] .....	210
 [dbo].[vw_DesktopModulePermissions] .....	211
 [dbo].[vw_DesktopModules] .....	213
 [dbo].[vw_FolderPermissions] .....	215
 [dbo].[vw_Lists] .....	217







































 [dbo].[vw_ModulePermissions].....	219
 [dbo].[vw_Modules].....	221
 [dbo].[vw_Portals].....	224
 [dbo].[vw_PortalsDefaultLanguage].....	227
 [dbo].[vw_SearchItems].....	230
 [dbo].[vw_TabModules].....	231
 [dbo].[vw_TabPermissions].....	234
 [dbo].[vw_Tabs].....	236
 [dbo].[vw_UserRoles].....	239
 [dbo].[vw_Users].....	241
 Stored Procedures.....	243
 [dbo].[AddAffiliate].....	257
 [dbo].[AddAuthentication].....	258
 [dbo].[AddBanner].....	259
 [dbo].[AddContentItem].....	260
 [dbo].[AddContentType].....	261
 [dbo].[AddDefaultFolderTypes].....	262
 [dbo].[AddDesktopModule].....	263
 [dbo].[AddDesktopModulePermission].....	264
 [dbo].[AddEventLog].....	265
 [dbo].[AddEventLogConfig].....	266
 [dbo].[AddEventLogType].....	267
 [dbo].[AddEventMessage].....	268
 [dbo].[AddFile].....	269
 [dbo].[AddFolder].....	270
 [dbo].[AddFolderMapping].....	271
 [dbo].[AddFolderMappingsSetting].....	272
 [dbo].[AddFolderPermission].....	273
 [dbo].[AddHeirarchicalTerm].....	274
 [dbo].[AddHostSetting].....	275
 [dbo].[AddHtmlText].....	276
 [dbo].[AddHtmlTextLog].....	277
 [dbo].[AddHtmlTextUser].....	278
 [dbo].[AddLanguage].....	279
 [dbo].[AddLanguagePack].....	280
 [dbo].[AddListEntry].....	281
 [dbo].[AddMetaData].....	282
 [dbo].[AddModule].....	283







































 [dbo].[AddModuleControl] .....	284
 [dbo].[AddModuleDefinition] .....	285
 [dbo].[AddModulePermission] .....	286
 [dbo].[AddModuleSetting] .....	287
 [dbo].[AddPackage] .....	288
 [dbo].[AddPermission] .....	289
 [dbo].[AddPortalAlias] .....	290
 [dbo].[AddPortalDesktopModule] .....	291
 [dbo].[AddPortalGroup] .....	292
 [dbo].[AddPortalInfo] .....	293
 [dbo].[AddPortalLanguage] .....	294
 [dbo].[AddProfile] .....	295
 [dbo].[AddPropertyDefinition] .....	296
 [dbo].[AddRole] .....	297
 [dbo].[AddRoleGroup] .....	298
 [dbo].[AddSchedule] .....	299
 [dbo].[AddScheduleHistory] .....	300
 [dbo].[AddScheduleItemSetting] .....	301
 [dbo].[AddScopeType] .....	302
 [dbo].[AddSearchCommonWord] .....	303
 [dbo].[AddSearchItem] .....	304
 [dbo].[AddSearchItemWord] .....	305
 [dbo].[AddSearchItemWordPosition] .....	306
 [dbo].[AddSearchWord] .....	307
 [dbo].[AddSimpleTerm] .....	308
 [dbo].[AddSiteLog] .....	309
 [dbo].[AddSkin] .....	310
 [dbo].[AddSkinControl] .....	311
 [dbo].[AddSkinPackage] .....	312
 [dbo].[AddSystemMessage] .....	313
 [dbo].[AddTab] .....	314
 [dbo].[AddTabModule] .....	316
 [dbo].[AddTabModuleSetting] .....	318
 [dbo].[AddTabPermission] .....	319
 [dbo].[AddTabSetting] .....	320
 [dbo].[AddTermToContent] .....	321
 [dbo].[AddUrl] .....	322
 [dbo].[AddUrlLog] .....	323







































 [dbo].[AddUrlTracking] .....	324
 [dbo].[AddUser] .....	325
 [dbo].[AddUserAuthentication] .....	326
 [dbo].[AddUserRole] .....	327
 [dbo].[AddVendor] .....	328
 [dbo].[AddVendorClassification] .....	329
 [dbo].[AddVocabulary] .....	330
 [dbo].[aspnet_AnyDataInTables] .....	331
 [dbo].[aspnet_Applications_CreateApplication] .....	332
 [dbo].[aspnet_CheckSchemaVersion] .....	333
 [dbo].[aspnet_Membership_ChangePasswordQuestionAndAnswer] .....	334
 [dbo].[aspnet_Membership_CreateUser] .....	335
 [dbo].[aspnet_Membership_FindUsersByEmail] .....	336
 [dbo].[aspnet_Membership_FindUsersByName] .....	337
 [dbo].[aspnet_Membership_GetAllUsers] .....	338
 [dbo].[aspnet_Membership_GetNumberOfUsersOnline] .....	339
 [dbo].[aspnet_Membership_GetPassword] .....	340
 [dbo].[aspnet_Membership_GetPasswordWithFormat] .....	341
 [dbo].[aspnet_Membership_GetUserByEmail] .....	342
 [dbo].[aspnet_Membership_GetUserByName] .....	343
 [dbo].[aspnet_Membership_GetUserById] .....	344
 [dbo].[aspnet_Membership_ResetPassword] .....	345
 [dbo].[aspnet_Membership_SetPassword] .....	346
 [dbo].[aspnet_Membership_UnlockUser] .....	347
 [dbo].[aspnet_Membership_UpdateUser] .....	348
 [dbo].[aspnet_Membership_UpdateUserInfo] .....	349
 [dbo].[aspnet_Profile_DeleteInactiveProfiles] .....	350
 [dbo].[aspnet_Profile_DeleteProfiles] .....	351
 [dbo].[aspnet_Profile_GetNumberOfInactiveProfiles] .....	352
 [dbo].[aspnet_Profile_GetProfiles] .....	353
 [dbo].[aspnet_Profile_GetProperties] .....	354
 [dbo].[aspnet_Profile_SetProperties] .....	355
 [dbo].[aspnet_RegisterSchemaVersion] .....	356
 [dbo].[aspnet_Roles_CreateRole] .....	357
 [dbo].[aspnet_Roles_DeleteRole] .....	358
 [dbo].[aspnet_Roles_GetAllRoles] .....	359
 [dbo].[aspnet_Roles_RoleExists] .....	360
 [dbo].[aspnet_Setup_RemoveAllRoleMembers] .....	361







































 [dbo].[aspnet_UnRegisterSchemaVersion].....	362
 [dbo].[aspnet_Users_CreateUser] .....	363
 [dbo].[aspnet_Users_DeleteUser] .....	364
 [dbo].[aspnet_UsersInRoles_AddUsersToRoles].....	365
 [dbo].[aspnet_UsersInRoles_FindUsersInRole].....	366
 [dbo].[aspnet_UsersInRoles_GetRolesForUser].....	367
 [dbo].[aspnet_UsersInRoles_GetUsersInRoles] .....	368
 [dbo].[aspnet_UsersInRoles_IsUserInRole].....	369
 [dbo].[aspnet_UsersInRoles_RemoveUsersFromRoles].....	370
 [dbo].[CalculatePagingInformation] .....	371
 [dbo].[CanDeleteSkin] .....	372
 [dbo].[Dashboard_AddControl].....	373
 [dbo].[Dashboard_DeleteControl] .....	374
 [dbo].[Dashboard_GetControls].....	375
 [dbo].[Dashboard_GetDashboardControlByKey] .....	376
 [dbo].[Dashboard_GetDbBackups].....	377
 [dbo].[Dashboard_GetDbFileInfo].....	378
 [dbo].[Dashboard_GetDbInfo] .....	379
 [dbo].[Dashboard_GetInstalledModules] .....	380
 [dbo].[Dashboard_UpdateControl] .....	381
 [dbo].[DeleteAffiliate].....	382
 [dbo].[DeleteAuthentication] .....	383
 [dbo].[DeleteBanner] .....	384
 [dbo].[DeleteContentItem] .....	385
 [dbo].[DeleteContentType] .....	386
 [dbo].[DeleteDesktopModule].....	387
 [dbo].[DeleteDesktopModulePermission].....	388
 [dbo].[DeleteDesktopModulePermissionsByPortalDesktopModuleID].....	389
 [dbo].[DeleteDesktopModulePermissionsByUserID].....	390
 [dbo].[DeleteEventLog].....	391
 [dbo].[DeleteEventLogConfig] .....	392
 [dbo].[DeleteEventLogType].....	393
 [dbo].[DeleteFile].....	394
 [dbo].[DeleteFiles] .....	395
 [dbo].[DeleteFolder] .....	396
 [dbo].[DeleteFolderMapping] .....	397
 [dbo].[DeleteFolderPermission] .....	398
 [dbo].[DeleteFolderPermissionsByFolderPath] .....	399









































 [dbo].[DeleteFolderPermissionsByUserID] .....	400
 [dbo].[DeleteHeirarchicalTerm].....	401
 [dbo].[DeleteHtmlText] .....	402
 [dbo].[DeleteHtmlTextUsers] .....	403
 [dbo].[DeleteLanguage].....	404
 [dbo].[DeleteLanguagePack] .....	405
 [dbo].[DeleteList] .....	406
 [dbo].[DeleteListEntryByID] .....	407
 [dbo].[DeleteMetaData] .....	408
 [dbo].[DeleteModule].....	409
 [dbo].[DeleteModuleControl].....	410
 [dbo].[DeleteModuleDefinition] .....	411
 [dbo].[DeleteModulePermission].....	412
 [dbo].[DeleteModulePermissionsByModuleID].....	413
 [dbo].[DeleteModulePermissionsByUserID].....	414
 [dbo].[DeleteModuleSetting].....	415
 [dbo].[DeleteModuleSettings] .....	416
 [dbo].[DeletePackage].....	417
 [dbo].[DeletePermission] .....	418
 [dbo].[DeletePortalAlias].....	419
 [dbo].[DeletePortalDesktopModules] .....	420
 [dbo].[DeletePortalGroup] .....	421
 [dbo].[DeletePortalInfo] .....	422
 [dbo].[DeletePortalLanguages].....	423
 [dbo].[DeletePortalSetting] .....	424
 [dbo].[DeletePortalSettings].....	425
 [dbo].[DeletePropertyDefinition].....	426
 [dbo].[DeleteRole] .....	427
 [dbo].[DeleteRoleGroup] .....	428
 [dbo].[DeleteSchedule].....	429
 [dbo].[DeleteScopeType].....	430
 [dbo].[DeleteSearchCommonWord].....	431
 [dbo].[DeleteSearchItem] .....	432
 [dbo].[DeleteSearchItems].....	433
 [dbo].[DeleteSearchItemWord] .....	434
 [dbo].[DeleteSearchItemWordPosition].....	435
 [dbo].[DeleteSearchItemWords] .....	436
 [dbo].[DeleteSearchWord].....	437







































 [dbo].[DeleteServer] .....	438
 [dbo].[DeleteSimpleTerm].....	439
 [dbo].[DeleteSiteLog].....	440
 [dbo].[DeleteSkin].....	441
 [dbo].[DeleteSkinControl] .....	442
 [dbo].[DeleteSkinPackage].....	443
 [dbo].[DeleteSystemMessage] .....	444
 [dbo].[DeleteTab] .....	445
 [dbo].[DeleteTabModule].....	446
 [dbo].[DeleteTabModuleSetting] .....	447
 [dbo].[DeleteTabModuleSettings] .....	448
 [dbo].[DeleteTabPermission] .....	449
 [dbo].[DeleteTabPermissionsByTabID].....	450
 [dbo].[DeleteTabPermissionsByUserID] .....	451
 [dbo].[DeleteTabSetting] .....	452
 [dbo].[DeleteTabSettings].....	453
 [dbo].[DeleteUrl].....	454
 [dbo].[DeleteUrlTracking] .....	455
 [dbo].[DeleteUserPortal].....	456
 [dbo].[DeleteUserRole].....	457
 [dbo].[DeleteUsersOnline] .....	458
 [dbo].[DeleteVendor] .....	459
 [dbo].[DeleteVendorClassifications].....	460
 [dbo].[DeleteVocabulary].....	461
 [dbo].[dnnLinks_AddLink] .....	462
 [dbo].[dnnLinks_DeleteLink].....	463
 [dbo].[dnnLinks_GetLink] .....	464
 [dbo].[dnnLinks_GetLinks].....	465
 [dbo].[dnnLinks_UpdateLink].....	466
 [dbo].[EnsureLocalizationExists].....	467
 [dbo].[FindBanners].....	468
 [dbo].[FindDatabaseVersion].....	469
 [dbo].[GetAffiliate] .....	470
 [dbo].[GetAffiliates].....	471
 [dbo].[GetAllFiles].....	472
 [dbo].[GetAllHtmlText] .....	473
 [dbo].[GetAllModules].....	474
 [dbo].[GetAllProfiles] .....	475







































 [dbo].[GetAllTabs] .....	476
 [dbo].[GetAllTabsModules] .....	477
 [dbo].[GetAllTabsModulesByModuleID] .....	478
 [dbo].[GetAllUsers] .....	479
 [dbo].[GetAuthenticationService] .....	480
 [dbo].[GetAuthenticationServiceByPackageID] .....	481
 [dbo].[GetAuthenticationServiceByType] .....	482
 [dbo].[GetAuthenticationServices] .....	483
 [dbo].[GetBanner] .....	484
 [dbo].[GetBannerGroups] .....	485
 [dbo].[GetBanners] .....	486
 [dbo].[GetContentItem] .....	487
 [dbo].[GetContentItems] .....	488
 [dbo].[GetContentItemsByTerm] .....	489
 [dbo].[GetContentTypes] .....	490
 [dbo].[GetCurrencies] .....	491
 [dbo].[GetDatabaseServer] .....	492
 [dbo].[GetDatabaseTime] .....	493
 [dbo].[GetDatabaseTimeUtc] .....	494
 [dbo].[GetDatabaseVersion] .....	495
 [dbo].[GetDefaultLanguageByModule] .....	496
 [dbo].[GetDeletedUsers] .....	497
 [dbo].[GetDesktopModulePermission] .....	498
 [dbo].[GetDesktopModulePermissions] .....	499
 [dbo].[GetDesktopModulePermissionsByPortalDesktopModuleID] .....	500
 [dbo].[GetDesktopModules] .....	501
 [dbo].[GetDesktopModulesByPortal] .....	502
 [dbo].[GetEnabledAuthenticationServices] .....	503
 [dbo].[GetEventLog] .....	504
 [dbo].[GetEventLogByLogGUID] .....	505
 [dbo].[GetEventLogConfig] .....	506
 [dbo].[GetEventLogPendingNotif] .....	507
 [dbo].[GetEventLogPendingNotifConfig] .....	508
 [dbo].[GetEventLogType] .....	509
 [dbo].[GetEventMessages] .....	510
 [dbo].[GetEventMessagesBySubscriber] .....	511
 [dbo].[GetExpiredPortals] .....	512
 [dbo].[GetFile] .....	513

 [dbo].[GetFileById] .....	514
 [dbo].[GetFileByUniqueId].....	515
 [dbo].[GetFileContent] .....	516
 [dbo].[GetFiles] .....	517
 [dbo].[GetFolderByFolderID] .....	518
 [dbo].[GetFolderByFolderPath].....	519
 [dbo].[GetFolderByUniqueId] .....	520
 [dbo].[GetFolderMapping] .....	521
 [dbo].[GetFolderMappingByMappingName].....	522
 [dbo].[GetFolderMappings].....	523
 [dbo].[GetFolderMappingsSetting] .....	524
 [dbo].[GetFolderMappingsSettings] .....	525
 [dbo].[GetFolderPermission].....	526
 [dbo].[GetFolderPermissionsByFolderPath].....	527
 [dbo].[GetFolderPermissionsByPortal].....	528
 [dbo].[GetFolders] .....	529
 [dbo].[GetFoldersByPermissions] .....	530
 [dbo].[GetHostSetting].....	531
 [dbo].[GetHostSettings] .....	532
 [dbo].[GetHtmlText].....	533
 [dbo].[GetHtmlTextLog] .....	534
 [dbo].[GetHtmlTextUser] .....	535
 [dbo].[GetLanguagePackByPackage].....	536
 [dbo].[GetLanguages].....	537
 [dbo].[GetLanguagesByPortal] .....	538
 [dbo].[GetList] .....	539
 [dbo].[GetListEntries].....	540
 [dbo].[GetListEntry] .....	541
 [dbo].[GetLists].....	542
 [dbo].[GetMetaData].....	543
 [dbo].[GetModule] .....	544
 [dbo].[GetModuleByDefinition].....	545
 [dbo].[GetModuleByUniqueId].....	546
 [dbo].[GetModuleControl] .....	547
 [dbo].[GetModuleControlByKeyAndSrc] .....	548
 [dbo].[GetModuleControls] .....	549
 [dbo].[GetModuleControlsByKey] .....	550
 [dbo].[GetModuleDefinitions] .....	551



 [dbo].[GetModulePackagesInUse] .....	552
 [dbo].[GetModulePermission] .....	553
 [dbo].[GetModulePermissionsByModuleID] .....	554
 [dbo].[GetModulePermissionsByPortal] .....	555
 [dbo].[GetModulePermissionsByTabID] .....	556
 [dbo].[GetModules] .....	557
 [dbo].[GetModuleSetting] .....	558
 [dbo].[GetModuleSettings] .....	559
 [dbo].[GetOnlineUser] .....	560
 [dbo].[GetOnlineUsers] .....	561
 [dbo].[GetPackage] .....	562
 [dbo].[GetPackageByName] .....	563
 [dbo].[GetPackages] .....	564
 [dbo].[GetPackagesByType] .....	565
 [dbo].[GetPackageType] .....	566
 [dbo].[GetPackageTypes] .....	567
 [dbo].[GetPermission] .....	568
 [dbo].[GetPermissionByCodeAndKey] .....	569
 [dbo].[GetPermissionsByFolder] .....	570
 [dbo].[GetPermissionsByModuleDefID] .....	571
 [dbo].[GetPermissionsByModuleID] .....	572
 [dbo].[GetPermissionsByPortalDesktopModule] .....	573
 [dbo].[GetPermissionsByTab] .....	574
 [dbo].[GetPortal] .....	575
 [dbo].[GetPortalAlias] .....	576
 [dbo].[GetPortalAliasByPortalAliasID] .....	577
 [dbo].[GetPortalAliasByPortalID] .....	578
 [dbo].[GetPortalByAlias] .....	579
 [dbo].[GetPortalByPortalAliasID] .....	580
 [dbo].[GetPortalByTab] .....	581
 [dbo].[GetPortalCount] .....	582
 [dbo].[GetPortalDefaultLanguage] .....	583
 [dbo].[GetPortalDesktopModules] .....	584
 [dbo].[GetPortalGroups] .....	585
 [dbo].[GetPortalRoles] .....	586
 [dbo].[GetPortals] .....	587
 [dbo].[GetPortalsByName] .....	588
 [dbo].[GetPortalSetting] .....	589

 [dbo].[GetPortalSettings] .....	590
 [dbo].[GetPortalSpaceUsed].....	591
 [dbo].[GetProfile] .....	592
 [dbo].[GetPropertyDefinition] .....	593
 [dbo].[GetPropertyDefinitionByName].....	594
 [dbo].[GetPropertyDefinitionsByCategory] .....	595
 [dbo].[GetPropertyDefinitionsByPortal] .....	596
 [dbo].[GetRole].....	597
 [dbo].[GetRoleByName] .....	598
 [dbo].[GetRoleGroup] .....	599
 [dbo].[GetRoleGroupByName] .....	600
 [dbo].[GetRoleGroups] .....	601
 [dbo].[GetRoles] .....	602
 [dbo].[GetRolesByGroup] .....	603
 [dbo].[GetRolesByUser] .....	604
 [dbo].[GetSchedule] .....	605
 [dbo].[GetScheduleByEvent] .....	606
 [dbo].[GetScheduleByScheduleID] .....	607
 [dbo].[GetScheduleByTypeFullName] .....	608
 [dbo].[GetScheduleHistory] .....	609
 [dbo].[GetScheduleItemSettings].....	610
 [dbo].[GetScheduleNextTask] .....	611
 [dbo].[GetScopeTypes] .....	612
 [dbo].[GetSearchCommonWordByID].....	613
 [dbo].[GetSearchCommonWordsByLocale].....	614
 [dbo].[GetSearchIndexers] .....	615
 [dbo].[GetSearchItem].....	616
 [dbo].[GetSearchItems] .....	617
 [dbo].[GetSearchItemWord].....	618
 [dbo].[GetSearchItemWordBySearchItem].....	619
 [dbo].[GetSearchItemWordBySearchWord] .....	620
 [dbo].[GetSearchItemWordPosition] .....	621
 [dbo].[GetSearchItemWordPositionBySearchItemWord].....	622
 [dbo].[GetSearchModules].....	623
 [dbo].[GetSearchResultModules].....	624
 [dbo].[GetSearchResults] .....	625
 [dbo].[GetSearchResultsByWord].....	626
 [dbo].[GetSearchSettings] .....	627

 [dbo].[GetSearchWordByID].....	628
 [dbo].[GetSearchWords].....	629
 [dbo].[GetServerConfiguration].....	630
 [dbo].[GetServers].....	631
 [dbo].[GetServices].....	632
 [dbo].[GetSiteLog1].....	633
 [dbo].[GetSiteLog12].....	634
 [dbo].[GetSiteLog2].....	635
 [dbo].[GetSiteLog3].....	636
 [dbo].[GetSiteLog4].....	637
 [dbo].[GetSiteLog5].....	638
 [dbo].[GetSiteLog6].....	639
 [dbo].[GetSiteLog7].....	640
 [dbo].[GetSiteLog8].....	641
 [dbo].[GetSiteLog9].....	642
 [dbo].[GetSkinControl].....	643
 [dbo].[GetSkinControlByKey].....	644
 [dbo].[GetSkinControlByPackageID].....	645
 [dbo].[GetSkinControls].....	646
 [dbo].[GetSkinPackage].....	647
 [dbo].[GetSkinPackageByPackageID].....	648
 [dbo].[GetSuperUsers].....	649
 [dbo].[GetSystemMessage].....	650
 [dbo].[GetSystemMessages].....	651
 [dbo].[GetTab].....	652
 [dbo].[GetTabByName].....	653
 [dbo].[GetTabByUniqueID].....	654
 [dbo].[GetTabCount].....	655
 [dbo].[GetTables].....	656
 [dbo].[GetTabModule].....	657
 [dbo].[GetTabModuleOrder].....	658
 [dbo].[GetTabModules].....	659
 [dbo].[GetTabModuleSetting].....	660
 [dbo].[GetTabModuleSettings].....	661
 [dbo].[GetTabPanels].....	662
 [dbo].[GetTabPaths].....	663
 [dbo].[GetTabPermission].....	664
 [dbo].[GetTabPermissionsByPortal].....	665
















 [dbo].[GetTabPermissionsByTabID] .....	666
 [dbo].[GetTabs] .....	667
 [dbo].[GetTabsByModuleID] .....	668
 [dbo].[GetTabsByPackageID] .....	669
 [dbo].[GetTabsByParentId] .....	670
 [dbo].[GetTabSetting] .....	671
 [dbo].[GetTabSettings] .....	672
 [dbo].[GetTerm] .....	673
 [dbo].[GetTermsByContent] .....	674
 [dbo].[GetTermsByVocabulary] .....	675
 [dbo].[GetTopHtmlText] .....	676
 [dbo].[GetUnauthorizedUsers] .....	677
 [dbo].[GetUnIndexedContentItems] .....	678
 [dbo].[GetUrl] .....	679
 [dbo].[GetUrlLog] .....	680
 [dbo].[GetUrls] .....	681
 [dbo].[GetUrlTracking] .....	682
 [dbo].[GetUser] .....	683
 [dbo].[GetUserByAuthToken] .....	684
 [dbo].[GetUserByUsername] .....	685
 [dbo].[GetUserCountByPortal] .....	686
 [dbo].[GetUserProfile] .....	687
 [dbo].[GetUserRole] .....	688
 [dbo].[GetUserRoles] .....	689
 [dbo].[GetUserRolesByUsername] .....	690
 [dbo].[GetUsers] .....	691
 [dbo].[GetUsersByEmail] .....	692
 [dbo].[GetUsersByProfileProperty] .....	693
 [dbo].[GetUsersByRolename] .....	694
 [dbo].[GetUsersByUserName] .....	695
 [dbo].[GetVendor] .....	696
 [dbo].[GetVendorClassifications] .....	697
 [dbo].[GetVendors] .....	698
 [dbo].[GetVendorsByEmail] .....	699
 [dbo].[GetVendorsByName] .....	700
 [dbo].[GetVocabularies] .....	701
 [dbo].[GetWorkflows] .....	702
 [dbo].[GetWorkflowStates] .....	703



 [dbo].[InsertPortalLocalization] .....	704
 [dbo].[IsUserInRole] .....	705
 [dbo].[ListSearchItem] .....	706
 [dbo].[ListSearchItemWord] .....	707
 [dbo].[ListSearchItemWordPosition] .....	708
 [dbo].[Messaging_GetInbox] .....	709
 [dbo].[Messaging_GetInboxCount] .....	710
 [dbo].[Messaging_GetMessage] .....	711
 [dbo].[Messaging_GetNewMessageCount] .....	712
 [dbo].[Messaging_GetNextMessageForDispatch] .....	713
 [dbo].[Messaging_MarkMessageAsDispatched] .....	714
 [dbo].[Messaging_Save_Message] .....	715
 [dbo].[Messaging_UpdateMessage] .....	716
 [dbo].[Mobile_DeletePreviewProfile] .....	717
 [dbo].[Mobile_DeleteRedirection] .....	718
 [dbo].[Mobile_DeleteRedirectionRule] .....	719
 [dbo].[Mobile_GetAllRedirections] .....	720
 [dbo].[Mobile_GetPreviewProfiles] .....	721
 [dbo].[Mobile_GetRedirectionRules] .....	722
 [dbo].[Mobile_GetRedirections] .....	723
 [dbo].[Mobile_SavePreviewProfile] .....	724
 [dbo].[Mobile_SaveRedirection] .....	725
 [dbo].[Mobile_SaveRedirectionRule] .....	726
 [dbo].[MoveTabModule] .....	727
 [dbo].[PurgeEventLog] .....	728
 [dbo].[PurgeScheduleHistory] .....	729
 [dbo].[RegisterAssembly] .....	730
 [dbo].[RemoveTermsFromContent] .....	731
 [dbo].[RemoveUser] .....	732
 [dbo].[RestoreTabModule] .....	733
 [dbo].[RestoreUser] .....	734
 [dbo].[SaveCoreAuditTypes] .....	735
 [dbo].[SetEventMessageComplete] .....	736
 [dbo].[UnRegisterAssembly] .....	737
 [dbo].[UpdateAffiliate] .....	738
 [dbo].[UpdateAffiliateStats] .....	739
 [dbo].[UpdateAnonymousUser] .....	740
 [dbo].[UpdateAuthentication] .....	741

 [dbo].[UpdateBanner] .....	742
 [dbo].[UpdateBannerClickThrough] .....	743
 [dbo].[UpdateBannerViews] .....	744
 [dbo].[UpdateContentItem] .....	745
 [dbo].[UpdateContentType] .....	746
 [dbo].[UpdateDatabaseVersion] .....	747
 [dbo].[UpdateDatabaseVersionAndName] .....	748
 [dbo].[UpdateDesktopModule] .....	749
 [dbo].[UpdateDesktopModulePermission] .....	750
 [dbo].[UpdateEventLogConfig] .....	751
 [dbo].[UpdateEventLogPendingNotif] .....	752
 [dbo].[UpdateEventLogType] .....	753
 [dbo].[UpdateFile] .....	754
 [dbo].[UpdateFileContent] .....	755
 [dbo].[UpdateFileVersion] .....	756
 [dbo].[UpdateFolder] .....	757
 [dbo].[UpdateFolderMapping] .....	758
 [dbo].[UpdateFolderMappingsSetting] .....	759
 [dbo].[UpdateFolderPermission] .....	760
 [dbo].[UpdateFolderVersion] .....	761
 [dbo].[UpdateHeirarchicalTerm] .....	762
 [dbo].[UpdateHostSetting] .....	763
 [dbo].[UpdateHtmlText] .....	764
 [dbo].[UpdateLanguage] .....	765
 [dbo].[UpdateLanguagePack] .....	766
 [dbo].[UpdateListEntry] .....	767
 [dbo].[UpdateListSortOrder] .....	768
 [dbo].[UpdateModule] .....	769
 [dbo].[UpdateModuleControl] .....	770
 [dbo].[UpdateModuleDefinition] .....	771
 [dbo].[UpdateModuleLastContentModifiedOnDate] .....	772
 [dbo].[UpdateModuleOrder] .....	773
 [dbo].[UpdateModulePermission] .....	774
 [dbo].[UpdateModuleSetting] .....	775
 [dbo].[UpdateOnlineUser] .....	776
 [dbo].[UpdatePackage] .....	777
 [dbo].[UpdatePermission] .....	778
 [dbo].[UpdatePortalAlias] .....	779

 [dbo].[UpdatePortalAliasOnInstall].....	780
 [dbo].[UpdatePortalDefaultLanguage] .....	781
 [dbo].[UpdatePortalGroup] .....	782
 [dbo].[UpdatePortalInfo] .....	783
 [dbo].[UpdatePortalLanguage] .....	785
 [dbo].[UpdatePortalSetting] .....	786
 [dbo].[UpdatePortalSetup] .....	787
 [dbo].[UpdateProfile] .....	788
 [dbo].[UpdatePropertyDefinition] .....	789
 [dbo].[UpdateRole] .....	790
 [dbo].[UpdateRoleGroup] .....	791
 [dbo].[UpdateSchedule].....	792
 [dbo].[UpdateScheduleHistory].....	793
 [dbo].[UpdateScopeType] .....	794
 [dbo].[UpdateSearchCommonWord] .....	795
 [dbo].[UpdateSearchItem] .....	796
 [dbo].[UpdateSearchItemWord].....	797
 [dbo].[UpdateSearchItemWordPosition] .....	798
 [dbo].[UpdateSearchWord].....	799
 [dbo].[UpdateServer] .....	800
 [dbo].[UpdateServerActivity].....	801
 [dbo].[UpdateSimpleTerm] .....	802
 [dbo].[UpdateSkin] .....	803
 [dbo].[UpdateSkinControl] .....	804
 [dbo].[UpdateSkinPackage].....	805
 [dbo].[UpdateSystemMessage] .....	806
 [dbo].[UpdateTab] .....	807
 [dbo].[UpdateTabModule].....	809
 [dbo].[UpdateTabModuleSetting].....	811
 [dbo].[UpdateTabModuleTranslationStatus] .....	812
 [dbo].[UpdateTabModuleVersion].....	813
 [dbo].[UpdateTabModuleVersionByModule] .....	814
 [dbo].[UpdateTabOrder] .....	815
 [dbo].[UpdateTabPermission].....	816
 [dbo].[UpdateTabSetting] .....	817
 [dbo].[UpdateTabTranslationStatus].....	818
 [dbo].[UpdateTabVersion] .....	819
 [dbo].[UpdateUrlTracking] .....	820

 [dbo].[UpdateUrlTrackingStats] .....	821
 [dbo].[UpdateUser] .....	822
 [dbo].[UpdateUserProfileProperty] .....	823
 [dbo].[UpdateUserRole] .....	824
 [dbo].[UpdateVendor] .....	825
 [dbo].[UpdateVocabulary] .....	826
 [dbo].[VerifyPortal] .....	827
 [dbo].[VerifyPortalTab] .....	828
 Scalar-valued Functions .....	829
 [dbo].[fn_CompareVersion] .....	830
 [dbo].[fn_GetVersion] .....	831
 [dbo].[GetElement] .....	832
 [dbo].[GetListParentKey] .....	833
 [dbo].[GetProfileElement] .....	834
 [dbo].[GetProfilePropertyDefinitionID] .....	835

## **DNNCE612 Database**

(local) > DNNCE612

### *Project Information*

---

DotNetNuke Community Edition 6.1.2 Schema

Author	Scott Willhite
Created	01 February 2012 10:54

### *Properties*

---

Property	Value
SQL Server Version	SQL Server 2008
Compatibility Level	SQL Server 2008
Database Encryption Enabled	✘

### *Files*

---

Name	Type	Size	File Name
DNNCE612	Data	9.00 MB	C:\Program Files\Microsoft SQL Server\MSSQL10.MSSQLSERVER\MSSQL\DATA\DNNCE612.mdf
DNNCE612_log	Log	1.25 MB	C:\Program Files\Microsoft SQL Server\MSSQL10.MSSQLSERVER\MSSQL\DATA\DNNCE612_log.ldf

## Tables

(local) > DNNCE612 > Tables

Name
dbo.Affiliates
dbo.AnonymousUsers
dbo.aspnet_Applications
dbo.aspnet_Membership
dbo.aspnet_Profile
dbo.aspnet_Roles
dbo.aspnet_SchemaVersions
dbo.aspnet_Users
dbo.aspnet_UsersInRoles
dbo.Assemblies
dbo.Authentication
dbo.Banners
dbo.Classification
dbo.ContentItems
dbo.ContentItems_MetaData
dbo.ContentItems_Tags
dbo.ContentTypes
dbo.Dashboard_Controls
dbo.DesktopModulePermission
dbo.DesktopModules
dbo.EventLog
dbo.EventLogConfig
dbo.EventLogTypes
dbo.EventQueue
dbo.Files
dbo.FolderMappings
dbo.FolderMappingsSettings
dbo.FolderPermission
dbo.Folders
dbo.HostSettings
dbo.HtmlText
dbo.HtmlTextLog
dbo.HtmlTextUsers
dbo.LanguagePacks
dbo.Languages

dbo.Links
dbo.Lists
dbo.Messaging_Messages
dbo.MetaData
dbo.Mobile_PreviewProfiles
dbo.Mobile_RedirectionRules
dbo.Mobile_Redirections
dbo.ModuleControls
dbo.ModuleDefinitions
dbo.ModulePermission
dbo.Modules
dbo.ModuleSettings
dbo.Packages
dbo.PackageTypes
dbo.Permission
dbo.PortalAlias
dbo.PortalDesktopModules
dbo.PortalGroups
dbo.PortalLanguages
dbo.PortalLocalization
dbo.Portals
dbo.PortalSettings
dbo.Profile
dbo.ProfilePropertyDefinition
dbo.RoleGroups
dbo.Roles
dbo.Schedule
dbo.ScheduleHistory
dbo.ScheduleItemSettings
dbo.SearchCommonWords
dbo.SearchIndexer
dbo.SearchItem
dbo.SearchItemWord
dbo.SearchItemWordPosition
dbo.SearchWord
dbo.SiteLog
dbo.SkinControls
dbo.SkinPackages
dbo.Skins
dbo.SystemMessages
dbo.TabModules
dbo.TabModuleSettings

dbo.TabPermission
dbo.Tabs
dbo.TabSettings
dbo.Taxonomy_ScopeTypes
dbo.Taxonomy_Terms
dbo.Taxonomy_Vocabularies
dbo.Taxonomy_VocabularyTypes
dbo.UrlLog
dbo.Urls
dbo.UrlTracking
dbo.UserAuthentication
dbo.UserPortals
dbo.UserProfile
dbo.UserRoles
dbo.Users
dbo.UsersOnline
dbo.VendorClassification
dbo.Vendors
dbo.Version
dbo.WebServers
dbo.Workflow
dbo.WorkflowStates





## [dbo].[Affiliates]

(local) > DNNCE612 > Tables > dbo.Affiliates

### Properties

Property	Value
Row Count	0
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:46 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	AffiliateId	int	4	✗	1 - 1
	VendorId	int	4	✓	
	StartDate	datetime	8	✓	
	EndDate	datetime	8	✓	
	CPC	float	8	✗	
	Clicks	int	4	✗	
	CPA	float	8	✗	
	Acquisitions	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK_Affiliates	AffiliateId	✓

### Foreign Keys

Name	Delete	Columns
FK_Affiliates_Vendors	Cascade	VendorId->[dbo].[Vendors].[VendorId]

### Uses

[dbo].[Vendors]  
dbo

*Used By*

---

[dbo].[AddAffiliate]  
[dbo].[DeleteAffiliate]  
[dbo].[GetAffiliate]  
[dbo].[GetAffiliates]  
[dbo].[UpdateAffiliate]  
[dbo].[UpdateAffiliateStats]



## [dbo].[AnonymousUsers]

(local) > DNNCE612 > Tables > dbo.AnonymousUsers

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:46 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	UserID	char(36)	36	✗	
	PortalID	int	4	✗	
	TabID	int	4	✗	
	CreationDate	datetime	8	✗	(getdate())
	LastActiveDate	datetime	8	✗	(getdate())

### Indexes

	Name	Columns	Unique
	PK_AnonymousUsers	UserID, PortalID	✓

### Foreign Keys

Name	Delete	Columns
FK_AnonymousUsers_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]  
dbo

### Used By

[dbo].[DeleteUsersOnline]  
[dbo].[UpdateAnonymousUser]




## [dbo].[aspnet\_Applications]

(local) > DNNCE612 > Tables > dbo.aspnet\_Applications

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:55 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ApplicationName	nvarchar(256)	512	✗	
	LoweredApplicationName	nvarchar(256)	512	✗	
	ApplicationId	uniqueidentifier	16	✗	(newid())
	Description	nvarchar(256)	512	✓	

### Indexes

	Name	Columns	Unique
	PK__aspnet_A__C93A4C980B47A151	ApplicationId	✓
	UQ__aspnet_A__17477DE40E240DFC	LoweredApplicationName	✓
	UQ__aspnet_A__3091033111007AA7	ApplicationName	✓
	aspnet_Applications_Index	LoweredApplicationName	

### Uses

dbo

### Used By

[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[vw\_aspnet\_Applications]  
[dbo].[aspnet\_AnyDataInTables]  
[dbo].[aspnet\_Applications\_CreateApplication]  
[dbo].[aspnet\_Membership\_ChangePasswordQuestionAndAnswer]

(local) > DNNCE612 > Tables > dbo.aspnet\_Applications

[dbo].[aspnet\_Membership\_FindUsersByEmail]  
[dbo].[aspnet\_Membership\_FindUsersByName]  
[dbo].[aspnet\_Membership\_GetAllUsers]  
[dbo].[aspnet\_Membership\_GetNumberOfUsersOnline]  
[dbo].[aspnet\_Membership\_GetPassword]  
[dbo].[aspnet\_Membership\_GetPasswordWithFormat]  
[dbo].[aspnet\_Membership\_GetUserByEmail]  
[dbo].[aspnet\_Membership\_GetUserByName]  
[dbo].[aspnet\_Membership\_ResetPassword]  
[dbo].[aspnet\_Membership\_SetPassword]  
[dbo].[aspnet\_Membership\_UnlockUser]  
[dbo].[aspnet\_Membership\_UpdateUser]  
[dbo].[aspnet\_Membership\_UpdateUserInfo]  
[dbo].[aspnet\_Profile\_DeleteInactiveProfiles]  
[dbo].[aspnet\_Profile\_GetNumberOfInactiveProfiles]  
[dbo].[aspnet\_Profile\_GetProfiles]  
[dbo].[aspnet\_Profile\_GetProperties]  
[dbo].[aspnet\_Roles\_DeleteRole]  
[dbo].[aspnet\_Roles\_GetAllRoles]  
[dbo].[aspnet\_Roles\_RoleExists]  
[dbo].[aspnet\_Users\_DeleteUser]  
[dbo].[aspnet\_UsersInRoles\_AddUsersToRoles]  
[dbo].[aspnet\_UsersInRoles\_FindUsersInRole]  
[dbo].[aspnet\_UsersInRoles\_GetRolesForUser]  
[dbo].[aspnet\_UsersInRoles\_GetUsersInRoles]  
[dbo].[aspnet\_UsersInRoles\_IsUserInRole]  
[dbo].[aspnet\_UsersInRoles\_RemoveUsersFromRoles]




## [dbo].[aspnet\_Membership]

(local) > DNNCE612 > Tables > dbo.aspnet\_Membership

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:53 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ApplicationId	uniqueidentifier	16	✗	
	UserId	uniqueidentifier	16	✗	
	Password	nvarchar(128)	256	✗	
	PasswordFormat	int	4	✗	((0))
	PasswordSalt	nvarchar(128)	256	✗	
	MobilePIN	nvarchar(16)	32	✓	
	Email	nvarchar(256)	512	✓	
	LoweredEmail	nvarchar(256)	512	✓	
	PasswordQuestion	nvarchar(256)	512	✓	
	PasswordAnswer	nvarchar(128)	256	✓	
	IsApproved	bit	1	✗	
	IsLockedOut	bit	1	✗	
	CreateDate	datetime	8	✗	
	LastLoginDate	datetime	8	✗	
	LastPasswordChangedDate	datetime	8	✗	
	LastLockoutDate	datetime	8	✗	
	FailedPasswordAttemptCount	int	4	✗	
	FailedPasswordAttemptWindowStart	datetime	8	✗	
	FailedPasswordAnswerAttemptCount	int	4	✗	
	FailedPasswordAnswerAttemptWindowStart	datetime	8	✗	
	Comment	ntext	max	✓	

## Indexes

	Name	Columns	Unique
	PK__aspnet_M__1788CC4D29CC2871	UserId	✓
	aspnet_Membership_index	ApplicationId, LoweredEmail	

## Foreign Keys

Name	Columns
FK__aspnet_Me__Appli__2BB470E3	ApplicationId->[dbo].[aspnet_Applications].[ApplicationId]
FK__aspnet_Me__UserI__2CA8951C	UserId->[dbo].[aspnet_Users].[UserId]

## Uses

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Users]  
dbo

## Used By

[dbo].[vw\_aspnet\_MembershipUsers]  
[dbo].[aspnet\_AnyDataInTables]  
[dbo].[aspnet\_Membership\_ChangePasswordQuestionAndAnswer]  
[dbo].[aspnet\_Membership\_CreateUser]  
[dbo].[aspnet\_Membership\_FindUsersByEmail]  
[dbo].[aspnet\_Membership\_FindUsersByName]  
[dbo].[aspnet\_Membership\_GetAllUsers]  
[dbo].[aspnet\_Membership\_GetNumberOfUsersOnline]  
[dbo].[aspnet\_Membership\_GetPassword]  
[dbo].[aspnet\_Membership\_GetPasswordWithFormat]  
[dbo].[aspnet\_Membership\_GetUserByEmail]  
[dbo].[aspnet\_Membership\_GetUserByName]  
[dbo].[aspnet\_Membership\_GetUserById]  
[dbo].[aspnet\_Membership\_ResetPassword]  
[dbo].[aspnet\_Membership\_SetPassword]  
[dbo].[aspnet\_Membership\_UnlockUser]  
[dbo].[aspnet\_Membership\_UpdateUser]  
[dbo].[aspnet\_Membership\_UpdateUserInfo]  
[dbo].[aspnet\_Users\_DeleteUser]



## [dbo].[aspnet\_Profile]

(local) > DNNCE612 > Tables > dbo.aspnet\_Profile

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:54 AM Wednesday, February 01, 2012
Last Modified	10:35:54 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	UserId	uniqueidentifier	16	✗
	PropertyNames	ntext	max	✗
	PropertyValuesString	ntext	max	✗
	PropertyValuesBinary	image	max	✗
	LastUpdatedDate	datetime	8	✗

### Indexes

	Name	Columns	Unique
	PK__aspnet_P__1788CC4C40AF8DC9	UserId	✓

### Foreign Keys

Name	Columns
FK__aspnet_Pr__Userl__4297D63B	UserId->[dbo].[aspnet_Users].[UserId]

### Uses

[dbo].[aspnet\_Users]  
dbo

### Used By

[dbo].[vw\_aspnet\_Profiles]  
[dbo].[aspnet\_AnyDataInTables]  
[dbo].[aspnet\_Profile\_DeletelnActiveProfiles]



(local) > DNNCE612 > Tables > dbo.aspnet\_Profile

[dbo].[aspnet\_Profile\_GetNumberOfInactiveProfiles]

[dbo].[aspnet\_Profile\_GetProfiles]

[dbo].[aspnet\_Profile\_GetProperties]

[dbo].[aspnet\_Profile\_SetProperties]

[dbo].[aspnet\_Users\_DeleteUser]




## [dbo].[aspnet\_Roles]

(local) > DNNCE612 > Tables > dbo.aspnet\_Roles


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:55 AM Wednesday, February 01, 2012
Last Modified	10:35:55 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ApplicationId	uniqueidentifier	16	✗	
	RoleId	uniqueidentifier	16	✗	(newid())
	RoleName	nvarchar(256)	512	✗	
	LoweredRoleName	nvarchar(256)	512	✗	
	Description	nvarchar(256)	512	✓	

### Indexes

	Name	Columns	Unique
	PK__aspnet_R__8AFACE1B4C214075	RoleId	✓
	aspnet_Roles_index1	ApplicationId, LoweredRole-Name	✓

### Foreign Keys

Name	Columns
FK__aspnet_Ro__Appli__4E0988E7	ApplicationId->[dbo].[aspnet_Applications].[ApplicationId]

### Uses

[dbo].[aspnet\_Applications]  
dbo

### *Used By*

---

[dbo].[aspnet\_UsersInRoles]  
[dbo].[vw\_aspnet\_Roles]  
[dbo].[aspnet\_AnyDataInTables]  
[dbo].[aspnet\_Roles\_CreateRole]  
[dbo].[aspnet\_Roles\_DeleteRole]  
[dbo].[aspnet\_Roles\_GetAllRoles]  
[dbo].[aspnet\_Roles\_RoleExists]  
[dbo].[aspnet\_UsersInRoles\_AddUsersToRoles]  
[dbo].[aspnet\_UsersInRoles\_FindUsersInRole]  
[dbo].[aspnet\_UsersInRoles\_GetRolesForUser]  
[dbo].[aspnet\_UsersInRoles\_GetUsersInRoles]  
[dbo].[aspnet\_UsersInRoles\_IsUserInRole]  
[dbo].[aspnet\_UsersInRoles\_RemoveUsersFromRoles]

## [dbo].[aspnet\_SchemaVersions]

(local) > DNNCE612 > Tables > dbo.aspnet\_SchemaVersions



### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	4
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:53 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	Feature	nvarchar(128)	256	✗
	CompatibleSchemaVersion	nvarchar(128)	256	✗
	IsCurrentVersion	bit	1	✗

### Indexes

---

	Name	Columns	Unique
	PK__aspnet_S__5A1E6BC11D66518C	Feature, CompatibleSchemaVersion	✓

### Uses

---

dbo

### Used By

---

[dbo].[aspnet\_CheckSchemaVersion]  
[dbo].[aspnet\_RegisterSchemaVersion]  
[dbo].[aspnet\_UnRegisterSchemaVersion]






## [dbo].[aspnet\_Users]

(local) > DNNCE612 > Tables > dbo.aspnet\_Users



### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:55 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ApplicationId	uniqueidentifier	16	✗	
	UserId	uniqueidentifier	16	✗	(newid())
	UserName	nvarchar(256)	512	✗	
	LoweredUserName	nvarchar(256)	512	✗	
	MobileAlias	nvarchar(16)	32	✓	(NULL)
	IsAnonymous	bit	1	✗	((0))
	LastActivityDate	datetime	8	✗	

### Indexes

	Name	Columns	Unique
	PK__aspnet_U__1788CC4D15C52FC4	UserId	✓
	aspnet_Users_Index	ApplicationId, LoweredUser-Name	✓
	aspnet_Users_Index2	ApplicationId, LastActivityDate	

### Foreign Keys

Name	Columns
FK__aspnet_Us__Appli__17AD7836	ApplicationId->[dbo].[aspnet_Applications].[ApplicationId]

### Uses

[dbo].[aspnet\_Applications]

dbo

### *Used By*

---

[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_UsersInRoles]  
[dbo].[vw\_aspnet\_MembershipUsers]  
[dbo].[vw\_aspnet\_Users]  
[dbo].[aspnet\_AnyDataInTables]  
[dbo].[aspnet\_Membership\_ChangePasswordQuestionAndAnswer]  
[dbo].[aspnet\_Membership\_CreateUser]  
[dbo].[aspnet\_Membership\_FindUsersByEmail]  
[dbo].[aspnet\_Membership\_FindUsersByName]  
[dbo].[aspnet\_Membership\_GetAllUsers]  
[dbo].[aspnet\_Membership\_GetNumberOfUsersOnline]  
[dbo].[aspnet\_Membership\_GetPassword]  
[dbo].[aspnet\_Membership\_GetPasswordWithFormat]  
[dbo].[aspnet\_Membership\_GetUserByEmail]  
[dbo].[aspnet\_Membership\_GetUserByName]  
[dbo].[aspnet\_Membership\_GetUserById]  
[dbo].[aspnet\_Membership\_ResetPassword]  
[dbo].[aspnet\_Membership\_SetPassword]  
[dbo].[aspnet\_Membership\_UnlockUser]  
[dbo].[aspnet\_Membership\_UpdateUser]  
[dbo].[aspnet\_Membership\_UpdateUserInfo]  
[dbo].[aspnet\_Profile\_DeletInactiveProfiles]  
[dbo].[aspnet\_Profile\_GetNumberOfInactiveProfiles]  
[dbo].[aspnet\_Profile\_GetProfiles]  
[dbo].[aspnet\_Profile\_GetProperties]  
[dbo].[aspnet\_Profile\_SetProperties]  
[dbo].[aspnet\_Users\_CreateUser]  
[dbo].[aspnet\_Users\_DeleteUser]  
[dbo].[aspnet\_UsersInRoles\_AddUsersToRoles]  
[dbo].[aspnet\_UsersInRoles\_FindUsersInRole]  
[dbo].[aspnet\_UsersInRoles\_GetRolesForUser]  
[dbo].[aspnet\_UsersInRoles\_GetUsersInRoles]  
[dbo].[aspnet\_UsersInRoles\_IsUserInRole]  
[dbo].[aspnet\_UsersInRoles\_RemoveUsersFromRoles]




## [dbo].[aspnet\_UsersInRoles]

(local) > DNNCE612 > Tables > dbo.aspnet\_UsersInRoles

### Properties

Property	Value
Row Count	0
Created	10:35:55 AM Wednesday, February 01, 2012
Last Modified	10:35:55 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	UserId	uniqueidentifier	16	✗
	RoleId	uniqueidentifier	16	✗

### Indexes

	Name	Columns	Unique
	PK__aspnet_U__AF2760AD51DA19CB	UserId, RoleId	✓
	aspnet_UsersInRoles_index	RoleId	

### Foreign Keys

Name	Columns
FK__aspnet_Us__RoleId__54B68676	RoleId->[dbo].[aspnet_Roles].[RoleId]
FK__aspnet_Us__UserI__53C2623D	UserId->[dbo].[aspnet_Users].[UserId]

### Uses

[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
dbo

### Used By

[dbo].[vw\_aspnet\_UsersInRoles]  
[dbo].[aspnet\_Roles\_DeleteRole]  
[dbo].[aspnet\_Users\_DeleteUser]  
[dbo].[aspnet\_UsersInRoles\_AddUsersToRoles]  
[dbo].[aspnet\_UsersInRoles\_FindUsersInRole]

(local) > DNNCE612 > Tables > dbo.aspnet\_UsersInRoles

[dbo].[aspnet\_UsersInRoles\_GetRolesForUser]  
[dbo].[aspnet\_UsersInRoles\_GetUsersInRoles]  
[dbo].[aspnet\_UsersInRoles\_IsUserInRole]  
[dbo].[aspnet\_UsersInRoles\_RemoveUsersFromRoles]





## [dbo].[Assemblies]

(local) > DNNCE612 > Tables > dbo.Assemblies

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	26
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:46 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	AssemblyID	int	4	✗	1 - 1
	PackageID	int	4	✗	
	AssemblyName	nvarchar(250)	500	✗	
	Version	nvarchar(20)	40	✗	

### Indexes

	Name	Columns	Unique
	PK_PackageAssemblies	AssemblyID	✓

### Foreign Keys

Name	Delete	Columns
FK_PackageAssemblies_PackageAssemblies	Cascade	PackageID->[dbo].[Packages].[PackageID]

### Uses

[dbo].[Packages]  
dbo

### Used By

[dbo].[RegisterAssembly]  
[dbo].[UnRegisterAssembly]



## [dbo].[Authentication]

(local) > DNNCE612 > Tables > dbo.Authentication

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	AuthenticationID	int	4	✗	1 - 1	
	PackageID	int	4	✗		((-1))
	AuthenticationType	nvarchar(100)	200	✗		
	IsEnabled	bit	1	✗		((0))
	SettingsControlSrc	nvarchar(250)	500	✗		
	LoginControlSrc	nvarchar(250)	500	✗		
	LogoffControlSrc	nvarchar(250)	500	✗		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

Name	Columns	Unique
 PK_Authentication	AuthenticationID	✓

### Foreign Keys

Name	No Check	Update	Delete	Columns
FK_Authentication_Packages	✓	Cascade	Cascade	PackageID->[dbo].[Packages].[PackageID]

### *Uses*

---

[dbo].[Packages]  
dbo

### *Used By*

---

[dbo].[AddAuthentication]  
[dbo].[DeleteAuthentication]  
[dbo].[GetAuthenticationService]  
[dbo].[GetAuthenticationServiceByPackageID]  
[dbo].[GetAuthenticationServiceByType]  
[dbo].[GetAuthenticationServices]  
[dbo].[GetEnabledAuthenticationServices]  
[dbo].[UpdateAuthentication]




## [dbo].[Banners]

(local) > DNNCE612 > Tables > dbo.Banners

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:46 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	BannerId	int	4	✗	1 - 1	
	VendorId	int	4	✗		
	ImageFile	nvarchar(100)	200	✓		
	BannerName	nvarchar(100)	200	✗		
	Impressions	int	4	✗		
	CPM	float	8	✗		
	Views	int	4	✗		((0))
	ClickThroughs	int	4	✗		((0))
	StartDate	datetime	8	✓		
	EndDate	datetime	8	✓		
	CreatedByUser	nvarchar(100)	200	✗		
	CreatedDate	datetime	8	✗		
	BannerTypeId	int	4	✓		
	Description	nvarchar(2000)	4000	✓		
	GroupName	nvarchar(100)	200	✓		
	Criteria	bit	1	✗		((1))
	URL	nvarchar(255)	510	✓		
	Width	int	4	✗		((0))
	Height	int	4	✗		((0))

### Indexes

---

	Name	Columns	Unique
	PK_Banner	BannerId	✓
	IX_Banners	BannerTypeId	
	IX_Banners_1	VendorId	

### Foreign Keys

---

Name	Delete	Columns
FK_Banner_Vendor	Cascade	VendorId->[dbo].[Vendors].[VendorId]

### Uses

---

[dbo].[Vendors]  
dbo

### Used By

---

[dbo].[AddBanner]  
[dbo].[DeleteBanner]  
[dbo].[FindBanners]  
[dbo].[GetBanner]  
[dbo].[GetBannerGroups]  
[dbo].[GetBanners]  
[dbo].[GetVendors]  
[dbo].[GetVendorsByEmail]  
[dbo].[GetVendorsByName]  
[dbo].[UpdateBanner]  
[dbo].[UpdateBannerClickThrough]  
[dbo].[UpdateBannerViews]



## [dbo].[Classification]

(local) > DNNCE612 > Tables > dbo.Classification


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ClassificationId	int	4	✗	1 - 1
	ClassificationName	nvarchar(200)	400	✗	
	ParentId	int	4	✓	

### Indexes

	Name	Columns	Unique
	PK_VendorCategory	ClassificationId	✓
	IX_Classification	ParentId	

### Foreign Keys

Name	Columns
FK_Classification_Classification	ParentId->[dbo].[Classification].[ClassificationId]

### Uses

dbo

### Used By

[dbo].[VendorClassification]  
[dbo].[GetVendorClassifications]



## [dbo].[ContentItems]

(local) > DNNCE612 > Tables > dbo.ContentItems

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	156
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ContentItemID	int	4	✗	1 - 1	
	Content	nvarchar(max)	max	✓		
	ContentTypeID	int	4	✗		
	TabID	int	4	✗		
	ModuleID	int	4	✗		
	ContentKey	nvarchar(250)	500	✓		
	Indexed	bit	1	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

	Name	Columns	Unique
	PK_ContentItems	ContentItemID	✓

### Foreign Keys

Name	Columns
FK_ContentItems_ContentTypes	ContentTypeID->[dbo].[ContentTypes].[ContentTypeID]

### *Uses*

---

[dbo].[ContentTypes]  
dbo

### *Used By*

---

[dbo].[ContentItems\_MetaData]  
[dbo].[ContentItems\_Tags]  
[dbo].[Modules]  
[dbo].[Tabs]  
[dbo].[vw\_DesktopModules]  
[dbo].[vw\_Modules]  
[dbo].[vw\_TabModules]  
[dbo].[vw\_Tabs]  
[dbo].[AddContentItem]  
[dbo].[DeleteContentItem]  
[dbo].[GetContentItem]  
[dbo].[GetContentItems]  
[dbo].[GetContentItemsByTerm]  
[dbo].[GetUnIndexedContentItems]  
[dbo].[UpdateContentItem]






## [dbo].[ContentItems\_MetaData]

(local) > DNNCE612 > Tables > dbo.ContentItems\_MetaData

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ContentItemMetaDataID	int	4	✗	1 - 1
	ContentItemID	int	4	✗	
	MetaDataID	int	4	✗	
	MetaDataValue	nvarchar(max)	max	✓	

### Indexes

	Name	Columns	Unique
	PK_Content_MetaData	ContentItemMetaDataID	✓

### Foreign Keys

Name	No Check	Update	Delete	Columns
FK_ContentItems_MetaData_ContentItems		Cascade	Cascade	ContentItemID->[dbo].[ContentItems].[ContentItemID]
FK_ContentItems_MetaData_MetaData	✓	Cascade	Cascade	MetaDataID->[dbo].[MetaData].[MetaDataID]

### Uses

[dbo].[ContentItems]  
[dbo].[MetaData]  
dbo

*Used By*

---

[dbo].[AddMetaData]  
[dbo].[DeleteMetaData]  
[dbo].[GetMetaData]




## [dbo].[ContentItems\_Tags]

(local) > DNNCE612 > Tables > dbo.ContentItems\_Tags

### Properties

Property	Value
Row Count	28
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ContentItemTagID	int	4	✗	1 - 1
	ContentItemID	int	4	✗	
	TermID	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK_ContentItems_Tags	ContentItemTagID	✓
	IX_ContentItems_Tags	ContentItemID, TermID	✓
	IX_ContentItems_Tags_TermID	TermID	

### Foreign Keys

Name	Update	Delete	Columns
FK_ContentItems_Tags_ContentItems	Cascade	Cascade	ContentItemID->[dbo].[ContentItems].[ContentItemID]
FK_ContentItems_Tags_Taxonomy_Terms	Cascade	Cascade	TermID->[dbo].[Taxonomy_Terms].[TermID]

### Uses

[dbo].[ContentItems]  
[dbo].[Taxonomy\_Terms]  
dbo

### Used By

[dbo].[AddTermToContent]

(local) > DNNCE612 > Tables > dbo.ContentItems\_Tags

[dbo].[GetContentItemsByTerm]  
[dbo].[GetTermsByContent]  
[dbo].[RemoveTermsFromContent]

## [dbo].[ContentTypes]

(local) > DNNCE612 > Tables > dbo.ContentTypes


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	3
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ContentTypeID	int	4	✗	1 - 1
	ContentType	nvarchar(100)	200	✗	

### Indexes

---

	Name	Columns	Unique
	PK_ContentTypes	ContentTypeID	✓

### Uses

---

dbo

### Used By

---

[dbo].[ContentItems]  
[dbo].[AddContentType]  
[dbo].[DeleteContentType]  
[dbo].[GetContentTypes]  
[dbo].[UpdateContentType]



## [dbo].[Dashboard\_Controls]

(local) > DNNCE612 > Tables > dbo.Dashboard\_Controls

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	6
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	DashboardControlID	int	4	✗	1 - 1	
	DashboardControlKey	nvarchar(50)	100	✗		
	IsEnabled	bit	1	✗		
	DashboardControlSrc	nvarchar(250)	500	✗		
	DashboardControlLocalResources	nvarchar(250)	500	✗		
	ControllerClass	nvarchar(250)	500	✓		
	ViewOrder	int	4	✗		((0))
	PackageID	int	4	✗		((-1))

### Indexes

	Name	Columns	Unique
	PK_Dashboard	DashboardControlID	✓

### Foreign Keys

Name	No Check	Update	Delete	Columns
FK_Dashboard_Controls_Packages	✓	Cascade	Cascade	PackageID->[dbo].[Packages].[PackageID]

### Uses

[dbo].[Packages]  
dbo

(local) > DNNCE612 > Tables > dbo.Dashboard\_Controls

### *Used By*

---

[dbo].[Dashboard\_AddControl]  
[dbo].[Dashboard\_DeleteControl]  
[dbo].[Dashboard\_GetControls]  
[dbo].[Dashboard\_GetDashboardControlByKey]  
[dbo].[Dashboard\_UpdateControl]






## [dbo].[DesktopModulePermission]

(local) > DNNCE612 > Tables > dbo.DesktopModulePermission

### Properties

Property	Value
Row Count	26
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	DesktopModulePermissionID	int	4	✗	1 - 1
	PortalDesktopModuleID	int	4	✗	
	PermissionID	int	4	✗	
	AllowAccess	bit	1	✗	
	RoleID	int	4	✓	
	UserID	int	4	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_DesktopModulePermission	DesktopModulePermissionID	✓
	IX_DesktopModulePermission	PortalDesktopModuleID, PermissionID, RoleID, UserID	✓



### Foreign Keys

---

Name	Delete	Columns
FK_DesktopModulePermission_Permission	Cascade	PermissionID->[dbo].[Permission],[PermissionID]
FK_DesktopModulePermission_PortalDesktopModules	Cascade	PortalDesktopModuleID->[dbo].[PortalDesktopModules],[PortalDesktopModuleID]
FK_DesktopModulePermissionUsers		UserID->[dbo].[Users].[UserID]

### Uses

---

[dbo].[Permission]  
[dbo].[PortalDesktopModules]  
[dbo].[Users]  
dbo

### Used By

---

[dbo].[vw\_DesktopModulePermissions]  
[dbo].[AddDesktopModulePermission]  
[dbo].[DeleteDesktopModulePermission]  
[dbo].[DeleteDesktopModulePermissionsByPortalDesktopModuleID]  
[dbo].[DeleteDesktopModulePermissionsByUserID]  
[dbo].[UpdateDesktopModulePermission]





## [dbo].[DesktopModules]

(local) > DNNCE612 > Tables > dbo.DesktopModules

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	40
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	DesktopModuleID	int	4	✗	1 - 1	
	FriendlyName	nvarchar(128)	256	✗		
	Description	nvarchar(2000)	4000	✓		
	Version	nvarchar(8)	16	✓		
	IsPremium	bit	1	✗		
	IsAdmin	bit	1	✗		
	BusinessControllerClass	nvarchar(200)	400	✓		
	FolderName	nvarchar(128)	256	✗		
	ModuleName	nvarchar(128)	256	✗		
	SupportedFeatures	int	4	✗		((0))
	CompatibleVersions	nvarchar(500)	1000	✓		
	Dependencies	nvarchar(400)	800	✓		
	Permissions	nvarchar(400)	800	✓		
	PackageID	int	4	✗		((-1))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	ContentItemId	int	4	✗		((-1))

### Indexes

---

	Name	Columns	Unique
	PK_DesktopModules	DesktopModuleID	✓
	IX_DesktopModules_ModuleName	ModuleName	✓
	IX_DesktopModules_FriendlyName	FriendlyName	

### Foreign Keys

---

Name	No Check	Update	Delete	Columns
FK_DesktopModules_Packages	✓	Cascade	Cascade	PackageID->[dbo].[Packages].[PackageID]

### Uses

---

[dbo].[Packages]  
dbo

### Used By

---

[dbo].[ModuleDefinitions]  
[dbo].[PortalDesktopModules]  
[dbo].[vw\_DesktopModules]  
[dbo].[vw\_Modules]  
[dbo].[vw\_TabModules]  
[dbo].[AddDesktopModule]  
[dbo].[Dashboard\_GetInstalledModules]  
[dbo].[DeleteDesktopModule]  
[dbo].[GetModulePackagesInUse]  
[dbo].[GetPortalDesktopModules]  
[dbo].[GetTabsByPackageID]  
[dbo].[UpdateDesktopModule]





## [dbo].[EventLog]

(local) > DNNCE612 > Tables > dbo.EventLog


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	20
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	LogGUID	varchar(36)	36	✗	
	LogTypeKey	nvarchar(35)	70	✗	
	LogConfigID	int	4	✓	
	LogUserID	int	4	✓	
	LogUserName	nvarchar(50)	100	✓	
	LogPortalID	int	4	✓	
	LogPortalName	nvarchar(100)	200	✓	
	LogCreateDate	datetime	8	✗	
	LogServerName	nvarchar(50)	100	✗	
	LogProperties	ntext	max	✗	
	LogNotificationPending	bit	1	✓	
	LogEventID	bigint	8	✗	1 - 1

### Indexes

	Name	Columns	Unique
	PK_EventLogMaster	LogEventID	✓
	IX_EventLog_LogGUID	LogGUID	

### Foreign Keys

Name	No Check	Columns
FK_EventLog_EventLogConfig	✓	LogConfigID->[dbo].[EventLogConfig].[ID]
FK_EventLog_EventLogTypes	✓	LogTypeKey->[dbo].[EventLogTypes].[LogTypeKey]

### *Uses*

---

[dbo].[EventLogConfig]  
[dbo].[EventLogTypes]  
dbo

### *Used By*

---

[dbo].[AddEventLog]  
[dbo].[DeleteEventLog]  
[dbo].[GetEventLog]  
[dbo].[GetEventLogByLogGUID]  
[dbo].[GetEventLogPendingNotif]  
[dbo].[GetEventLogPendingNotifConfig]  
[dbo].[UpdateEventLogPendingNotif]




## [dbo].[EventLogConfig]

(local) > DNNCE612 > Tables > dbo.EventLogConfig

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	108
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ID	int	4	✗	1 - 1
	LogTypeKey	nvarchar(35)	70	✓	
	LogTypePortalID	int	4	✓	
	LoggingIsActive	bit	1	✗	
	KeepMostRecent	int	4	✗	
	EmailNotificationIsActive	bit	1	✗	
	NotificationThreshold	int	4	✓	
	NotificationThresholdTime	int	4	✓	
	NotificationThresholdTimeType	int	4	✓	
	MailFromAddress	nvarchar(50)	100	✗	
	MailToAddress	nvarchar(50)	100	✗	

### Indexes

	Name	Columns	Unique
	PK_EventLogConfig	ID	✓
	IX_LogTypeKey_LogTypePortalID	LogTypeKey, LogTypePortalID	✓

### Foreign Keys

Name	No Check	Columns
FK_EventLogConfig_EventLogTypes	✓	LogTypeKey->[dbo].[EventLogTypes].[LogTypeKey]

### *Uses*

---

[dbo].[EventLogTypes]  
dbo

### *Used By*

---

[dbo].[EventLog]  
[dbo].[AddEventLog]  
[dbo].[AddEventLogConfig]  
[dbo].[DeleteEventLogConfig]  
[dbo].[GetEventLogConfig]  
[dbo].[GetEventLogPendingNotifConfig]  
[dbo].[SaveCoreAuditTypes]  
[dbo].[UpdateEventLogConfig]


## [dbo].[EventLogTypes]

(local) > DNNCE612 > Tables > dbo.EventLogTypes

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	131
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	LogTypeKey	nvarchar(35)	70	✗
	LogTypeFriendlyName	nvarchar(50)	100	✗
	LogTypeDescription	nvarchar(128)	256	✗
	LogTypeOwner	nvarchar(100)	200	✗
	LogTypeCSSClass	nvarchar(40)	80	✗

### Indexes

	Name	Columns	Unique
	PK_EventLogTypes	LogTypeKey	✓

### Uses

dbo

### Used By

[dbo].[EventLog]  
[dbo].[EventLogConfig]  
[dbo].[AddEventLog]  
[dbo].[AddEventLogType]  
[dbo].[DeleteEventLogType]  
[dbo].[GetEventLogConfig]  
[dbo].[GetEventLogType]  
[dbo].[SaveCoreAuditTypes]  
[dbo].[UpdateEventLogType]




## [dbo].[EventQueue]

(local) > DNNCE612 > Tables > dbo.EventQueue

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	43
Created	10:35:44 AM Wednesday, February 01, 2012
Last Modified	10:35:44 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	EventMessageID	int	4	✗	1 - 1	
	EventName	nvarchar(100)	200	✗		
	Priority	int	4	✗		
	ProcessorType	nvarchar(250)	500	✗		
	ProcessorCommand	nvarchar(250)	500	✗		
	Body	nvarchar(250)	500	✗		
	Sender	nvarchar(250)	500	✗		
	Subscriber	nvarchar(100)	200	✗		
	AuthorizedRoles	nvarchar(250)	500	✗		
	ExceptionMessage	nvarchar(250)	500	✗		
	SentDate	datetime	8	✗		
	ExpirationDate	datetime	8	✗		
	Attributes	ntext	max	✗		
	IsComplete	bit	1	✗		((0))

### Indexes

	Name	Columns	Unique
	PK_EventQueue	EventMessageID	✓

### Uses

dbo

*Used By*

---

[dbo].[AddEventMessage]

[dbo].[GetEventMessages]

[dbo].[GetEventMessagesBySubscriber]

[dbo].[SetEventMessageComplete]






## [dbo].[Files]

(local) > DNNCE612 > Tables > dbo.Files


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	182
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	FileId	int	4	✗	1 - 1	
	PortalId	int	4	✓		
	FileName	nvarchar(246)	492	✗		
	Extension	nvarchar(100)	200	✗		
	Size	int	4	✗		
	Width	int	4	✓		
	Height	int	4	✓		
	ContentType	nvarchar(200)	400	✗		
	Folder	nvarchar(246)	492	✓		
	FolderID	int	4	✗		
	Content	image	max	✓		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	Uniqueld	uniqueidentifier	16	✗		(newid())
	VersionGuid	uniqueidentifier	16	✗		(newid())
	SHA1Hash	varchar(40)	40	✓		

## Indexes

	Name	Columns	Unique
	PK_File	FileId	✓
	IX_FileName	FolderID, FileName	✓
	IX_Files_Uniqueld	Uniqueld	✓
	IX_Files	PortalId	

## Foreign Keys

Name	Delete	Columns
FK_Files_Folders	Cascade	FolderID->[dbo].[Folders].[FolderID]
FK_Files_Portals		PortalId->[dbo].[Portals].[PortalID]

## Uses

[dbo].[Folders]  
[dbo].[Portals]  
dbo

## Used By

[dbo].[vw\_Modules]  
[dbo].[vw\_Portals]  
[dbo].[vw\_PortalsDefaultLanguage]  
[dbo].[vw\_TabModules]  
[dbo].[AddFile]  
[dbo].[DeleteFile]  
[dbo].[DeleteFiles]  
[dbo].[FindBanners]  
[dbo].[GetAllFiles]  
[dbo].[GetBanner]  
[dbo].[GetFile]  
[dbo].[GetFileById]  
[dbo].[GetFileByUniqueld]  
[dbo].[GetFileContent]  
[dbo].[GetFiles]  
[dbo].[GetModuleSetting]  
[dbo].[GetModuleSettings]  
[dbo].[GetPortalSetting]  
[dbo].[GetPortalSettings]  
[dbo].[GetPortalSpaceUsed]  
[dbo].[GetTabSetting]  
[dbo].[GetTabSettings]  
[dbo].[GetVendor]  
[dbo].[UpdateFile]  
[dbo].[UpdateFileContent]  
[dbo].[UpdateFileVersion]




## [dbo].[FolderMappings]

(local) > DNNCE612 > Tables > dbo.FolderMappings

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	6
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	FolderMappingID	int	4	✗	1 - 1
	PortalID	int	4	✓	
	MappingName	nvarchar(50)	100	✗	
	FolderProviderType	nvarchar(50)	100	✗	
	Priority	int	4	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_FolderMappings	FolderMappingID	✓
	IX_FolderMappings	PortalID, MappingName	✓

### Foreign Keys

Name	Delete	Columns
FK_FolderMappings_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]

(local) > DNNCE612 > Tables > dbo.FolderMappings

dbo

*Used By*

---

[dbo].[FolderMappingsSettings]  
[dbo].[AddDefaultFolderTypes]  
[dbo].[AddFolder]  
[dbo].[AddFolderMapping]  
[dbo].[DeleteFolderMapping]  
[dbo].[GetFolderMapping]  
[dbo].[GetFolderMappingByMappingName]  
[dbo].[GetFolderMappings]  
[dbo].[UpdateFolderMapping]




## [dbo].[FolderMappingsSettings]

(local) > DNNCE612 > Tables > dbo.FolderMappingsSettings

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	FolderMappingID	int	4	✗
	SettingName	nvarchar(50)	100	✗
	SettingValue	nvarchar(2000)	4000	✗
	CreatedByUserID	int	4	✓
	CreatedOnDate	datetime	8	✓
	LastModifiedByUserID	int	4	✓
	LastModifiedOnDate	datetime	8	✓

### Indexes

	Name	Columns	Unique
	PK_FolderMappingsSettings	FolderMappingID, SettingName	✓

### Foreign Keys

Name	Delete	Columns
FK_FolderMappingsSettings_FolderMappings	Cascade	FolderMappingID->[dbo].[FolderMappings].[FolderMappingID]

### Uses

[dbo].[FolderMappings]  
dbo

*Used By*

---

[dbo].[AddFolderMappingsSetting]  
[dbo].[GetFolderMappingsSetting]  
[dbo].[GetFolderMappingsSettings]  
[dbo].[UpdateFolderMappingsSetting]








## [dbo].[FolderPermission]

(local) > DNNCE612 > Tables > dbo.FolderPermission


### Properties

Property	Value
Row Count	30
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:58 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	FolderPermissionID	int	4	✗	1 - 1
	FolderID	int	4	✗	
	PermissionID	int	4	✗	
	AllowAccess	bit	1	✗	
	RoleID	int	4	✓	
	UserID	int	4	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_FolderPermission	FolderPermissionID	✓
	IX_FolderPermission	FolderID, PermissionID, RoleID, UserID	✓
	IX_FolderPermission_Modules	FolderID	
	IX_FolderPermission_Permission	PermissionID	
	IX_FolderPermission_Roles	RoleID	
	IX_FolderPermission_Users	UserID	

## Foreign Keys

---

Name	Delete	Columns
FK_FolderPermission_Folders	Cascade	FolderID->[dbo].[Folders].[FolderID]
FK_FolderPermission_Permission	Cascade	PermissionID->[dbo].[Permission].[PermissionID]
FK_FolderPermissionUsers	Cascade	UserID->[dbo].[Users].[UserID]

## Uses

---

[dbo].[Folders]  
[dbo].[Permission]  
[dbo].[Users]  
dbo

## Used By

---

[dbo].[vw\_FolderPermissions]  
[dbo].[AddFolderPermission]  
[dbo].[DeleteFolderPermission]  
[dbo].[DeleteFolderPermissionsByFolderPath]  
[dbo].[DeleteFolderPermissionsByUserID]  
[dbo].[DeleteRole]  
[dbo].[GetFoldersByPermissions]  
[dbo].[UpdateFolderPermission]





## [dbo].[Folders]

(local) > DNNCE612 > Tables > dbo.Folders

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	37
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	FolderID	int	4	✗	1 - 1	
	PortalID	int	4	✓		
	FolderPath	nvarchar(300)	600	✗		
	StorageLocation	int	4	✗		((0))
	IsProtected	bit	1	✗		((0))
	IsCached	bit	1	✗		((0))
	LastUpdated	datetime	8	✓		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	Uniqueld	uniqueidentifier	16	✗		(newid())
	VersionGuid	uniqueidentifier	16	✗		(newid())
	FolderMappingID	int	4	✗		

### Indexes

	Name	Columns	Unique
	PK_Folders	FolderID	✓
	IX_FolderPath	PortalID, FolderPath	✓
	IX_Folders_Uniqueld	Uniqueld	✓

## Foreign Keys

---

Name	Delete	Columns
FK_Folders_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

## Uses

---

[dbo].[Portals]  
dbo

## Used By

---

[dbo].[Files]  
[dbo].[FolderPermission]  
[dbo].[vw\_FolderPermissions]  
[dbo].[AddFolder]  
[dbo].[DeleteFolder]  
[dbo].[DeleteFolderPermissionsByFolderPath]  
[dbo].[DeleteFolderPermissionsByUserID]  
[dbo].[GetAllFiles]  
[dbo].[GetFile]  
[dbo].[GetFileById]  
[dbo].[GetFiles]  
[dbo].[GetFolderByFolderID]  
[dbo].[GetFolderByFolderPath]  
[dbo].[GetFolderByUniqueID]  
[dbo].[GetFolders]  
[dbo].[GetFoldersByPermissions]  
[dbo].[UpdateFolder]  
[dbo].[UpdateFolderVersion]

## [dbo].[HostSettings]

(local) > DNNCE612 > Tables > dbo.HostSettings


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	54
Created	10:35:44 AM Wednesday, February 01, 2012
Last Modified	10:35:44 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	SettingName	nvarchar(50)	100	✗	
	SettingValue	nvarchar(256)	512	✗	
	SettingsSecure	bit	1	✗	((0))
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

---

	Name	Columns	Unique
	PK_HostSettings	SettingName	✓

### Uses

---

dbo

### Used By

---

[dbo].[AddHostSetting]  
[dbo].[GetHostSetting]  
[dbo].[GetHostSettings]  
[dbo].[UpdateHostSetting]




## [dbo].[HtmlText]

(local) > DNNCE612 > Tables > dbo.HtmlText


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	35
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:36:56 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ModuleID	int	4	✗	
	ItemID	int	4	✗	1 - 1
	Content	ntext	max	✓	
	Version	int	4	✓	
	StateID	int	4	✓	
	IsPublished	bit	1	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	
	Summary	ntext	max	✓	

### Indexes

	Name	Columns	Unique
	PK_HtmlText	ItemID	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_HtmlText_Modules		Cascade	ModuleID->[dbo].[Modules].[ModuleID]
FK_HtmlText_WorkflowStates	✓		StateID->[dbo].[WorkflowStates].[StateID]

### *Uses*

---

[dbo].[Modules]  
[dbo].[WorkflowStates]  
dbo

### *Used By*

---

[dbo].[HtmlTextLog]  
[dbo].[HtmlTextUsers]  
[dbo].[AddHtmlText]  
[dbo].[DeleteHtmlText]  
[dbo].[DeleteHtmlTextUsers]  
[dbo].[GetAllHtmlText]  
[dbo].[GetHtmlText]  
[dbo].[GetTopHtmlText]  
[dbo].[UpdateHtmlText]




## [dbo].[HtmlTextLog]

(local) > DNNCE612 > Tables > dbo.HtmlTextLog


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	35
Created	10:36:56 AM Wednesday, February 01, 2012
Last Modified	10:36:56 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	HtmlTextLogID	int	4	✗	1 - 1
	ItemID	int	4	✗	
	StateID	int	4	✗	
	Comment	nvarchar(4000)	8000	✓	
	Approved	bit	1	✗	
	CreatedByUserID	int	4	✗	
	CreatedOnDate	datetime	8	✗	

### Indexes

	Name	Columns	Unique
	PK_HtmlTextLog	HtmlTextLogID	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_HtmlTextLog_HtmlText	✓	Cascade	ItemID->[dbo].[HtmlText].[ItemID]
FK_HtmlTextLog_WorkflowStates	✓		StateID->[dbo].[WorkflowStates].[StateID]

### Uses

[dbo].[HtmlText]  
[dbo].[WorkflowStates]  
dbo



(local) > DNNCE612 > Tables > dbo.HtmlTextLog

*Used By*

---

[dbo].[AddHtmlTextLog]

[dbo].[GetHtmlTextLog]



## [dbo].[HtmlTextUsers]

(local) > DNNCE612 > Tables > dbo.HtmlTextUsers


### Properties

Property	Value
Row Count	0
Created	10:36:56 AM Wednesday, February 01, 2012
Last Modified	10:36:56 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	HtmlTextUserID	int	4	✗	1 - 1
	ItemID	int	4	✗	
	StateID	int	4	✗	
	ModuleID	int	4	✗	
	TabID	int	4	✗	
	UserID	int	4	✗	
	CreatedOnDate	datetime	8	✗	

### Indexes

	Name	Columns	Unique
	PK_HtmlTextUsers	HtmlTextUserID	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_HtmlTextUsers_HtmlText	✓	Cascade	ItemID->[dbo].[HtmlText].[ItemID]

### Uses

[dbo].[HtmlText]  
dbo

### Used By

[dbo].[AddHtmlTextUser]  
[dbo].[DeleteHtmlTextUsers]

(local) > DNNCE612 > Tables > dbo.HtmlTextUsers

[dbo].[GetHtmlTextUser]





## [dbo].[LanguagePacks]

(local) > DNNCE612 > Tables > dbo.LanguagePacks


### Properties

Property	Value
Row Count	0
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	LanguagePackID	int	4	✗	1 - 1
	PackageID	int	4	✗	
	DependentPackageID	int	4	✗	
	LanguageID	int	4	✗	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_LanguagePacks	LanguagePackID	✓
	IX_LanguagePacks	LanguageID, PackageID	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_LanguagePacks_Languages	✓	Cascade	LanguageID->[dbo].[Languages].[LanguageID]
FK_LanguagePacks_Packages		Cascade	PackageID->[dbo].[Packages].[PackageID]

### Uses

[dbo].[Languages]

[dbo].[Packages]

dbo

(local) > DNNCE612 > Tables > dbo.LanguagePacks

### *Used By*

---

[dbo].[AddLanguagePack]

[dbo].[DeleteLanguagePack]

[dbo].[GetLanguagePackByPackage]

[dbo].[UpdateLanguagePack]



## [dbo].[Languages]

(local) > DNNCE612 > Tables > dbo.Languages


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	LanguageID	int	4	✗	1 - 1
	CultureCode	nvarchar(50)	100	✗	
	CultureName	nvarchar(200)	400	✗	
	FallbackCulture	nvarchar(50)	100	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_Languages	LanguageID	✓
	IX_Languages	CultureCode	✓

### Uses

dbo

### Used By

[dbo].[LanguagePacks]  
[dbo].[PortalLanguages]  
[dbo].[AddLanguage]  
[dbo].[DeleteLanguage]  
[dbo].[EnsureLocalizationExists]  
[dbo].[GetLanguages]

(local) > DNNCE612 > Tables > dbo.Languages

[dbo].[GetLanguagesByPortal]

[dbo].[UpdateLanguage]



## [dbo].[Links]

(local) > DNNCE612 > Tables > dbo.Links


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ItemID	int	4	✗	0 - 1
	ModuleID	int	4	✗	
	CreateDate	datetime	8	✓	
	Title	nvarchar(100)	200	✓	
	Url	nvarchar(250)	500	✓	
	ViewOrder	int	4	✓	
	Description	nvarchar(2000)	4000	✓	
	CreatedByUser	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK__Links__67FE6514	ItemID	✓
	IX_Links	ModuleID	

### Foreign Keys

Name	Delete	Columns
FK_Links_Modules	Cascade	ModuleID->[dbo].[Modules].[ModuleID]

### Uses

[dbo].[Modules]  
dbo



*Used By*

---

[dbo].[dnnLinks\_AddLink]  
[dbo].[dnnLinks\_DeleteLink]  
[dbo].[dnnLinks\_GetLink]  
[dbo].[dnnLinks\_GetLinks]  
[dbo].[dnnLinks\_UpdateLink]

## [dbo].[Lists]

(local) > DNNCE612 > Tables > dbo.Lists






### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	343
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:46 AM Wednesday, February 01, 2012

### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	EntryID	int	4	✗	1 - 1	
	ListName	nvarchar(50)	100	✗		
	Value	nvarchar(100)	200	✗		
	Text	nvarchar(150)	300	✗		
	ParentID	int	4	✗		((0))
	Level	int	4	✗		((0))
	SortOrder	int	4	✗		((0))
	DefinitionID	int	4	✗		((0))
	Description	nvarchar(500)	1000	✓		
	PortalID	int	4	✗		((-1))
	SystemList	bit	1	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

## Indexes

---

	Name	Columns	Unique
	PK_Lists	EntryID	✓
	IX_Lists_ListName_Value_Text_ParentID	ListName, Value, Text, ParentID	✓
	IX_Lists_ListName_ParentID	ListName, ParentID	
	IX_Lists_ParentID	ParentID	

## Uses

---

dbo

## Used By

---

[dbo].[vw\_Lists]  
[dbo].[AddListEntry]  
[dbo].[DeleteListEntryByID]  
[dbo].[GetPortalRoles]  
[dbo].[GetRolesByGroup]  
[dbo].[UpdateListEntry]  
[dbo].[UpdateListSortOrder]  
[dbo].[GetListParentKey]









## [dbo].[Messaging\_Messages]

(local) > DNNCE612 > Tables > dbo.Messaging\_Messages

### Properties


Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:35 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	MessageID	bigint	8	✗	1 - 1
	PortalID	int	4	✗	
	FromUserID	int	4	✗	
	ToUserName	nvarchar(50)	100	✓	
	FromUserName	nvarchar(50)	100	✓	
	ToUserID	int	4	✓	
	ToRoleID	int	4	✓	
	Status	tinyint	1	✗	
	Subject	nvarchar(max)	max	✓	
	Body	nvarchar(max)	max	✓	
	Date	datetime	8	✗	
	Conversation	uniqueidentifier	16	✗	
	ReplyTo	bigint	8	✓	
	AllowReply	bit	1	✗	
	SkipPortal	bit	1	✗	
	EmailSent	bit	1	✗	
	EmailSentDate	datetime	8	✓	
	EmailSchedulerInstance	uniqueidentifier	16	✓	

**Indexes** 

---

	<b>Name</b>	<b>Columns</b>	<b>Unique</b>
	PK_Messaging_Messages	MessageID	✓
	IX_Messaging_Messages_EmailSent_EmailSchedulerInstance_Status	EmailSent, EmailScheduler-Instance, Status, Date	
	IX_Messaging_Messages_FromUserID_Status	FromUserID, Status, Date	
	IX_Messaging_Messages_ToUserID_Status_SkipPortal	ToUserID, Status, Skip-Portal, Date	

**Uses**

---

dbo

**Used By**

---

[dbo].[Messaging\_GetInbox]  
[dbo].[Messaging\_GetInboxCount]  
[dbo].[Messaging\_GetMessage]  
[dbo].[Messaging\_GetNewMessageCount]  
[dbo].[Messaging\_GetNextMessageForDispatch]  
[dbo].[Messaging\_MarkMessageAsDispatched]  
[dbo].[Messaging\_Save\_Message]  
[dbo].[Messaging\_UpdateMessage]

## [dbo].[MetaData]

(local) > DNNCE612 > Tables > dbo.MetaData


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	15
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	MetaDataID	int	4	✗	1 - 1
	MetaDataName	nvarchar(100)	200	✗	
	MetaDataDescription	nvarchar(2500)	5000	✓	

### Indexes

---

	Name	Columns	Unique
	PK_MetaData	MetaDataID	✓

### Uses

---

dbo

### Used By

---

[dbo].[ContentItems\_MetaData]

[dbo].[AddMetaData]

[dbo].[DeleteMetaData]




## [dbo].[Mobile\_PreviewProfiles]

(local) > DNNCE612 > Tables > dbo.Mobile\_PreviewProfiles

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:57 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	Id	int	4	✗	1 - 1	
	PortalId	int	4	✗		
	Name	nvarchar(50)	100	✗		
	Width	int	4	✗		
	Height	int	4	✗		
	UserAgent	nvarchar(260)	520	✗		
	SortOrder	int	4	✗		((0))
	CreatedByUserID	int	4	✗		
	CreatedOnDate	datetime	8	✗		(getdate())
	LastModifiedByUserID	int	4	✗		
	LastModifiedOnDate	datetime	8	✗		(getdate())

### Indexes

	Name	Columns	Unique
	PK_Mobile_PreviewProfiles	Id	✓
	IX_Mobile_PreviewProfiles_SortOrder	SortOrder	

### Foreign Keys

Name	Delete	Columns
FK_Mobile_PreviewProfiles_Portals	Cascade	PortalId->[dbo].[Portals].[PortalID]

**Uses**

---

[dbo].[Portals]  
dbo

**Used By**

---

[dbo].[Mobile\_DeletePreviewProfile]  
[dbo].[Mobile\_GetPreviewProfiles]  
[dbo].[Mobile\_SavePreviewProfile]





## [dbo].[Mobile\_RedirectionRules]

(local) > DNNCE612 > Tables > dbo.Mobile\_RedirectionRules


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:57 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	Id	int	4	✗	1 - 1
	RedirectionId	int	4	✗	
	Capability	nvarchar(50)	100	✗	
	Expression	nvarchar(50)	100	✗	

### Indexes

	Name	Columns	Unique
	PK_Mobile_RedirectionRules	Id	✓

### Foreign Keys

Name	Delete	Columns
FK_Mobile_RedirectionRules_Mobile_Redirections	Cascade	RedirectionId->[dbo].[Mobile_Redirections].[Id]

### Uses

[dbo].[Mobile\_Redirections]  
dbo

### Used By

[dbo].[Mobile\_DeleteRedirection]  
[dbo].[Mobile\_DeleteRedirectionRule]  
[dbo].[Mobile\_GetRedirectionRules]  
[dbo].[Mobile\_SaveRedirectionRule]




## [dbo].[Mobile\_Redirections]

(local) > DNNCE612 > Tables > dbo.Mobile\_Redirections


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:57 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	Id	int	4	✗	1 - 1	
	PortalId	int	4	✗		
	Name	nvarchar(50)	100	✗		
	Type	int	4	✗		
	SortOrder	int	4	✗		((0))
	SourceTabId	int	4	✗		
	IncludeChildTabs	bit	1	✗		
	TargetType	int	4	✗		
	TargetValue	nvarchar(260)	520	✗		
	Enabled	bit	1	✗		
	CreatedByUserID	int	4	✗		
	CreatedOnDate	datetime	8	✗		(getdate())
	LastModifiedByUserID	int	4	✗		
	LastModifiedOnDate	datetime	8	✗		(getdate())

### Indexes

	Name	Columns	Unique
	PK_Mobile_Redirections	Id	✓
	IX_Mobile_Redirections_SortOrder	SortOrder	

**Foreign Keys** 

---

Name	Delete	Columns
FK_Mobile_Redirections_Portals	Cascade	PortalId->[dbo].[Portals].[PortalID]

**Uses**

---

[dbo].[Portals]  
dbo

**Used By**

---

[dbo].[Mobile\_RedirectionRules]  
[dbo].[Mobile\_DeleteRedirection]  
[dbo].[Mobile\_GetAllRedirections]  
[dbo].[Mobile\_GetRedirections]  
[dbo].[Mobile\_SaveRedirection]






## [dbo].[ModuleControls]

(local) > DNNCE612 > Tables > dbo.ModuleControls

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	125
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ModuleControlID	int	4	✗	1 - 1	
	ModuleDefID	int	4	✓		
	ControlKey	nvarchar(50)	100	✓		
	ControlTitle	nvarchar(50)	100	✓		
	ControlSrc	nvarchar(256)	512	✓		
	IconFile	nvarchar(100)	200	✓		
	ControlType	int	4	✗		
	ViewOrder	int	4	✓		
	HelpUrl	nvarchar(200)	400	✓		
	SupportsPartialRendering	bit	1	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	SupportsPopUps	bit	1	✗		((0))

### Indexes

	Name	Columns	Unique
	PK_ModuleControls	ModuleControlID	✓
	IX_ModuleControls	ModuleDefID, ControlKey, ControlSrc	✓
	IX_ModuleControls_ControlKey_ViewOrder	ControlKey, ViewOrder	

### Foreign Keys

---

Name	Delete	Columns
FK_ModuleControls_ModuleDefinitions	Cascade	ModuleDefID->[dbo].[ModuleDefinitions].[ModuleDefID]

### Uses

---

[dbo].[ModuleDefinitions]  
dbo

### Used By

---

[dbo].[vw\_Modules]  
[dbo].[vw\_TabModules]  
[dbo].[AddModuleControl]  
[dbo].[DeleteModuleControl]  
[dbo].[GetModuleControl]  
[dbo].[GetModuleControlByKeyAndSrc]  
[dbo].[GetModuleControls]  
[dbo].[GetModuleControlsByKey]  
[dbo].[UpdateModuleControl]




## [dbo].[ModuleDefinitions]

(local) > DNNCE612 > Tables > dbo.ModuleDefinitions


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	43
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ModuleDefID	int	4	✗	1 - 1	
	FriendlyName	nvarchar(128)	256	✗		
	DesktopModuleID	int	4	✗		
	DefaultCacheTime	int	4	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

	Name	Columns	Unique
	PK_ModuleDefinitions	ModuleDefID	✓
	IX_ModuleDefinitions	FriendlyName	✓
	IX_ModuleDefinitions_1	DesktopModuleID	

### Foreign Keys

Name	No Check	Delete	Columns
FK_ModuleDefinitions_DesktopModules	✓	Cascade	DesktopModuleID->[dbo].[Desktop-Modules].[DesktopModuleID]

### *Uses*

---

[dbo].[DesktopModules]  
dbo

### *Used By*

---

[dbo].[ModuleControls]  
[dbo].[Modules]  
[dbo].[vw\_Modules]  
[dbo].[vw\_TabModules]  
[dbo].[AddModuleDefinition]  
[dbo].[Dashboard\_GetInstalledModules]  
[dbo].[DeleteDesktopModule]  
[dbo].[DeleteModuleDefinition]  
[dbo].[GetModuleByDefinition]  
[dbo].[GetModuleDefinitions]  
[dbo].[GetSearchResultModules]  
[dbo].[UpdateModuleDefinition]






## [dbo].[ModulePermission]

(local) > DNNCE612 > Tables > dbo.ModulePermission


### Properties

Property	Value
Row Count	65
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ModulePermissionID	int	4	✗	1 - 1
	ModuleID	int	4	✗	
	PermissionID	int	4	✗	
	AllowAccess	bit	1	✗	
	RoleID	int	4	✓	
	UserID	int	4	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_ModulePermission	ModulePermissionID	✓
	IX_ModulePermission	ModuleID, PermissionID, RoleID, UserID	✓
	IX_ModulePermission_Permission	PermissionID	
	IX_ModulePermission_Roles	RoleID	
	IX_ModulePermission_Users	UserID	



### Foreign Keys

---

Name	Delete	Columns
FK_ModulePermission_Modules	Cascade	ModuleID->[dbo].[Modules].[ModuleID]
FK_ModulePermission_Permission	Cascade	PermissionID->[dbo].[Permission].[PermissionID]
FK_ModulePermissionUsers		UserID->[dbo].[Users].[UserID]

### Uses

---

[dbo].[Modules]  
[dbo].[Permission]  
[dbo].[Users]  
dbo

### Used By

---

[dbo].[vw\_ModulePermissions]  
[dbo].[AddModulePermission]  
[dbo].[DeleteModulePermission]  
[dbo].[DeleteModulePermissionsByModuleID]  
[dbo].[DeleteModulePermissionsByUserID]  
[dbo].[DeleteRole]  
[dbo].[UpdateModulePermission]





## [dbo].[Modules]

(local) > DNNCE612 > Tables > dbo.Modules

### Properties

Property	Value
Row Count	81
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ModuleID	int	4	✗	0 - 1	
	ModuleDefID	int	4	✗		
	AllTabs	bit	1	✗		((0))
	IsDeleted	bit	1	✗		((0))
	InheritViewPermissions	bit	1	✓		
	StartDate	datetime	8	✓		
	EndDate	datetime	8	✓		
	PortalID	int	4	✓		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		(getdate())
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		(getdate())
	LastContentModifiedOnDate	datetime	8	✗		(getdate())
	ContentItemID	int	4	✓		

### Indexes

	Name	Columns	Unique
	PK_Modules	ModuleID	✓
	IX_Modules	ModuleDefID	

## Foreign Keys

---

Name	No Check	Delete	Columns
FK_Modules_ContentItems			ContentItemID->[dbo].[ContentItems].[ContentItemID]
FK_Modules_ModuleDefinitions		Cascade	ModuleDefID->[dbo].[ModuleDefinitions].[ModuleDefID]
FK_Modules_Portals	✓		PortalID->[dbo].[Portals].[PortalID]

## Uses

---

[dbo].[ContentItems]  
[dbo].[ModuleDefinitions]  
[dbo].[Portals]  
dbo

## Used By

---

[dbo].[HtmlText]  
[dbo].[Links]  
[dbo].[ModulePermission]  
[dbo].[ModuleSettings]  
[dbo].[SearchItem]  
[dbo].[TabModules]  
[dbo].[vw\_Modules]  
[dbo].[vw\_SearchItems]  
[dbo].[vw\_TabModules]  
[dbo].[AddModule]  
[dbo].[Dashboard\_GetInstalledModules]  
[dbo].[DeleteModule]  
[dbo].[DeleteModulePermissionsByUserID]  
[dbo].[DeletePortalInfo]  
[dbo].[GetAllHtmlText]  
[dbo].[GetDefaultLanguageByModule]  
[dbo].[GetHtmlText]  
[dbo].[GetModulePermissionsByPortal]  
[dbo].[GetPermissionsByModuleID]  
[dbo].[GetSearchResultModules]  
[dbo].[GetSearchResultsByWord]  
[dbo].[GetSearchSettings]  
[dbo].[GetTopHtmlText]  
[dbo].[UpdateModule]  
[dbo].[UpdateModuleLastContentModifiedDate]




## [dbo].[ModuleSettings]

(local) > DNNCE612 > Tables > dbo.ModuleSettings

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	70
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	ModuleID	int	4	✗
	SettingName	nvarchar(50)	100	✗
	SettingValue	nvarchar(2000)	4000	✗
	CreatedByUserID	int	4	✓
	CreatedOnDate	datetime	8	✓
	LastModifiedByUserID	int	4	✓
	LastModifiedOnDate	datetime	8	✓

### Indexes

	Name	Columns	Unique
	PK_ModuleSettings	ModuleID, SettingName	✓

### Foreign Keys

Name	Delete	Columns
FK_ModuleSettings_Modules	Cascade	ModuleID->[dbo].[Modules].[ModuleID]

### Uses

[dbo].[Modules]  
dbo

### Used By

[dbo].[AddModuleSetting]

(local) > DNNCE612 > Tables > dbo.ModuleSettings

[dbo].[DeleteModuleSetting]  
[dbo].[DeleteModuleSettings]  
[dbo].[GetModuleSetting]  
[dbo].[GetModuleSettings]  
[dbo].[UpdateModuleSetting]







## [dbo].[Packages]

(local) > DNNCE612 > Tables > dbo.Packages

### Properties


Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	94
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	PackageID	int	4	✗	1 - 1	
	PortalID	int	4	✓		
	Name	nvarchar(128)	256	✗		
	FriendlyName	nvarchar(250)	500	✗		
	Description	nvarchar(2000)	4000	✓		
	PackageType	nvarchar(100)	200	✗		
	Version	nvarchar(50)	100	✗		
	License	ntext	max	✓		
	Manifest	ntext	max	✓		
	Owner	nvarchar(100)	200	✓		
	Organization	nvarchar(100)	200	✓		
	Url	nvarchar(250)	500	✓		
	Email	nvarchar(100)	200	✓		
	ReleaseNotes	ntext	max	✓		
	IsSystemPackage	bit	1	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	FolderName	nvarchar(128)	256	✓		
	IconFile	nvarchar(100)	200	✓		

## Indexes

---

	Name	Columns	Unique
	PK_Packages	PackageID	✓
	IX_Packages	Owner, Name, PackageType, PortalID	✓

## Foreign Keys

---

Name	No Check	Update	Delete	Columns
FK_Packages_PackageTypes	✓	Cascade	Cascade	PackageType->[dbo].[PackageTypes],[PackageType]

## Uses

---

[dbo].[PackageTypes]  
dbo

## Used By

---

[dbo].[Assemblies]  
[dbo].[Authentication]  
[dbo].[Dashboard\_Controls]  
[dbo].[DesktopModules]  
[dbo].[LanguagePacks]  
[dbo].[SkinControls]  
[dbo].[SkinPackages]  
[dbo].[AddPackage]  
[dbo].[DeletePackage]  
[dbo].[DeletePortalInfo]  
[dbo].[GetModulePackagesInUse]  
[dbo].[GetPackage]  
[dbo].[GetPackageByName]  
[dbo].[GetPackages]  
[dbo].[GetPackagesByType]  
[dbo].[UpdatePackage]

## [dbo].[PackageTypes]

(local) > DNNCE612 > Tables > dbo.PackageTypes


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	11
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	PackageType	nvarchar(100)	200	✗
	Description	nvarchar(500)	1000	✗
	SecurityAccessLevel	int	4	✗
	EditorControlSrc	nvarchar(250)	500	✓

### Indexes

---

	Name	Columns	Unique
	PK_PackageTypes_1	PackageType	✓

### Uses

---

dbo

### Used By

---

[dbo].[Packages]  
[dbo].[GetPackageType]  
[dbo].[GetPackageTypes]







## [dbo].[Permission]

(local) > DNNCE612 > Tables > dbo.Permission


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	8
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	PermissionID	int	4	✗	1 - 1	
	PermissionCode	varchar(50)	50	✗		
	ModuleDefID	int	4	✗		
	PermissionKey	varchar(50)	50	✗		
	PermissionName	varchar(50)	50	✗		
	ViewOrder	int	4	✗		((9999))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

	Name	Columns	Unique
	PK_Permission	PermissionID	✓
	IX_Permission	PermissionCode, ModuleDefID, Permission-Key	✓

### Uses

dbo

### Used By

[dbo].[DesktopModulePermission]

(local) > DNNCE612 > Tables > dbo.Permission

[dbo].[FolderPermission]  
[dbo].[ModulePermission]  
[dbo].[TabPermission]  
[dbo].[vw\_DesktopModulePermissions]  
[dbo].[vw\_FolderPermissions]  
[dbo].[vw\_ModulePermissions]  
[dbo].[vw\_TabPermissions]  
[dbo].[AddPermission]  
[dbo].[DeleteDesktopModule]  
[dbo].[DeleteModuleDefinition]  
[dbo].[DeletePermission]  
[dbo].[GetFoldersByPermissions]  
[dbo].[GetPermission]  
[dbo].[GetPermissionByCodeAndKey]  
[dbo].[GetPermissionsByFolder]  
[dbo].[GetPermissionsByModuleDefID]  
[dbo].[GetPermissionsByModuleID]  
[dbo].[GetPermissionsByPortalDesktopModule]  
[dbo].[GetPermissionsByTab]  
[dbo].[UpdatePermission]




## [dbo].[PortalAlias]

(local) > DNNCE612 > Tables > dbo.PortalAlias

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	PortalAliasID	int	4	✗	1 - 1
	PortalID	int	4	✗	
	HTTPAlias	nvarchar(200)	400	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_PortalAlias	PortalAliasID	✓
	IX_PortalAlias	HTTPAlias	✓

### Foreign Keys

Name	Delete	Columns
FK_PortalAlias_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]  
dbo

*Used By*

---

[dbo].[AddPortalAlias]  
[dbo].[DeletePortalAlias]  
[dbo].[GetPortalAlias]  
[dbo].[GetPortalAliasByPortalAliasID]  
[dbo].[GetPortalAliasByPortalID]  
[dbo].[GetPortalByAlias]  
[dbo].[GetPortalByPortalAliasID]  
[dbo].[GetPortalByTab]  
[dbo].[UpdatePortalAlias]  
[dbo].[UpdatePortalAliasOnInstall]




## [dbo].[PortalDesktopModules]

(local) > DNNCE612 > Tables > dbo.PortalDesktopModules


### Properties

Property	Value
Row Count	32
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	PortalDesktopModuleID	int	4	✗	1 - 1
	PortalID	int	4	✗	
	DesktopModuleID	int	4	✗	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_PortalDesktopModules	PortalDesktopModuleID	✓
	IX_PortalDesktopModules	PortalID, DesktopModuleID	✓

### Foreign Keys

Name	Delete	Columns
FK_PortalDesktopModules_DesktopModules	Cascade	DesktopModuleID->[dbo].[Desktop-Modules].[DesktopModuleID]
FK_PortalDesktopModules_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[DesktopModules]  
[dbo].[Portals]  
dbo

*Used By*

---

[dbo].[DesktopModulePermission]  
[dbo].[AddPortalDesktopModule]  
[dbo].[DeletePortalDesktopModules]  
[dbo].[GetDesktopModulesByPortal]  
[dbo].[GetPortalDesktopModules]


## [dbo].[PortalGroups]

(local) > DNNCE612 > Tables > dbo.PortalGroups

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:57 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	PortalGroupID	int	4	✗	1 - 1
	MasterPortalID	int	4	✓	
	PortalGroupName	nvarchar(100)	200	✓	
	PortalGroupDescription	nvarchar(2000)	4000	✓	
	AuthenticationDomain	nvarchar(200)	400	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_PortalGroup	PortalGroupID	✓

### Uses

dbo

### Used By

[dbo].[AddPortalGroup]  
[dbo].[DeletePortalGroup]  
[dbo].[GetPortalGroups]  
[dbo].[UpdatePortalGroup]




## [dbo].[PortalLanguages]

(local) > DNNCE612 > Tables > dbo.PortalLanguages

### Properties

Property	Value
Row Count	1
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	PortalLanguageID	int	4	✗	1 - 1	
	PortalID	int	4	✗		
	LanguageID	int	4	✗		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	IsPublished	bit	1	✗		((0))

### Indexes

	Name	Columns	Unique
	PK_PortalLanguages	PortalLanguageID	✓
	IX_PortalLanguages	PortalID, LanguageID	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_PortalLanguages_PortalLanguages	✓	Cascade	LanguageID->[dbo].[Languages].[LanguageID]
FK_PortalLanguages_Portals		Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Languages]



(local) > DNNCE612 > Tables > dbo.PortalLanguages

[dbo].[Portals]  
dbo

***Used By***

---

[dbo].[AddPortalLanguage]  
[dbo].[DeletePortalLanguages]  
[dbo].[EnsureLocalizationExists]  
[dbo].[GetLanguagesByPortal]  
[dbo].[UpdatePortalLanguage]




## [dbo].[PortalLocalization]

(local) > DNNCE612 > Tables > dbo.PortalLocalization

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	PortalID	int	4	✗
	CultureCode	nvarchar(10)	20	✗
	PortalName	nvarchar(128)	256	✗
	LogoFile	nvarchar(50)	100	✓
	FooterText	nvarchar(100)	200	✓
	Description	nvarchar(500)	1000	✓
	KeyWords	nvarchar(500)	1000	✓
	BackgroundFile	nvarchar(50)	100	✓
	HomeTabId	int	4	✓
	LoginTabId	int	4	✓
	UserTabId	int	4	✓
	AdminTabId	int	4	✓
	SplashTabId	int	4	✓
	CreatedByUserID	int	4	✓
	CreatedOnDate	datetime	8	✓
	LastModifiedByUserID	int	4	✓
	LastModifiedOnDate	datetime	8	✓
	RegisterTabId	int	4	✓
	SearchTabId	int	4	✓

### Indexes

	Name	Columns	Unique
	PK_PortalLocalization	PortalID, CultureCode	✓

### Foreign Keys

---

Name	Delete	Columns
FK_PortalLocalization_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

---

[dbo].[Portals]  
dbo

### Used By

---

[dbo].[vw\_Portals]  
[dbo].[vw\_PortalsDefaultLanguage]  
[dbo].[AddPortalInfo]  
[dbo].[EnsureLocalizationExists]  
[dbo].[InsertPortalLocalization]  
[dbo].[UpdatePortalInfo]  
[dbo].[UpdatePortalSetup]

## [dbo].[Portals]




(local) > DNNCE612 > Tables > dbo.Portals

### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012

**Columns**

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	PortalID	int	4	✗	0 - 1	
	ExpiryDate	datetime	8	✓		
	UserRegistration	int	4	✗		((0))
	BannerAdvertising	int	4	✗		((0))
	AdministratorId	int	4	✓		
	Currency	char(3)	3	✓		
	HostFee	money	8	✗		((0))
	HostSpace	int	4	✗		((0))
	AdministratorRoleId	int	4	✓		
	RegisteredRoleId	int	4	✓		
	GUID	uniqueidentifier	16	✗		(newid())
	PaymentProcessor	nvarchar(50)	100	✓		
	ProcessorUserId	nvarchar(50)	100	✓		
	ProcessorPassword	nvarchar(50)	100	✓		
	SiteLogHistory	int	4	✓		
	DefaultLanguage	nvarchar(10)	20	✗		('en-US')
	TimezoneOffset	int	4	✗		((-8))
	HomeDirectory	varchar(100)	100	✗		('')
	PageQuota	int	4	✗		((0))
	UserQuota	int	4	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	PortalGroupID	int	4	✓		

**Indexes** 

	Name	Columns	Unique
	PK_Portals	PortalID	✓
	IX_Portals_AdministratorId	AdministratorId	
	IX_Portals_DefaultLanguage	DefaultLanguage	

**Uses**

dbo

## *Used By*

---

[dbo].[AnonymousUsers]  
[dbo].[Files]  
[dbo].[FolderMappings]  
[dbo].[Folders]  
[dbo].[Mobile\_PreviewProfiles]  
[dbo].[Mobile\_Redirections]  
[dbo].[Modules]  
[dbo].[PortalAlias]  
[dbo].[PortalDesktopModules]  
[dbo].[PortalLanguages]  
[dbo].[PortalLocalization]  
[dbo].[PortalSettings]  
[dbo].[Profile]  
[dbo].[ProfilePropertyDefinition]  
[dbo].[RoleGroups]  
[dbo].[Roles]  
[dbo].[SiteLog]  
[dbo].[SystemMessages]  
[dbo].[Tabs]  
[dbo].[Urls]  
[dbo].[UrlTracking]  
[dbo].[UserPortals]  
[dbo].[UsersOnline]  
[dbo].[Vendors]  
[dbo].[vw\_Portals]  
[dbo].[vw\_PortalsDefaultLanguage]  
[dbo].[AddPortalInfo]  
[dbo].[DeletePortalInfo]  
[dbo].[EnsureLocalizationExists]  
[dbo].[GetDefaultLanguageByModule]  
[dbo].[GetPortalCount]  
[dbo].[GetPortalDefaultLanguage]  
[dbo].[GetSearchSettings]  
[dbo].[UpdatePortalDefaultLanguage]  
[dbo].[UpdatePortalInfo]  
[dbo].[UpdatePortalSetup]  
[dbo].[VerifyPortal]  
[dbo].[VerifyPortalTab]




## [dbo].[PortalSettings]

(local) > DNNCE612 > Tables > dbo.PortalSettings


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	10
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	PortalID	int	4	✗
	SettingName	nvarchar(50)	100	✗
	SettingValue	nvarchar(2000)	4000	✓
	CreatedByUserID	int	4	✓
	CreatedOnDate	datetime	8	✓
	LastModifiedByUserID	int	4	✓
	LastModifiedOnDate	datetime	8	✓
	CultureCode	nvarchar(10)	20	✗

### Indexes

	Name	Columns	Unique
	PK_PortalSettings	PortalID, SettingName, CultureCode	✓

### Foreign Keys

Name	Delete	Columns
FK_PortalSettings_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]  
dbo

*Used By*

---

[dbo].[DeletePortalSetting]  
[dbo].[DeletePortalSettings]  
[dbo].[GetPortalSetting]  
[dbo].[GetPortalSettings]  
[dbo].[GetSearchSettings]  
[dbo].[UpdatePortalSetting]






## [dbo].[Profile]

(local) > DNNCE612 > Tables > dbo.Profile


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ProfileId	int	4	✗	1 - 1
	UserId	int	4	✗	
	PortalId	int	4	✗	
	ProfileData	ntext	max	✗	
	CreateDate	datetime	8	✗	

### Indexes

	Name	Columns	Unique
	PK_Profile	ProfileId	✓
	IX_Profile	UserId, PortalId	✓

### Foreign Keys

Name	Delete	Columns
FK_Profile_Portals	Cascade	PortalId->[dbo].[Portals].[PortalID]
FK_Profile_Users	Cascade	UserId->[dbo].[Users].[UserID]

### Uses

[dbo].[Portals]  
[dbo].[Users]  
dbo

*Used By*

---

[dbo].[AddProfile]  
[dbo].[GetAllProfiles]  
[dbo].[GetProfile]  
[dbo].[UpdateProfile]

## [dbo].[ProfilePropertyDefinition]

(local) > DNNCE612 > Tables > dbo.ProfilePropertyDefinition





### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	42
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	PropertyDefinitionID	int	4	✗	1 - 1	
	PortalID	int	4	✓		
	ModuleDefID	int	4	✓		
	Deleted	bit	1	✗		
	DataType	int	4	✗		
	DefaultValue	ntext	max	✓		
	PropertyCategory	nvarchar(50)	100	✗		
	PropertyName	nvarchar(50)	100	✗		
	Length	int	4	✗		((0))
	Required	bit	1	✗		
	ValidationExpression	nvarchar(2000)	4000	✓		
	ViewOrder	int	4	✗		
	Visible	bit	1	✗		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	DefaultVisibility	int	4	✓		

### Indexes

---

	Name	Columns	Unique
	PK_ProfilePropertyDefinition	PropertyDefinitionID	✓
	IX_ProfilePropertyDefinition	PortalID, ModuleDefID, PropertyName	✓
	IX_ProfilePropertyDefinition_PropertyName	PropertyName	

### Foreign Keys

---

Name	No Check	Delete	Columns
FK_ProfilePropertyDefinition_Portals	✓	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

---

[dbo].[Portals]  
dbo

### Used By

---

[dbo].[UserProfile]  
[dbo].[AddPropertyDefinition]  
[dbo].[DeletePropertyDefinition]  
[dbo].[GetPropertyDefinition]  
[dbo].[GetPropertyDefinitionByName]  
[dbo].[GetPropertyDefinitionsByCategory]  
[dbo].[GetPropertyDefinitionsByPortal]  
[dbo].[GetUsersByProfileProperty]  
[dbo].[UpdatePropertyDefinition]  
[dbo].[GetProfilePropertyDefinitionID]




## [dbo].[RoleGroups]

(local) > DNNCE612 > Tables > dbo.RoleGroups

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	RoleGroupID	int	4	✗	0 - 1
	PortalID	int	4	✗	
	RoleGroupName	nvarchar(50)	100	✗	
	Description	nvarchar(1000)	2000	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_RoleGroups	RoleGroupID	✓
	IX_RoleGroupName	PortalID, RoleGroupName	✓

### Foreign Keys

Name	Delete	Columns
FK_RoleGroups_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]  
dbo

*Used By*

---

[dbo].[Roles]  
[dbo].[AddRoleGroup]  
[dbo].[DeleteRoleGroup]  
[dbo].[GetRoleGroup]  
[dbo].[GetRoleGroupName]  
[dbo].[GetRoleGroups]  
[dbo].[UpdateRoleGroup]






## [dbo].[Roles]

(local) > DNNCE612 > Tables > dbo.Roles

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	4
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	RoleID	int	4	✗	0 - 1	
	PortalID	int	4	✗		
	RoleName	nvarchar(50)	100	✗		
	Description	nvarchar(1000)	2000	✓		
	ServiceFee	money	8	✓		((0))
	BillingFrequency	char(1)	1	✓		
	TrialPeriod	int	4	✓		
	TrialFrequency	char(1)	1	✓		
	BillingPeriod	int	4	✓		
	TrialFee	money	8	✓		
	IsPublic	bit	1	✗		((0))
	AutoAssignment	bit	1	✗		((0))
	RoleGroupID	int	4	✓		
	RSVPCode	nvarchar(50)	100	✓		
	IconFile	nvarchar(100)	200	✓		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

## Indexes

	Name	Columns	Unique
	PK_Roles	RoleID	✓
	IX_RoleName	PortalID, RoleName	✓
	IX_Roles	BillingFrequency	

## Foreign Keys

Name	Delete	Columns
FK_Roles_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]
FK_Roles_RoleGroups		RoleGroupID->[dbo].[RoleGroups].[RoleGroupID]

## Uses

[dbo].[Portals]  
[dbo].[RoleGroups]  
dbo

## Used By

[dbo].[UserRoles]  
[dbo].[vw\_DesktopModulePermissions]  
[dbo].[vw\_FolderPermissions]  
[dbo].[vw\_ModulePermissions]  
[dbo].[vw\_TabPermissions]  
[dbo].[vw\_UserRoles]  
[dbo].[AddRole]  
[dbo].[DeleteRole]  
[dbo].[GetFoldersByPermissions]  
[dbo].[GetPortalRoles]  
[dbo].[GetRole]  
[dbo].[GetRoleByName]  
[dbo].[GetRoles]  
[dbo].[GetRolesByGroup]  
[dbo].[GetRolesByUser]  
[dbo].[GetServices]  
[dbo].[GetUsersByRolename]  
[dbo].[IsUserInRole]  
[dbo].[UpdateRole]




## [dbo].[Schedule]

(local) > DNNCE612 > Tables > dbo.Schedule

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	9
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ScheduleID	int	4	✗	1 - 1
	TypeFullName	varchar(200)	200	✗	
	TimeLapse	int	4	✗	
	TimeLapseMeasurement	varchar(2)	2	✗	
	RetryTimeLapse	int	4	✗	
	RetryTimeLapseMeasurement	varchar(2)	2	✗	
	RetainHistoryNum	int	4	✗	
	AttachToEvent	varchar(50)	50	✗	
	CatchUpEnabled	bit	1	✗	
	Enabled	bit	1	✗	
	ObjectDependencies	varchar(300)	300	✗	
	Servers	nvarchar(2000)	4000	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	
	FriendlyName	nvarchar(200)	400	✓	

### Indexes

	Name	Columns	Unique
	PK_Schedule	ScheduleID	✓

## *Uses*

---

dbo

## *Used By*

---

[dbo].[ScheduleHistory]  
[dbo].[ScheduleItemSettings]  
[dbo].[AddSchedule]  
[dbo].[DeleteSchedule]  
[dbo].[GetSchedule]  
[dbo].[GetScheduleByEvent]  
[dbo].[GetScheduleByScheduleID]  
[dbo].[GetScheduleByTypeFullName]  
[dbo].[GetScheduleHistory]  
[dbo].[GetScheduleNextTask]  
[dbo].[PurgeScheduleHistory]  
[dbo].[UpdateSchedule]





## [dbo].[ScheduleHistory]

(local) > DNNCE612 > Tables > dbo.ScheduleHistory

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	4
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ScheduleHistoryID	int	4	✗	1 - 1
	ScheduleID	int	4	✗	
	StartDate	datetime	8	✗	
	EndDate	datetime	8	✓	
	Succeeded	bit	1	✓	
	LogNotes	ntext	max	✓	
	NextStart	datetime	8	✓	
	Server	nvarchar(150)	300	✓	

### Indexes

	Name	Columns	Unique
	PK_ScheduleHistory	ScheduleHistoryID	✓
	IX_ScheduleHistory_NextStart	ScheduleID, NextStart	
	IX_ScheduleHistory_StartDate	ScheduleID, StartDate	

### Foreign Keys

Name	No Check	Delete	Columns
FK_ScheduleHistory_Schedule	✓	Cascade	ScheduleID->[dbo].[Schedule].[ScheduleID]

### Uses

[dbo].[Schedule]

(local) > DNNCE612 > Tables > dbo.ScheduleHistory

dbo

*Used By*

---

[dbo].[AddScheduleHistory]  
[dbo].[GetSchedule]  
[dbo].[GetScheduleHistory]  
[dbo].[GetScheduleNextTask]  
[dbo].[PurgeScheduleHistory]  
[dbo].[UpdateScheduleHistory]



## [dbo].[ScheduleItemSettings]

(local) > DNNCE612 > Tables > dbo.ScheduleItemSettings


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	ScheduleID	int	4	✗
	SettingName	nvarchar(50)	100	✗
	SettingValue	nvarchar(256)	512	✗

### Indexes

	Name	Columns	Unique
	PK_ScheduleItemSettings	ScheduleID, SettingName	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_ScheduleItemSettings_Schedule	✓	Cascade	ScheduleID->[dbo].[Schedule].[ScheduleID]

### Uses

[dbo].[Schedule]  
dbo

### Used By

[dbo].[AddScheduleItemSetting]  
[dbo].[GetScheduleItemSettings]

## [dbo].[SearchCommonWords]

(local) > DNNCE612 > Tables > dbo.SearchCommonWords


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	369
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:39 AM Wednesday, February 01, 2012

### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	CommonWordID	int	4	✗	1 - 1
	CommonWord	nvarchar(255)	510	✗	
	Locale	nvarchar(10)	20	✓	

### Indexes

---

	Name	Columns	Unique
	PK_SearchCommonWords	CommonWordID	✓

### Uses

---

dbo

### Used By

---

[dbo].[AddSearchCommonWord]  
[dbo].[DeleteSearchCommonWord]  
[dbo].[GetSearchCommonWordByID]  
[dbo].[GetSearchCommonWordsByLocale]  
[dbo].[UpdateSearchCommonWord]

## [dbo].[SearchIndexer]

(local) > DNNCE612 > Tables > dbo.SearchIndexer


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:35:37 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SearchIndexerID	int	4	✗	1 - 1
	SearchIndexerAssemblyQualifiedName	char(200)	200	✗	

### Indexes

---

	Name	Columns	Unique
	PK_SearchIndexer	SearchIndexerID	✓

### Uses

---

dbo

### Used By

---

[dbo].[GetSearchIndexers]




## [dbo].[SearchItem]

(local) > DNNCE612 > Tables > dbo.SearchItem


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	35
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SearchItemID	int	4	✗	1 - 1
	Title	nvarchar(200)	400	✗	
	Description	nvarchar(2000)	4000	✗	
	Author	int	4	✓	
	PubDate	datetime	8	✗	
	ModuleId	int	4	✗	
	SearchKey	nvarchar(100)	200	✗	
	Guid	varchar(200)	200	✓	
	HitCount	int	4	✓	
	ImageFileId	int	4	✓	

### Indexes

	Name	Columns	Unique
	PK_SearchItem	SearchItemID	✓
	IX_SearchItem	ModuleId, SearchKey	✓

### Foreign Keys

Name	Delete	Columns
FK_SearchItem_Modules	Cascade	ModuleId->[dbo].[Modules].[ModuleID]



### *Uses*

---

[dbo].[Modules]  
dbo

### *Used By*

---

[dbo].[SearchItemWord]  
[dbo].[vw\_SearchItems]  
[dbo].[AddSearchItem]  
[dbo].[DeleteSearchItem]  
[dbo].[DeleteSearchItems]  
[dbo].[GetSearchItem]  
[dbo].[GetSearchResultsByWord]  
[dbo].[ListSearchItem]  
[dbo].[UpdateSearchItem]




## [dbo].[SearchItemWord]

(local) > DNNCE612 > Tables > dbo.SearchItemWord

### Properties

Property	Value
Row Count	1220
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SearchItemWordID	int	4	✗	1 - 1
	SearchItemID	int	4	✗	
	SearchWordsID	int	4	✗	
	Occurrences	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK_SearchItemWords	SearchItemWordID	✓
	IX_SearchItemWord	SearchItemID, SearchWordsID	✓

### Foreign Keys

Name	Update	Delete	Columns
FK_SearchItemWord_SearchItem	Cascade	Cascade	SearchItemID->[dbo].[SearchItem].[SearchItemID]
FK_SearchItemWord_SearchWord	Cascade	Cascade	SearchWordsID->[dbo].[SearchWord].[SearchWordsID]

### Uses

[dbo].[SearchItem]  
[dbo].[SearchWord]  
dbo

### Used By

[dbo].[SearchItemWordPosition]

(local) > DNNCE612 > Tables > dbo.SearchItemWord

[dbo].[AddSearchItemWord]  
[dbo].[DeleteSearchItemWord]  
[dbo].[DeleteSearchItemWords]  
[dbo].[GetSearchItemWord]  
[dbo].[GetSearchItemWordBySearchItem]  
[dbo].[GetSearchItemWordBySearchWord]  
[dbo].[GetSearchResultsByWord]  
[dbo].[ListSearchItemWord]  
[dbo].[UpdateSearchItemWord]



## [dbo].[SearchItemWordPosition]

(local) > DNNCE612 > Tables > dbo.SearchItemWordPosition

### Properties

Property	Value
Row Count	1785
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SearchItemWordPositionID	int	4	✗	1 - 1
	SearchItemWordID	int	4	✗	
	ContentPosition	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK_SearchItemWordPosition	SearchItemWordPositionID	✓

### Foreign Keys

Name	Update	Delete	Columns
FK_SearchItemWordPosition_SearchItemWord	Cascade	Cascade	SearchItemWordID->[dbo].[SearchItemWord].[SearchItemWordID]

### Uses

[dbo].[SearchItemWord]  
dbo

### Used By

[dbo].[AddSearchItemWordPosition]  
[dbo].[DeleteSearchItemWordPosition]  
[dbo].[GetSearchItemWordPosition]  
[dbo].[GetSearchItemWordPositionBySearchItemWord]  
[dbo].[ListSearchItemWordPosition]  
[dbo].[UpdateSearchItemWordPosition]



## [dbo].[SearchWord]

(local) > DNNCE612 > Tables > dbo.SearchWord

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	480
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SearchWordsID	int	4	✗	1 - 1
	Word	nvarchar(100)	200	✗	
	IsCommon	bit	1	✓	
	HitCount	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK_SearchWord	SearchWordsID	✓
	IX_SearchWord	Word	✓

### Uses

dbo

### Used By

[dbo].[SearchItemWord]  
[dbo].[AddSearchWord]  
[dbo].[DeleteSearchWord]  
[dbo].[GetSearchResultsByWord]  
[dbo].[GetSearchWordByID]  
[dbo].[GetSearchWords]  
[dbo].[UpdateSearchWord]



## [dbo].[SiteLog]

(local) > DNNCE612 > Tables > dbo.SiteLog


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:37 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SiteLogId	int	4	✗	1 - 1
	DateTime	smalldatetime	4	✗	
	PortalId	int	4	✗	
	UserId	int	4	✓	
	Referrer	nvarchar(255)	510	✓	
	Url	nvarchar(255)	510	✓	
	UserAgent	nvarchar(255)	510	✓	
	UserHostAddress	nvarchar(255)	510	✓	
	UserHostName	nvarchar(255)	510	✓	
	TabId	int	4	✓	
	AffiliateId	int	4	✓	

### Indexes

	Name	Columns	Unique
	PK_SiteLog	SiteLogId	✓
	IX_SiteLog	PortalId	

### Foreign Keys

Name	Delete	Columns
FK_SiteLog_Portals	Cascade	PortalId->[dbo].[Portals].[PortalID]

### *Uses*

---

[dbo].[Portals]  
dbo

### *Used By*

---

[dbo].[AddSiteLog]  
[dbo].[DeleteSiteLog]  
[dbo].[GetSiteLog1]  
[dbo].[GetSiteLog12]  
[dbo].[GetSiteLog2]  
[dbo].[GetSiteLog3]  
[dbo].[GetSiteLog4]  
[dbo].[GetSiteLog5]  
[dbo].[GetSiteLog6]  
[dbo].[GetSiteLog7]  
[dbo].[GetSiteLog8]  
[dbo].[GetSiteLog9]



## [dbo].[SkinControls]

(local) > DNNCE612 > Tables > dbo.SkinControls

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	36
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	SkinControlID	int	4	✗	1 - 1	
	PackageID	int	4	✗		((-1))
	ControlKey	nvarchar(50)	100	✓		
	ControlSrc	nvarchar(256)	512	✓		
	IconFile	nvarchar(100)	200	✓		
	HelpUrl	nvarchar(200)	400	✓		
	SupportsPartialRendering	bit	1	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

	Name	Columns	Unique
	PK_SkinControls	SkinControlID	✓

### Foreign Keys

Name	No Check	Update	Delete	Columns
FK_SkinControls_Packages	✓	Cascade	Cascade	PackageID->[dbo].[Packages].[PackageID]



### *Uses*

---

[dbo].[Packages]  
dbo

### *Used By*

---

[dbo].[AddSkinControl]  
[dbo].[DeleteSkinControl]  
[dbo].[GetSkinControl]  
[dbo].[GetSkinControlByKey]  
[dbo].[GetSkinControlByPackageID]  
[dbo].[GetSkinControls]  
[dbo].[UpdateSkinControl]



## [dbo].[SkinPackages]

(local) > DNNCE612 > Tables > dbo.SkinPackages

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	4
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SkinPackageID	int	4	✗	1 - 1
	PackagelD	int	4	✗	
	PortallD	int	4	✓	
	SkinName	nvarchar(50)	100	✗	
	SkinType	nvarchar(20)	40	✗	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_SkinPackages	SkinPackageID	✓

### Foreign Keys

Name	No Check	Update	Delete	Columns
FK_SkinPackages_Packages	✓	Cascade	Cascade	PackagelD->[dbo].[Packages].[PackagelD]

### Uses

[dbo].[Packages]  
dbo

*Used By*

---

[dbo].[Skins]  
[dbo].[AddSkinPackage]  
[dbo].[DeleteSkinPackage]  
[dbo].[GetSkinPackage]  
[dbo].[GetSkinPackageByPackageID]  
[dbo].[UpdateSkinPackage]



## [dbo].[Skins]

(local) > DNNCE612 > Tables > dbo.Skins


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	2
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	SkinID	int	4	✗	1 - 1
	SkinPackageID	int	4	✗	
	SkinSrc	nvarchar(250)	500	✗	

### Indexes

	Name	Columns	Unique
	PK_Skins	SkinID	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_Skins_SkinPackages	✓	Cascade	SkinPackageID->[dbo].[SkinPackages].[SkinPackageID]

### Uses

[dbo].[SkinPackages]  
dbo

### Used By

[dbo].[AddSkin]  
[dbo].[DeleteSkin]  
[dbo].[GetSkinPackageByPackageID]  
[dbo].[UpdateSkin]




## [dbo].[SystemMessages]

(local) > DNNCE612 > Tables > dbo.SystemMessages


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	MessageID	int	4	✗	1 - 1
	PortalID	int	4	✓	
	MessageName	nvarchar(50)	100	✗	
	MessageValue	ntext	max	✗	

### Indexes

	Name	Columns	Unique
	PK_SystemMessages	MessageID	✓
	IX_SystemMessages	MessageName, PortalID	✓

### Foreign Keys

Name	Delete	Columns
FK_SystemMessages_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]  
dbo

### Used By

[dbo].[AddSystemMessage]  
[dbo].[DeleteSystemMessage]  
[dbo].[GetSystemMessage]

(local) > DNNCE612 > Tables > dbo.SystemMessages

[dbo].[GetSystemMessages]

[dbo].[UpdateSystemMessage]

## [dbo].[TabModules]

(local) > DNNCE612 > Tables > dbo.TabModules

### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	81
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

**Columns**

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	TabModuleID	int	4	✗	1 - 1	
	TabID	int	4	✗		
	ModuleID	int	4	✗		
	PaneName	nvarchar(50)	100	✗		
	ModuleOrder	int	4	✗		
	CacheTime	int	4	✗		
	Alignment	nvarchar(10)	20	✓		
	Color	nvarchar(20)	40	✓		
	Border	nvarchar(1)	2	✓		
	IconFile	nvarchar(100)	200	✓		
	Visibility	int	4	✗		
	ContainerSrc	nvarchar(200)	400	✓		
	DisplayTitle	bit	1	✗		((1))
	DisplayPrint	bit	1	✗		((1))
	DisplaySyndicate	bit	1	✗		((1))
	IsWebSlice	bit	1	✗		((0))
	WebSliceTitle	nvarchar(256)	512	✓		
	WebSliceExpiryDate	datetime	8	✓		
	WebSliceTTL	int	4	✓		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		(getdate())
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		(getdate())
	IsDeleted	bit	1	✗		((0))
	CacheMethod	varchar(50)	50	✓		
	ModuleTitle	nvarchar(256)	512	✓		
	Header	ntext	max	✓		
	Footer	ntext	max	✓		
	CultureCode	nvarchar(10)	20	✓		
	Uniqueld	uniqueidentifier	16	✗		(newid())
	VersionGuid	uniqueidentifier	16	✗		(newid())
	DefaultLanguageGuid	uniqueidentifier	16	✓		
	LocalizedVersionGuid	uniqueidentifier	16	✗		(newid())



## Indexes

	Name	Columns	Unique
	PK_TabModules	TabModuleID	✓
	IX_TabModules	TabID, ModuleID	✓
	IX_TabModules_Uniqueld	Uniqueld	✓

## Foreign Keys

Name	No Check	Delete	Columns
FK_TabModules_Modules	✓	Cascade	ModuleID->[dbo].[Modules].[ModuleID]
FK_TabModules_Tabs	✓	Cascade	TabID->[dbo].[Tabs].[TabID]

## Uses

[dbo].[Modules]  
[dbo].[Tabs]  
dbo

## Used By

[dbo].[TabModuleSettings]  
[dbo].[vw\_Modules]  
[dbo].[vw\_SearchItems]  
[dbo].[vw\_TabModules]  
[dbo].[AddTabModule]  
[dbo].[CanDeleteSkin]  
[dbo].[DeleteTabModule]  
[dbo].[GetAllTabsModules]  
[dbo].[GetModulePermissionsByTabID]  
[dbo].[GetSearchResultModules]  
[dbo].[GetSearchResultsByWord]  
[dbo].[GetTabModuleOrder]  
[dbo].[GetTabPanels]  
[dbo].[GetTabsByModuleID]  
[dbo].[MoveTabModule]  
[dbo].[RestoreTabModule]  
[dbo].[UpdateModuleOrder]  
[dbo].[UpdateTabModule]  
[dbo].[UpdateTabModuleTranslationStatus]  
[dbo].[UpdateTabModuleVersion]  
[dbo].[UpdateTabModuleVersionByModule]




## [dbo].[TabModuleSettings]

(local) > DNNCE612 > Tables > dbo.TabModuleSettings

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	59
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	TabModuleID	int	4	✗
	SettingName	nvarchar(50)	100	✗
	SettingValue	nvarchar(2000)	4000	✗
	CreatedByUserID	int	4	✓
	CreatedOnDate	datetime	8	✓
	LastModifiedByUserID	int	4	✓
	LastModifiedOnDate	datetime	8	✓

### Indexes

	Name	Columns	Unique
	PK_TabModuleSettings	TabModuleID, SettingName	✓

### Foreign Keys

Name	Delete	Columns
FK_TabModuleSettings_TabModules	Cascade	TabModuleID->[dbo].[TabModules].[TabModuleID]

### Uses

[dbo].[TabModules]  
dbo

### Used By

[dbo].[AddTabModuleSetting]

(local) > DNNCE612 > Tables > dbo.TabModuleSettings

[dbo].[DeleteTabModuleSetting]  
[dbo].[DeleteTabModuleSettings]  
[dbo].[GetTabModuleSetting]  
[dbo].[GetTabModuleSettings]  
[dbo].[UpdateTabModuleSetting]






## [dbo].[TabPermission]

(local) > DNNCE612 > Tables > dbo.TabPermission


### Properties

Property	Value
Row Count	59
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	TabPermissionID	int	4	✗	1 - 1
	TabID	int	4	✗	
	PermissionID	int	4	✗	
	AllowAccess	bit	1	✗	
	RoleID	int	4	✓	
	UserID	int	4	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_TabPermission	TabPermissionID	✓
	IX_TabPermission	TabID, PermissionID, RoleID, UserID	✓
	IX_TabPermission_Permission	PermissionID	
	IX_TabPermission_Roles	RoleID	
	IX_TabPermission_Tabs	TabID	
	IX_TabPermission_Users	UserID	

### Foreign Keys

---

Name	Delete	Columns
FK_TabPermission_Permission	Cascade	PermissionID->[dbo].[Permission].[PermissionID]
FK_TabPermission_Tabs	Cascade	TabID->[dbo].[Tabs].[TabID]
FK_TabPermission_Users		UserID->[dbo].[Users].[UserID]

### Uses

---

[dbo].[Permission]  
[dbo].[Tabs]  
[dbo].[Users]  
dbo

### Used By

---

[dbo].[vw\_TabPermissions]  
[dbo].[AddTabPermission]  
[dbo].[DeleteRole]  
[dbo].[DeleteTabPermission]  
[dbo].[DeleteTabPermissionsByTabID]  
[dbo].[DeleteTabPermissionsByUserID]  
[dbo].[UpdateTabPermission]

## [dbo].[Tabs]






(local) > DNNCE612 > Tables > dbo.Tabs

### Properties


---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	54
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

## Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	TabID	int	4	✗	0 - 1	
	TabOrder	int	4	✗		((0))
	PortalID	int	4	✓		
	TabName	nvarchar(50)	100	✗		
	IsVisible	bit	1	✗		((1))
	ParentId	int	4	✓		
	Level	int	4	✗		((0))
	IconFile	nvarchar(100)	200	✓		
	DisableLink	bit	1	✗		((0))
	Title	nvarchar(200)	400	✓		
	Description	nvarchar(500)	1000	✓		
	KeyWords	nvarchar(500)	1000	✓		
	IsDeleted	bit	1	✗		((0))
	Url	nvarchar(255)	510	✓		
	SkinSrc	nvarchar(200)	400	✓		
	ContainerSrc	nvarchar(200)	400	✓		
	TabPath	nvarchar(255)	510	✓		
	StartDate	datetime	8	✓		
	EndDate	datetime	8	✓		
	RefreshInterval	int	4	✓		
	PageHeadText	nvarchar(max)	max	✓		
	IsSecure	bit	1	✗		((0))
	PermanentRedirect	bit	1	✗		((0))
	SiteMapPriority	float	8	✗		((0.5))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	IconFileLarge	nvarchar(100)	200	✓		
	CultureCode	nvarchar(10)	20	✓		
	ContentItemID	int	4	✓		
	Uniqueld	uniqueidentifier	16	✗		(newid())
	VersionGuid	uniqueidentifier	16	✗		(newid())
	DefaultLanguageGuid	uniqueidentifier	16	✓		
	LocalizedVersionGuid	uniqueidentifier	16	✗		(newid())

## Indexes

	Name	Columns	Unique
	PK_Tabs	TabID	✓
	IX_Tabs_Uniqueld	Uniqueld	✓
	IX_Tabs_1	PortalID	
	IX_Tabs_2	ParentId	
	IX_Tabs_ContentID	ContentItemID	
	IX_Tabs_PortalID_ParentID	PortalID, ParentId	

## Foreign Keys

Name	No Check	Delete	Columns
FK_Tabs_ContentItems			ContentItemID->[dbo].[ContentItems].[ContentItemID]
FK_Tabs_Portals	✓	Cascade	PortalID->[dbo].[Portals].[PortalID]
FK_Tabs_Tabs	✓		ParentId->[dbo].[Tabs].[TabID]

## Uses

[dbo].[ContentItems]  
[dbo].[Portals]  
dbo

## Used By

[dbo].[TabModules]  
[dbo].[TabPermission]  
[dbo].[TabSettings]  
[dbo].[vw\_Portals]  
[dbo].[vw\_PortalsDefaultLanguage]  
[dbo].[vw\_TabPermissions]  
[dbo].[vw\_Tabs]  
[dbo].[AddTab]  
[dbo].[CanDeleteSkin]  
[dbo].[DeleteTab]  
[dbo].[DeleteTabPermissionsByUserID]  
[dbo].[GetModuleByDefinition]  
[dbo].[GetModulePackagesInUse]  
[dbo].[GetPortalByTab]  
[dbo].[GetSearchModules]  
[dbo].[GetSearchResultModules]  
[dbo].[GetSearchResultsByWord]  
[dbo].[GetSiteLog2]  
[dbo].[GetSiteLog9]  
[dbo].[GetTabCount]  
[dbo].[GetTabPaths]  
[dbo].[UpdateTab]  
[dbo].[UpdateTabOrder]



(local) > DNNCE612 > Tables > dbo.Tabs

[dbo].[UpdateTabTranslationStatus]

[dbo].[UpdateTabVersion]

[dbo].[VerifyPortal]

[dbo].[VerifyPortalTab]




## [dbo].[TabSettings]

(local) > DNNCE612 > Tables > dbo.TabSettings

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	30
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls
	TabID	int	4	✗
	SettingName	nvarchar(50)	100	✗
	SettingValue	nvarchar(2000)	4000	✗
	CreatedByUserID	int	4	✓
	CreatedOnDate	datetime	8	✓
	LastModifiedByUserID	int	4	✓
	LastModifiedOnDate	datetime	8	✓

### Indexes

	Name	Columns	Unique
	IX_TabSettings_TabID_SettingName	TabID, SettingName	✓

### Foreign Keys

Name	Delete	Columns
FK_TabSettings_Tabs	Cascade	TabID->[dbo].[Tabs].[TabID]

### Uses

[dbo].[Tabs]  
dbo

### Used By

[dbo].[AddTabSetting]

(local) > DNNCE612 > Tables > dbo.TabSettings

[dbo].[DeleteTabSetting]

[dbo].[DeleteTabSettings]

[dbo].[GetTabSetting]

[dbo].[GetTabSettings]

[dbo].[UpdateTabSetting]

## [dbo].[Taxonomy\_ScopeTypes]

(local) > DNNCE612 > Tables > dbo.Taxonomy\_ScopeTypes


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	2
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ScopeTypeID	int	4	✗	1 - 1
	ScopeType	nvarchar(250)	500	✓	

### Indexes

---

	Name	Columns	Unique
	PK_ScopeTypes	ScopeTypeID	✓

### Uses

---

dbo

### Used By

---

[dbo].[Taxonomy\_Vocabularies]  
[dbo].[AddScopeType]  
[dbo].[DeleteScopeType]  
[dbo].[GetScopeTypes]  
[dbo].[UpdateScopeType]




## [dbo].[Taxonomy\_Terms]

(local) > DNNCE612 > Tables > dbo.Taxonomy\_Terms


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	3
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	TermID	int	4	✗	1 - 1	
	VocabularyID	int	4	✗		
	ParentTermID	int	4	✓		
	Name	nvarchar(250)	500	✗		
	Description	nvarchar(2500)	5000	✓		
	Weight	int	4	✗		((0))
	TermLeft	int	4	✗		((0))
	TermRight	int	4	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

	Name	Columns	Unique
	PK_Taxonomy_Terms	TermID	✓

### Foreign Keys

Name	Delete	Columns
FK_Taxonomy_Terms_Taxonomy_Terms		ParentTermID->[dbo].[Taxonomy_Terms].[TermID]
FK_Taxonomy_Terms_Taxonomy_Vocabularies	Cascade	VocabularyID->[dbo].[Taxonomy_-

	Vocabularies].[VocabularyID]
--	------------------------------

### *Uses*

---

[dbo].[Taxonomy\_Vocabularies]  
dbo

### *Used By*

---

[dbo].[ContentItems\_Tags]  
[dbo].[AddHeirarchicalTerm]  
[dbo].[AddSimpleTerm]  
[dbo].[DeleteHeirarchicalTerm]  
[dbo].[DeleteSimpleTerm]  
[dbo].[GetContentItemsByTerm]  
[dbo].[GetTerm]  
[dbo].[GetTermsByContent]  
[dbo].[GetTermsByVocabulary]  
[dbo].[UpdateHeirarchicalTerm]  
[dbo].[UpdateSimpleTerm]




## [dbo].[Taxonomy\_Vocabularies]

(local) > DNNCE612 > Tables > dbo.Taxonomy\_Vocabularies

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	2
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	VocabularyID	int	4	✗	1 - 1	
	VocabularyTypeID	int	4	✗		
	Name	nvarchar(250)	500	✗		
	Description	nvarchar(2500)	5000	✓		
	Weight	int	4	✗		((0))
	ScopeID	int	4	✓		
	ScopeTypeID	int	4	✗		
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		
	IsSystem	bit	1	✗		((0))

### Indexes

	Name	Columns	Unique
	PK_Taxonomy_Vocabulary	VocabularyID	✓

### Foreign Keys

Name	Delete	Columns
FK_Taxonomy_Vocabularies_Taxonomy_ScopeTypes	Cascade	ScopeTypeID->[dbo].[Taxonomy_ScopeTypes].[ScopeTypeID]
FK_Taxonomy_Vocabularies_Taxonomy_VocabularyTypes		VocabularyTypeID-

		>[dbo].[Taxonomy_Vocabulary-Types].[VocabularyTypeID]
--	--	---

### *Uses*

---

[dbo].[Taxonomy\_ScopeTypes]  
[dbo].[Taxonomy\_VocabularyTypes]  
dbo

### *Used By*

---

[dbo].[Taxonomy\_Terms]  
[dbo].[AddVocabulary]  
[dbo].[DeleteVocabulary]  
[dbo].[GetVocabularies]  
[dbo].[UpdateVocabulary]



## [dbo].[Taxonomy\_VocabularyTypes]

(local) > DNNCE612 > Tables > dbo.Taxonomy\_VocabularyTypes


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	2
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:52 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	VocabularyTypeID	int	4	✗	1 - 1
	VocabularyType	nvarchar(50)	100	✗	

### Indexes

---

	Name	Columns	Unique
	PK_Taxonomy_VocabularyType	VocabularyTypeID	✓

### Uses

---

dbo

### Used By

---

[dbo].[Taxonomy\_Vocabularies]

## [dbo].[UrlLog]

(local) > DNNCE612 > Tables > dbo.UrlLog



### Properties

---

Property	Value
Row Count	0
Created	10:35:40 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012


### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	UrlLogID	int	4	✗	1 - 1
	UrlTrackingID	int	4	✗	
	ClickDate	datetime	8	✗	
	UserID	int	4	✓	

### Indexes

---

	Name	Columns	Unique
	PK_UrlLog	UrlLogID	✓

### Foreign Keys

---

Name	Delete	Columns
FK_UrlLog_UrlTracking	Cascade	UrlTrackingID->[dbo].[UrlTracking].[UrlTrackingID]

### Uses

---

[dbo].[UrlTracking]  
dbo

### Used By

---

[dbo].[AddUrlLog]  
[dbo].[GetUrlLog]




## [dbo].[Urls]

(local) > DNNCE612 > Tables > dbo.Urls

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	UrlID	int	4	✗	1 - 1
	PortalID	int	4	✓	
	Url	nvarchar(255)	510	✗	

### Indexes

	Name	Columns	Unique
	PK_Urls	UrlID	✓
	IX_Urls	Url, PortalID	✓

### Foreign Keys

Name	Delete	Columns
FK_Urls_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### Uses

[dbo].[Portals]  
dbo

### Used By

[dbo].[AddUrl]  
[dbo].[DeleteUrl]  
[dbo].[GetUrl]  
[dbo].[GetUrls]





## [dbo].[UrlTracking]

(local) > DNNCE612 > Tables > dbo.UrlTracking


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	UrlTrackingID	int	4	✗	1 - 1	
	PortalID	int	4	✓		
	Url	nvarchar(255)	510	✗		
	UrlType	char(1)	1	✗		
	Clicks	int	4	✗		
	LastClick	datetime	8	✓		
	CreatedDate	datetime	8	✗		
	LogActivity	bit	1	✗		
	TrackClicks	bit	1	✗		((1))
	ModuleId	int	4	✓		
	NewWindow	bit	1	✗		((0))

### Indexes

	Name	Columns	Unique
	PK_UrlTracking	UrlTrackingID	✓
	IX_UrlTracking	PortalID, Url, ModuleId	✓

### Foreign Keys

Name	Delete	Columns
FK_UrlTracking_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]

### *Uses*

---

[dbo].[Portals]  
dbo

### *Used By*

---

[dbo].[UrlLog]  
[dbo].[AddUrlTracking]  
[dbo].[DeleteUrlTracking]  
[dbo].[dnnLinks\_GetLink]  
[dbo].[dnnLinks\_GetLinks]  
[dbo].[GetUrlLog]  
[dbo].[GetUrlTracking]  
[dbo].[UpdateUrlTracking]  
[dbo].[UpdateUrlTrackingStats]




## [dbo].[UserAuthentication]

(local) > DNNCE612 > Tables > dbo.UserAuthentication


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:38 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	UserAuthenticationID	int	4	✗	1 - 1
	UserID	int	4	✗	
	AuthenticationType	nvarchar(100)	200	✗	
	AuthenticationToken	nvarchar(1000)	2000	✗	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_UserAuthentication	UserAuthenticationID	✓
	IX_UserAuthentication	UserID, AuthenticationType	✓

### Foreign Keys

Name	Delete	Columns
FK_UserAuthentication_Users	Cascade	UserID->[dbo].[Users].[UserID]

### Uses

[dbo].[Users]  
dbo

*Used By*

---

[dbo].[AddUserAuthentication]

[dbo].[DeleteAuthentication]

[dbo].[GetUserByAuthToken]




## [dbo].[UserPortals]

(local) > DNNCE612 > Tables > dbo.UserPortals

### Properties

Property	Value
Row Count	1
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	UserId	int	4	✗		
	PortalId	int	4	✗		
	UserPortalId	int	4	✗	1 - 1	
	CreatedDate	datetime	8	✗		(getdate())
	Authorised	bit	1	✗		((1))
	IsDeleted	bit	1	✗		((0))
	RefreshRoles	bit	1	✗		((0))

### Indexes

	Name	Columns	Unique
	PK_UserPortals	UserId, PortalId	✓
	IX_UserPortals	PortalId	
	IX_UserPortals_PortalId_IsDeleted	PortalId, IsDeleted	

### Foreign Keys

Name	Delete	Columns
FK_UserPortals_Portals	Cascade	PortalId->[dbo].[Portals].[PortalID]
FK_UserPortals_Users	Cascade	UserId->[dbo].[Users].[UserID]

### Uses

[dbo].[Portals]

[dbo].[Users]



(local) > DNNCE612 > Tables > dbo.UserPortals

dbo

*Used By*

---

[dbo].[vw\_Users]  
[dbo].[AddUser]  
[dbo].[DeleteUserPortal]  
[dbo].[GetAllUsers]  
[dbo].[GetOnlineUsers]  
[dbo].[GetUserCountByPortal]  
[dbo].[GetUsers]  
[dbo].[GetUsersByRolename]  
[dbo].[RemoveUser]  
[dbo].[RestoreUser]  
[dbo].[UpdateUser]




## [dbo].[UserProfile]

(local) > DNNCE612 > Tables > dbo.UserProfile


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	7
Created	10:35:42 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ProfileID	int	4	✗	1 - 1	
	UserID	int	4	✗		
	PropertyDefinitionID	int	4	✗		
	PropertyValue	nvarchar(3750)	7500	✓		
	PropertyText	ntext	max	✓		
	Visibility	int	4	✗		((0))
	LastUpdatedDate	datetime	8	✗		

### Indexes

	Name	Columns	Unique
	PK_UserProfile	ProfileID	✓
	IX_UserProfile	UserID	
	IX_UserProfile_UserID_PropertyDefinitionID	UserID, PropertyDefinitionID	

### Foreign Keys

Name	Delete	Columns
FK_UserProfile_ProfilePropertyDefinition	Cascade	PropertyDefinitionID->[dbo].[ProfileProperty-Definition].[PropertyDefinitionID]
FK_UserProfile_Users	Cascade	UserID->[dbo].[Users].[UserID]

(local) > DNNCE612 > Tables > dbo.UserProfile

### *Uses*

---

[dbo].[ProfilePropertyDefinition]  
[dbo].[Users]  
dbo

### *Used By*

---

[dbo].[GetUserProfile]  
[dbo].[GetUsersByProfileProperty]  
[dbo].[UpdateUserProfileProperty]




## [dbo].[UserRoles]

(local) > DNNCE612 > Tables > dbo.UserRoles

### Properties

Property	Value
Row Count	3
Created	10:35:36 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	UserRoleID	int	4	✗	1 - 1
	UserID	int	4	✗	
	RoleID	int	4	✗	
	ExpiryDate	datetime	8	✓	
	IsTrialUsed	bit	1	✓	
	EffectiveDate	datetime	8	✓	
	CreatedByUserID	int	4	✓	
	CreatedOnDate	datetime	8	✓	
	LastModifiedByUserID	int	4	✓	
	LastModifiedOnDate	datetime	8	✓	

### Indexes

	Name	Columns	Unique
	PK_UserRoles	UserRoleID	✓
	IX_UserRoles	RoleID	
	IX_UserRoles_1	UserID	

### Foreign Keys

Name	Delete	Columns
FK_UserRoles_Roles	Cascade	RoleID->[dbo].[Roles].[RoleID]
FK_UserRoles_Users	Cascade	UserID->[dbo].[Users].[UserID]

### *Uses*

---

[dbo].[Roles]  
[dbo].[Users]  
dbo

### *Used By*

---

[dbo].[vw\_UserRoles]  
[dbo].[AddUserRole]  
[dbo].[DeleteUserRole]  
[dbo].[GetFoldersByPermissions]  
[dbo].[GetRolesByUser]  
[dbo].[GetServices]  
[dbo].[GetUsersByRolename]  
[dbo].[IsUserInRole]  
[dbo].[UpdateUserRole]






## [dbo].[Users]

(local) > DNNCE612 > Tables > dbo.Users


### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:58 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	UserID	int	4	✗	1 - 1	
	Username	nvarchar(100)	200	✗		
	FirstName	nvarchar(50)	100	✗		
	LastName	nvarchar(50)	100	✗		
	IsSuperUser	bit	1	✗		((0))
	AffiliateId	int	4	✓		
	Email	nvarchar(256)	512	✓		
	DisplayName	nvarchar(128)	256	✗		("")
	UpdatePassword	bit	1	✗		((0))
	LastIPAddress	nvarchar(50)	100	✓		
	IsDeleted	bit	1	✗		((0))
	CreatedByUserID	int	4	✓		
	CreatedOnDate	datetime	8	✓		
	LastModifiedByUserID	int	4	✓		
	LastModifiedOnDate	datetime	8	✓		

### Indexes

	Name	Columns	Unique
	PK_Users	UserID	✓
	IX_Users	Username	✓
	IX_Users_Email	Email	
	IX_Users_IsDeleted_DisplayName	IsDeleted, DisplayName	

## Uses

---

dbo

## Used By

---

[dbo].[DesktopModulePermission]  
[dbo].[FolderPermission]  
[dbo].[ModulePermission]  
[dbo].[Profile]  
[dbo].[TabPermission]  
[dbo].[UserAuthentication]  
[dbo].[UserPortals]  
[dbo].[UserProfile]  
[dbo].[UserRoles]  
[dbo].[UsersOnline]  
[dbo].[vw\_DesktopModulePermissions]  
[dbo].[vw\_FolderPermissions]  
[dbo].[vw\_ModulePermissions]  
[dbo].[vw\_Portals]  
[dbo].[vw\_PortalsDefaultLanguage]  
[dbo].[vw\_SearchItems]  
[dbo].[vw\_TabPermissions]  
[dbo].[vw\_UserRoles]  
[dbo].[vw\_Users]  
[dbo].[AddUser]  
[dbo].[DeleteUserPortal]  
[dbo].[GetAllHtmlText]  
[dbo].[GetAllUsers]  
[dbo].[GetBanner]  
[dbo].[GetFoldersByPermissions]  
[dbo].[GetHtmlText]  
[dbo].[GetHtmlTextLog]  
[dbo].[GetOnlineUser]  
[dbo].[GetRolesByUser]  
[dbo].[GetSearchResultsByWord]  
[dbo].[GetServices]  
[dbo].[GetSiteLog2]  
[dbo].[GetSiteLog3]  
[dbo].[GetSuperUsers]  
[dbo].[GetTopHtmlText]  
[dbo].[GetUrlLog]  
[dbo].[GetUsers]  
[dbo].[GetUsersByRolename]  
[dbo].[GetVendor]  
[dbo].[Messaging\_Save\_Message]  
[dbo].[RemoveUser]  
[dbo].[RestoreUser]  
[dbo].[UpdateUser]




## [dbo].[UsersOnline]

(local) > DNNCE612 > Tables > dbo.UsersOnline


### Properties

Property	Value
Row Count	0
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	UserID	int	4	✗	
	PortalID	int	4	✗	
	TabID	int	4	✗	
	CreationDate	datetime	8	✗	(getdate())
	LastActiveDate	datetime	8	✗	(getdate())

### Indexes

	Name	Columns	Unique
	PK_UsersOnline	UserID, PortalID	✓

### Foreign Keys

Name	Delete	Columns
FK_UsersOnline_Portals	Cascade	PortalID->[dbo].[Portals].[PortalID]
FK_UsersOnline_Users	Cascade	UserID->[dbo].[Users].[UserID]

### Uses

[dbo].[Portals]  
[dbo].[Users]  
dbo

### Used By

[dbo].[DeleteUsersOnline]  
[dbo].[GetOnlineUser]



(local) > DNNCE612 > Tables > dbo.UsersOnline

[dbo].[GetOnlineUsers]

[dbo].[UpdateOnlineUser]




## [dbo].[VendorClassification]

(local) > DNNCE612 > Tables > dbo.VendorClassification

### Properties

Property	Value
Row Count	0
Created	10:35:39 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	VendorClassificationId	int	4	✗	1 - 1
	VendorId	int	4	✗	
	ClassificationId	int	4	✗	

### Indexes

	Name	Columns	Unique
	PK_VendorClassification	VendorClassificationId	✓
	IX_VendorClassification	VendorId, ClassificationId	✓
	IX_VendorClassification_1	ClassificationId	

### Foreign Keys

Name	Delete	Columns
FK_VendorClassification_Classification	Cascade	ClassificationId->[dbo].[Classification].[ClassificationId]
FK_VendorClassification_Vendors	Cascade	VendorId->[dbo].[Vendors].[VendorId]

### Uses

[dbo].[Classification]  
[dbo].[Vendors]  
dbo

### Used By

[dbo].[AddVendorClassification]  
[dbo].[DeleteVendorClassifications]

(local) > DNNCE612 > Tables > dbo.VendorClassification

[dbo].[GetVendorClassifications]




## [dbo].[Vendors]

(local) > DNNCE612 > Tables > dbo.Vendors

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	0
Created	10:35:41 AM Wednesday, February 01, 2012
Last Modified	10:35:47 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	VendorId	int	4	✗	1 - 1	
	VendorName	nvarchar(50)	100	✗		
	Street	nvarchar(50)	100	✓		
	City	nvarchar(50)	100	✓		
	Region	nvarchar(50)	100	✓		
	Country	nvarchar(50)	100	✓		
	PostalCode	nvarchar(50)	100	✓		
	Telephone	nvarchar(50)	100	✓		
	PortalId	int	4	✓		
	Fax	nvarchar(50)	100	✓		
	Email	nvarchar(50)	100	✓		
	Website	nvarchar(100)	200	✓		
	ClickThroughs	int	4	✗		((0))
	Views	int	4	✗		((0))
	CreatedByUser	nvarchar(100)	200	✓		
	CreatedDate	datetime	8	✓		
	LogoFile	nvarchar(100)	200	✓		
	KeyWords	ntext	max	✓		
	Unit	nvarchar(50)	100	✓		
	Authorized	bit	1	✗		((1))
	FirstName	nvarchar(50)	100	✓		
	LastName	nvarchar(50)	100	✓		
	Cell	varchar(50)	50	✓		

### Indexes

---

	Name	Columns	Unique
	PK_Vendor	VendorId	✓
	IX_Vendors	PortalId, VendorName	✓

### Foreign Keys

---

Name	Delete	Columns
FK_Vendor_Portals	Cascade	PortalId->[dbo].[Portals].[PortalID]

### Uses

---

[dbo].[Portals]  
dbo

### Used By

---

[dbo].[Affiliates]  
[dbo].[Banners]  
[dbo].[VendorClassification]  
[dbo].[AddVendor]  
[dbo].[DeleteVendor]  
[dbo].[FindBanners]  
[dbo].[GetAffiliate]  
[dbo].[GetBanner]  
[dbo].[GetBannerGroups]  
[dbo].[GetVendor]  
[dbo].[GetVendors]  
[dbo].[GetVendorsByEmail]  
[dbo].[GetVendorsByName]  
[dbo].[UpdateVendor]





## [dbo].[Version]

(local) > DNNCE612 > Tables > dbo.Version

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	6
Created	10:35:35 AM Wednesday, February 01, 2012
Last Modified	10:35:46 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	VersionId	int	4	✗	1 - 1
	Major	int	4	✗	
	Minor	int	4	✗	
	Build	int	4	✗	
	Name	nvarchar(50)	100	✓	
	CreatedDate	datetime	8	✗	

### Indexes

	Name	Columns	Unique
	PK_Version	VersionId	✓
	IX_Version	Major, Minor, Build	✓

### Uses

dbo

### Used By

[dbo].[FindDatabaseVersion]  
[dbo].[GetDatabaseVersion]  
[dbo].[UpdateDatabaseVersion]  
[dbo].[UpdateDatabaseVersionAndName]  
[dbo].[fn\_GetVersion]

## [dbo].[WebServers]

(local) > DNNCE612 > Tables > dbo.WebServers


### Properties

---

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	1
Created	10:35:44 AM Wednesday, February 01, 2012
Last Modified	10:35:44 AM Wednesday, February 01, 2012

### Columns

---

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ServerID	int	4	✗	1 - 1	
	ServerName	nvarchar(50)	100	✗		
	CreatedDate	datetime	8	✗		
	LastActivityDate	datetime	8	✗		
	URL	nvarchar(255)	510	✓		
	IISAppName	nvarchar(200)	400	✗		(")
	Enabled	bit	1	✗		((1))

### Indexes

---

	Name	Columns	Unique
	PK_WebServers	ServerID	✓

### Uses

---

dbo

### Used By

---

[dbo].[DeleteServer]  
[dbo].[GetServerConfiguration]  
[dbo].[GetServers]  
[dbo].[UpdateServer]  
[dbo].[UpdateServerActivity]




## [dbo].[Workflow]

(local) > DNNCE612 > Tables > dbo.Workflow

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	2
Created	10:36:56 AM Wednesday, February 01, 2012
Last Modified	10:36:56 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	WorkflowID	int	4	✗	1 - 1
	PortalID	int	4	✓	
	WorkflowName	nvarchar(50)	100	✗	
	Description	nvarchar(2000)	4000	✓	
	IsDeleted	bit	1	✗	

### Indexes

	Name	Columns	Unique
	PK_Workflow	WorkflowID	✓
	IX_Workflow	PortalID, WorkflowName	✓

### Uses

dbo

### Used By

[dbo].[WorkflowStates]  
[dbo].[GetAllHtmlText]  
[dbo].[GetHtmlText]  
[dbo].[GetTopHtmlText]  
[dbo].[GetWorkflows]  
[dbo].[GetWorkflowStates]






## [dbo].[WorkflowStates]

(local) > DNNCE612 > Tables > dbo.WorkflowStates

### Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count	3
Created	10:36:56 AM Wednesday, February 01, 2012
Last Modified	10:36:56 AM Wednesday, February 01, 2012

### Columns

	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	StateID	int	4	✗	1 - 1
	WorkflowID	int	4	✗	
	StateName	nvarchar(50)	100	✗	
	Order	int	4	✗	
	IsActive	bit	1	✗	
	Notify	bit	1	✗	

### Indexes

	Name	Columns	Unique
	PK_WorkflowStates	StateID	✓
	IX_WorkflowStates	WorkflowID, StateName	✓

### Foreign Keys

Name	No Check	Delete	Columns
FK_WorkflowStates_Workflow	✓	Cascade	WorkflowID->[dbo].[Workflow].[WorkflowID]

### Uses

[dbo].[Workflow]  
dbo

*Used By*

---

[dbo].[HtmlText]  
[dbo].[HtmlTextLog]  
[dbo].[GetAllHtmlText]  
[dbo].[GetHtmlText]  
[dbo].[GetHtmlTextLog]  
[dbo].[GetHtmlTextUser]  
[dbo].[GetTopHtmlText]  
[dbo].[GetWorkflowStates]

## Views

(local) > DNNCE612 > Views

Name
dbo.vw_aspnet_Applications
dbo.vw_aspnet_MembershipUsers
dbo.vw_aspnet_Profiles
dbo.vw_aspnet_Roles
dbo.vw_aspnet_Users
dbo.vw_aspnet_UsersInRoles
dbo.vw_DesktopModulePermissions
dbo.vw_DesktopModules
dbo.vw_FolderPermissions
dbo.vw_Lists
dbo.vw_ModulePermissions
dbo.vw_Modules
dbo.vw_Portals
dbo.vw_PortalsDefaultLanguage
dbo.vw_SearchItems
dbo.vw_TabModules
dbo.vw_TabPermissions
dbo.vw_Tabs
dbo.vw_UserRoles
dbo.vw_Users

## [dbo].[vw\_aspnet\_Applications]

(local) > DNNCE612 > Views > dbo.vw\_aspnet\_Applications

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:53 AM Wednesday, February 01, 2012

### Columns

---

Name
ApplicationName
LoweredApplicationName
ApplicationId
Description

### Permissions

---

Type	Action	Owning Principal
Grant	Select	aspnet_Membership_ReportingAccess
Grant	Select	aspnet_Profile_ReportingAccess
Grant	Select	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]

dbo

## [dbo].[vw\_aspnet\_MembershipUsers]

(local) > DNNCE612 > Views > dbo.vw\_aspnet\_MembershipUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:53 AM Wednesday, February 01, 2012

### Columns

---

Name
UserId
PasswordFormat
MobilePIN
Email
LoweredEmail
PasswordQuestion
PasswordAnswer
IsApproved
IsLockedOut
CreateDate
LastLoginDate
LastPasswordChangedDate
LastLockoutDate
FailedPasswordAttemptCount
FailedPasswordAttemptWindowStart
FailedPasswordAnswerAttemptCount
FailedPasswordAnswerAttemptWindowStart
Comment
ApplicationId
UserName
MobileAlias
IsAnonymous
LastActivityDate

### *Permissions*

---

Type	Action	Owning Principal
Grant	Select	aspnet_Membership_ReportingAccess

### *Uses*

---

[dbo].[aspnet\_Membership]

[dbo].[aspnet\_Users]

dbo

## [dbo].[vw\_aspnet\_Profiles]

(local) > DNNCE612 > Views > dbo.vw\_aspnet\_Profiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:54 AM Wednesday, February 01, 2012
Last Modified	10:35:54 AM Wednesday, February 01, 2012

### Columns

---

Name
UserId
LastUpdatedDate
DataSize

### Permissions

---

Type	Action	Owning Principal
Grant	Select	aspnet_Profile_ReportingAccess

### Uses

---

[dbo].[aspnet\_Profile]  
dbo

## [dbo].[vw\_aspnet\_Roles]

(local) > DNNCE612 > Views > dbo.vw\_aspnet\_Roles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:55 AM Wednesday, February 01, 2012
Last Modified	10:35:55 AM Wednesday, February 01, 2012

### Columns

---

Name
ApplicationId
RoleId
RoleName
LoweredRoleName
Description

### Permissions

---

Type	Action	Owning Principal
Grant	Select	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Roles]  
dbo



## [dbo].[vw\_aspnet\_Users]

(local) > DNNCE612 > Views > dbo.vw\_aspnet\_Users

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:53 AM Wednesday, February 01, 2012
Last Modified	10:35:53 AM Wednesday, February 01, 2012

### Columns

---

Name
ApplicationId
UserId
UserName
LoweredUserName
MobileAlias
IsAnonymous
LastActivityDate

### Permissions

---

Type	Action	Owning Principal
Grant	Select	aspnet_Membership_ReportingAccess
Grant	Select	aspnet_Profile_ReportingAccess
Grant	Select	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Users]  
dbo

## [dbo].[vw\_aspnet\_UsersInRoles]

(local) > DNNCE612 > Views > dbo.vw\_aspnet\_UsersInRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:55 AM Wednesday, February 01, 2012
Last Modified	10:35:55 AM Wednesday, February 01, 2012

### Columns

---

Name
UserId
RoleId

### Permissions

---

Type	Action	Owning Principal
Grant	Select	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[vw\_DesktopModulePermissions]

(local) > DNNCE612 > Views > dbo.vw\_DesktopModulePermissions

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:44 AM Wednesday, February 01, 2012
Last Modified	10:35:44 AM Wednesday, February 01, 2012

### Columns

---

Name
DesktopModulePermissionID
PortalDesktopModuleID
PermissionID
RoleID
RoleName
AllowAccess
UserID
Username
DisplayName
PermissionCode
ModuleDefID
PermissionKey
PermissionName
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

### Uses

---

[dbo].[DesktopModulePermission]  
[dbo].[Permission]  
[dbo].[Roles]  
[dbo].[Users]  
dbo

(local) > DNNCE612 > Views > dbo.vw\_DesktopModulePermissions

*Used By*

---

[dbo].[GetDesktopModulePermission]

[dbo].[GetDesktopModulePermissions]

[dbo].[GetDesktopModulePermissionsByPortalDesktopModuleID]

## [dbo].[vw\_DesktopModules]

(local) > DNNCE612 > Views > dbo.vw\_DesktopModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:44 AM Wednesday, February 01, 2012
Last Modified	10:35:44 AM Wednesday, February 01, 2012

### Columns

---

Name
DesktopModuleID
FriendlyName
Description
Version
IsPremium
IsAdmin
BusinessControllerClass
FolderName
ModuleName
SupportedFeatures
CompatibleVersions
Dependencies
Permissions
PackageID
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate
ContentItemID
Content
ContentTypeID
TabID
ModuleID
ContentKey
Indexed

(local) > DNNCE612 > Views > dbo.vw\_DesktopModules

### *Uses*

---

[dbo].[ContentItems]  
[dbo].[DesktopModules]  
dbo

### *Used By*

---

[dbo].[GetDesktopModules]  
[dbo].[GetDesktopModulesByPortal]

## [dbo].[vw\_FolderPermissions]

(local) > DNNCE612 > Views > dbo.vw\_FolderPermissions

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:43 AM Wednesday, February 01, 2012

### Columns

---

Name
FolderPermissionID
FolderID
FolderPath
PermissionID
RoleID
RoleName
AllowAccess
UserID
Username
DisplayName
PermissionCode
ModuleDefID
PermissionKey
PermissionName
PortalID
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

### Uses

---

[dbo].[FolderPermission]

[dbo].[Folders]

[dbo].[Permission]

[dbo].[Roles]

[dbo].[Users]

(local) > DNNCE612 > Views > dbo.vw\_FolderPermissions

dbo

***Used By***

---

[dbo].[GetFolderPermission]

[dbo].[GetFolderPermissionsByFolderPath]

[dbo].[GetFolderPermissionsByPortal]



## [dbo].[vw\_Lists]

(local) > DNNCE612 > Views > dbo.vw\_Lists

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:45 AM Wednesday, February 01, 2012
Last Modified	10:35:45 AM Wednesday, February 01, 2012

### Columns

---

Name
EntryID
ListName
Value
Text
Level
SortOrder
DefinitionID
ParentID
Description
PortalID
SystemList
ParentKey
Parent
ParentList
MaxSortOrder
EntryCount
HasChildren
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

### Uses

---

[dbo].[Lists]

[dbo].[GetListParentKey]

(local) > DNNCE612 > Views > dbo.vw\_Lists

dbo

*Used By*

---

[dbo].[DeleteList]  
[dbo].[GetList]  
[dbo].[GetListEntries]  
[dbo].[GetListEntry]  
[dbo].[GetLists]

## [dbo].[vw\_ModulePermissions]

(local) > DNNCE612 > Views > dbo.vw\_ModulePermissions

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:43 AM Wednesday, February 01, 2012

### Columns

---

Name
ModulePermissionID
ModuleID
PermissionID
RoleID
RoleName
AllowAccess
UserID
Username
DisplayName
PermissionCode
ModuleDefID
PermissionKey
PermissionName
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

### Uses

---

[dbo].[ModulePermission]  
[dbo].[Permission]  
[dbo].[Roles]  
[dbo].[Users]  
dbo

*Used By*

---

[dbo].[GetModulePermission]

[dbo].[GetModulePermissionsByModuleID]

[dbo].[GetModulePermissionsByPortal]

[dbo].[GetModulePermissionsByTabID]

## [dbo].[vw\_Modules]

(local) > DNNCE612 > Views > dbo.vw\_Modules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:45 AM Wednesday, February 01, 2012
Last Modified	10:35:45 AM Wednesday, February 01, 2012

## Columns

---

Name
PortalID
TabID
TabModuleID
ModuleID
ModuleDefID
ModuleOrder
PaneName
ModuleTitle
CacheTime
CacheMethod
Alignment
Color
Border
IconFile
AllTabs
Visibility
IsDeleted
Header
Footer
StartDate
EndDate
ContainerSrc
DisplayTitle
DisplayPrint
DisplaySyndicate
IsWebSlice
WebSliceTitle
WebSliceExpiryDate
WebSliceTTL
InheritViewPermissions
DesktopModuleID
DefaultCacheTime
ModuleControlID
BusinessControllerClass
IsAdmin
SupportedFeatures
ContentItemID
Content
ContentTypeID

ContentKey
Indexed
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate
LastContentModifiedOnDate
Uniqueld
VersionGuid
DefaultLanguageGuid
LocalizedVersionGuid
CultureCode

### *Uses*

---

[dbo].[ContentItems]  
[dbo].[DesktopModules]  
[dbo].[Files]  
[dbo].[ModuleControls]  
[dbo].[ModuleDefinitions]  
[dbo].[Modules]  
[dbo].[TabModules]  
dbo

### *Used By*

---

[dbo].[GetAllModules]  
[dbo].[GetAllTabsModules]  
[dbo].[GetAllTabsModulesByModuleID]  
[dbo].[GetModule]  
[dbo].[GetModuleByDefinition]  
[dbo].[GetModuleByUniqueID]  
[dbo].[GetModulePackagesInUse]  
[dbo].[GetModules]  
[dbo].[GetSearchModules]  
[dbo].[GetTabsByPackageID]

 **[dbo].[vw\_Portals]**

(local) > DNNCE612 > Views > dbo.vw\_Portals

*Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:57 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012



## Columns

---

Name
PortalID
PortalGroupID
PortalName
LogoFile
FooterText
ExpiryDate
UserRegistration
BannerAdvertising
AdministratorId
Currency
HostFee
HostSpace
PageQuota
UserQuota
AdministratorRoleId
RegisteredRoleId
Description
KeyWords
BackgroundFile
GUID
PaymentProcessor
ProcessorUserId
ProcessorPassword
SiteLogHistory
Email
DefaultLanguage
TimezoneOffset
AdminTabId
HomeDirectory
SplashTabId
HomeTabId
LoginTabId
RegisterTabId
UserTabId
SearchTabId
SuperTabId
CreatedByUserID
CreatedOnDate
LastModifiedByUserID

LastModifiedOnDate
CultureCode

### *Uses*

---

[dbo].[Files]  
[dbo].[PortalLocalization]  
[dbo].[Portals]  
[dbo].[Tabs]  
[dbo].[Users]  
dbo

### *Used By*

---

[dbo].[GetExpiredPortals]  
[dbo].[GetPortal]  
[dbo].[GetPortalByPortalAliasID]  
[dbo].[GetPortalDesktopModules]  
[dbo].[GetPortals]  
[dbo].[GetTabCount]

## [dbo].[vw\_PortalsDefaultLanguage]

(local) > DNNCE612 > Views > dbo.vw\_PortalsDefaultLanguage

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:57 AM Wednesday, February 01, 2012
Last Modified	10:35:57 AM Wednesday, February 01, 2012

## Columns

---

Name
PortalID
PortalGroupID
PortalName
LogoFile
FooterText
ExpiryDate
UserRegistration
BannerAdvertising
AdministratorId
Currency
HostFee
HostSpace
PageQuota
UserQuota
AdministratorRoleId
RegisteredRoleId
Description
KeyWords
BackgroundFile
GUID
PaymentProcessor
ProcessorUserId
ProcessorPassword
SiteLogHistory
Email
DefaultLanguage
TimezoneOffset
AdminTabId
HomeDirectory
SplashTabId
HomeTabId
LoginTabId
RegisterTabId
UserTabId
SearchTabId
SuperTabId
CreatedByUserID
CreatedOnDate
LastModifiedByUserID

LastModifiedOnDate
CultureCode

### *Uses*

---

[dbo].[Files]  
[dbo].[PortalLocalization]  
[dbo].[Portals]  
[dbo].[Tabs]  
[dbo].[Users]  
dbo

### *Used By*

---

[dbo].[GetPortalsByName]

## [dbo].[vw\_SearchItems]

(local) > DNNCE612 > Views > dbo.vw\_SearchItems

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:45 AM Wednesday, February 01, 2012
Last Modified	10:35:45 AM Wednesday, February 01, 2012

### Columns

---

Name
SearchItemID
PortalID
TabID
ModuleID
Title
Description
Author
PubDate
SearchKey
Guid
HitCount
ImageFileId
AuthorName

### Uses

---

[dbo].[Modules]  
[dbo].[SearchItem]  
[dbo].[TabModules]  
[dbo].[Users]  
dbo

### Used By

---

[dbo].[GetSearchItems]  
[dbo].[GetSearchResults]

## [dbo].[vw\_TabModules]

(local) > DNNCE612 > Views > dbo.vw\_TabModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:45 AM Wednesday, February 01, 2012
Last Modified	10:35:45 AM Wednesday, February 01, 2012

## Columns

---

Name
PortalID
TabID
TabModuleID
ModuleID
ModuleDefID
ModuleOrder
PaneName
ModuleTitle
CacheTime
CacheMethod
Alignment
Color
Border
IconFile
AllTabs
Visibility
IsDeleted
Header
Footer
StartDate
EndDate
ContainerSrc
DisplayTitle
DisplayPrint
DisplaySyndicate
IsWebSlice
WebSliceTitle
WebSliceExpiryDate
WebSliceTTL
InheritViewPermissions
DesktopModuleID
DefaultCacheTime
ModuleControlID
BusinessControllerClass
IsAdmin
SupportedFeatures
ContentItemID
Content
ContentTypeID



ContentKey
Indexed
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate
LastContentModifiedOnDate
Uniqueld
VersionGuid
DefaultLanguageGuid
LocalizedVersionGuid
CultureCode

### *Uses*

---

[dbo].[ContentItems]  
[dbo].[DesktopModules]  
[dbo].[Files]  
[dbo].[ModuleControls]  
[dbo].[ModuleDefinitions]  
[dbo].[Modules]  
[dbo].[TabModules]  
dbo

### *Used By*

---

[dbo].[GetTabModule]  
[dbo].[GetTabModules]

## [dbo].[vw\_TabPermissions]

(local) > DNNCE612 > Views > dbo.vw\_TabPermissions

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:44 AM Wednesday, February 01, 2012
Last Modified	10:35:44 AM Wednesday, February 01, 2012

### Columns

---

Name
TabPermissionID
TabID
PermissionID
RoleID
RoleName
AllowAccess
UserID
Username
DisplayName
PermissionCode
ModuleDefID
PermissionKey
PermissionName
PortalID
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

### Uses

---

[dbo].[Permission]  
[dbo].[Roles]  
[dbo].[TabPermission]  
[dbo].[Tabs]  
[dbo].[Users]  
dbo

(local) > DNNCE612 > Views > dbo.vw\_TabPermissions

### *Used By*

---

[dbo].[GetTabPermission]

[dbo].[GetTabPermissionsByPortal]

[dbo].[GetTabPermissionsByTabID]

## [dbo].[vw\_Tabs]

(local) > DNNCE612 > Views > dbo.vw\_Tabs

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:58 AM Wednesday, February 01, 2012
Last Modified	10:35:58 AM Wednesday, February 01, 2012

## Columns

---

Name
TabID
UniqueId
VersionGuid
DefaultLanguageGuid
LocalizedVersionGuid
TabOrder
PortalID
TabName
IsVisible
ParentId
Level
IconFile
IconFileLarge
DisableLink
Title
Description
KeyWords
IsDeleted
SkinSrc
ContainerSrc
TabPath
StartDate
EndDate
Url
HasChildren
RefreshInterval
PageHeadText
IsSecure
PermanentRedirect
SiteMapPriority
ContentItemID
Content
ContentTypeID
ModuleID
ContentKey
Indexed
CultureCode
CreatedByUserID
CreatedOnDate

LastModifiedByUserID
LastModifiedOnDate

### *Uses*

---

[dbo].[ContentItems]  
[dbo].[Tabs]  
dbo

### *Used By*

---

[dbo].[GetAllTabs]  
[dbo].[GetTab]  
[dbo].[GetTabByName]  
[dbo].[GetTabByUniqueID]  
[dbo].[GetTabs]  
[dbo].[GetTabsByModuleID]  
[dbo].[GetTabsByPackageID]  
[dbo].[GetTabsByParentId]

## [dbo].[vw\_UserRoles]

(local) > DNNCE612 > Views > dbo.vw\_UserRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:43 AM Wednesday, February 01, 2012
Last Modified	10:35:43 AM Wednesday, February 01, 2012

## Columns

---

Name
UserRoleID
RoleID
UserID
PortalID
RoleName
Username
Description
DisplayName
Email
ServiceFee
BillingFrequency
TrialPeriod
TrialFrequency
BillingPeriod
TrialFee
IsPublic
AutoAssignment
RoleGroupID
RSVPCode
IconFile
EffectiveDate
ExpiryDate
IsTrialUsed
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

## Uses

---

[dbo].[Roles]  
[dbo].[UserRoles]  
[dbo].[Users]  
dbo

## Used By

---

[dbo].[GetUserRole]  
[dbo].[GetUserRoles]  
[dbo].[GetUserRolesByUsername]



## [dbo].[vw\_Users]

(local) > DNNCE612 > Views > dbo.vw\_Users

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓
Created	10:35:58 AM Wednesday, February 01, 2012
Last Modified	10:35:58 AM Wednesday, February 01, 2012

### Columns

---

Name
UserID
PortalId
Username
FirstName
LastName
DisplayName
IsSuperUser
Email
AffiliateId
UpdatePassword
Authorised
IsDeleted
RefreshRoles
LastIPAddress
CreatedByUserID
CreatedOnDate
LastModifiedByUserID
LastModifiedOnDate

### Uses

---

[dbo].[UserPortals]  
[dbo].[Users]  
dbo

### *Used By*

---

[dbo].[GetAllUsers]  
[dbo].[GetDeletedUsers]  
[dbo].[GetOnlineUsers]  
[dbo].[GetUnauthorizedUsers]  
[dbo].[GetUser]  
[dbo].[GetUserByAuthToken]  
[dbo].[GetUserByUsername]  
[dbo].[GetUsersByEmail]  
[dbo].[GetUsersByProfileProperty]  
[dbo].[GetUsersByUserName]

## Stored Procedures

(local) > DNNCE612 > Stored Procedures

Name
dbo.AddAffiliate
dbo.AddAuthentication
dbo.AddBanner
dbo.AddContentItem
dbo.AddContentType
dbo.AddDefaultFolderTypes
dbo.AddDesktopModule
dbo.AddDesktopModulePermission
dbo.AddEventLog
dbo.AddEventLogConfig
dbo.AddEventLogType
dbo.AddEventMessage
dbo.AddFile
dbo.AddFolder
dbo.AddFolderMapping
dbo.AddFolderMappingsSetting
dbo.AddFolderPermission
dbo.AddHeirarchicalTerm
dbo.AddHostSetting
dbo.AddHtmlText
dbo.AddHtmlTextLog
dbo.AddHtmlTextUser
dbo.AddLanguage
dbo.AddLanguagePack
dbo.AddListEntry
dbo.AddMetaData
dbo.AddModule
dbo.AddModuleControl
dbo.AddModuleDefinition
dbo.AddModulePermission
dbo.AddModuleSetting
dbo.AddPackage
dbo.AddPermission
dbo.AddPortalAlias
dbo.AddPortalDesktopModule

dbo.AddPortalGroup
dbo.AddPortalInfo
dbo.AddPortalLanguage
dbo.AddProfile
dbo.AddPropertyDefinition
dbo.AddRole
dbo.AddRoleGroup
dbo.AddSchedule
dbo.AddScheduleHistory
dbo.AddScheduleItemSetting
dbo.AddScopeType
dbo.AddSearchCommonWord
dbo.AddSearchItem
dbo.AddSearchItemWord
dbo.AddSearchItemWordPosition
dbo.AddSearchWord
dbo.AddSimpleTerm
dbo.AddSiteLog
dbo.AddSkin
dbo.AddSkinControl
dbo.AddSkinPackage
dbo.AddSystemMessage
dbo.AddTab
dbo.AddTabModule
dbo.AddTabModuleSetting
dbo.AddTabPermission
dbo.AddTabSetting
dbo.AddTermToContent
dbo.AddUrl
dbo.AddUrlLog
dbo.AddUrlTracking
dbo.AddUser
dbo.AddUserAuthentication
dbo.AddUserRole
dbo.AddVendor
dbo.AddVendorClassification
dbo.AddVocabulary
dbo.aspnet_AnyDataInTables
dbo.aspnet_Applications_CreateApplication
dbo.aspnet_CheckSchemaVersion
dbo.aspnet_Membership_ChangePasswordQuestionAndAnswer
dbo.aspnet_Membership_CreateUser

dbo.aspnet_Membership_FindUsersByEmail
dbo.aspnet_Membership_FindUsersByName
dbo.aspnet_Membership_GetAllUsers
dbo.aspnet_Membership_GetNumberOfUsersOnline
dbo.aspnet_Membership_GetPassword
dbo.aspnet_Membership_GetPasswordWithFormat
dbo.aspnet_Membership_GetUserByEmail
dbo.aspnet_Membership_GetUserByName
dbo.aspnet_Membership_GetUserById
dbo.aspnet_Membership_ResetPassword
dbo.aspnet_Membership_SetPassword
dbo.aspnet_Membership_UnlockUser
dbo.aspnet_Membership_UpdateUser
dbo.aspnet_Membership_UpdateUserInfo
dbo.aspnet_Profile_DeleteInactiveProfiles
dbo.aspnet_Profile_DeleteProfiles
dbo.aspnet_Profile_GetNumberOfInactiveProfiles
dbo.aspnet_Profile_GetProfiles
dbo.aspnet_Profile_GetProperties
dbo.aspnet_Profile_SetProperties
dbo.aspnet_RegisterSchemaVersion
dbo.aspnet_Roles_CreateRole
dbo.aspnet_Roles_DeleteRole
dbo.aspnet_Roles_GetAllRoles
dbo.aspnet_Roles_RoleExists
dbo.aspnet_Setup_RemoveAllRoleMembers
dbo.aspnet_UnRegisterSchemaVersion
dbo.aspnet_Users_CreateUser
dbo.aspnet_Users_DeleteUser
dbo.aspnet_UsersInRoles_AddUsersToRoles
dbo.aspnet_UsersInRoles_FindUsersInRole
dbo.aspnet_UsersInRoles_GetRolesForUser
dbo.aspnet_UsersInRoles_GetUsersInRoles
dbo.aspnet_UsersInRoles_IsUserInRole
dbo.aspnet_UsersInRoles_RemoveUsersFromRoles
dbo.CalculatePagingInformation
dbo.CanDeleteSkin
dbo.Dashboard_AddControl
dbo.Dashboard_DeleteControl
dbo.Dashboard_GetControls
dbo.Dashboard_GetDashboardControlByKey
dbo.Dashboard_GetDbBackups

dbo.Dashboard_GetDbFileInfo
dbo.Dashboard_GetDbInfo
dbo.Dashboard_GetInstalledModules
dbo.Dashboard_UpdateControl
dbo.DeleteAffiliate
dbo.DeleteAuthentication
dbo.DeleteBanner
dbo.DeleteContentItem
dbo.DeleteContentType
dbo.DeleteDesktopModule
dbo.DeleteDesktopModulePermission
dbo.DeleteDesktopModulePermissionsByPortalDesktopModuleID
dbo.DeleteDesktopModulePermissionsByUserID
dbo.DeleteEventLog
dbo.DeleteEventLogConfig
dbo.DeleteEventLogType
dbo.DeleteFile
dbo.DeleteFiles
dbo.DeleteFolder
dbo.DeleteFolderMapping
dbo.DeleteFolderPermission
dbo.DeleteFolderPermissionsByFolderPath
dbo.DeleteFolderPermissionsByUserID
dbo.DeleteHeirarchicalTerm
dbo.DeleteHtmlText
dbo.DeleteHtmlTextUsers
dbo.DeleteLanguage
dbo.DeleteLanguagePack
dbo.DeleteList
dbo.DeleteListEntryByID
dbo.DeleteMetaData
dbo.DeleteModule
dbo.DeleteModuleControl
dbo.DeleteModuleDefinition
dbo.DeleteModulePermission
dbo.DeleteModulePermissionsByModuleID
dbo.DeleteModulePermissionsByUserID
dbo.DeleteModuleSetting
dbo.DeleteModuleSettings
dbo.DeletePackage
dbo.DeletePermission
dbo.DeletePortalAlias

dbo.DeletePortalDesktopModules
dbo.DeletePortalGroup
dbo.DeletePortalInfo
dbo.DeletePortalLanguages
dbo.DeletePortalSetting
dbo.DeletePortalSettings
dbo.DeletePropertyDefinition
dbo.DeleteRole
dbo.DeleteRoleGroup
dbo.DeleteSchedule
dbo.DeleteScopeType
dbo.DeleteSearchCommonWord
dbo.DeleteSearchItem
dbo.DeleteSearchItems
dbo.DeleteSearchItemWord
dbo.DeleteSearchItemWordPosition
dbo.DeleteSearchItemWords
dbo.DeleteSearchWord
dbo.DeleteServer
dbo.DeleteSimpleTerm
dbo.DeleteSiteLog
dbo.DeleteSkin
dbo.DeleteSkinControl
dbo.DeleteSkinPackage
dbo.DeleteSystemMessage
dbo.DeleteTab
dbo.DeleteTabModule
dbo.DeleteTabModuleSetting
dbo.DeleteTabModuleSettings
dbo.DeleteTabPermission
dbo.DeleteTabPermissionsByTabID
dbo.DeleteTabPermissionsByUserID
dbo.DeleteTabSetting
dbo.DeleteTabSettings
dbo.DeleteUrl
dbo.DeleteUrlTracking
dbo.DeleteUserPortal
dbo.DeleteUserRole
dbo.DeleteUsersOnline
dbo.DeleteVendor
dbo.DeleteVendorClassifications
dbo.DeleteVocabulary

dbo.dnnLinks_AddLink
dbo.dnnLinks_DeleteLink
dbo.dnnLinks_GetLink
dbo.dnnLinks_GetLinks
dbo.dnnLinks_UpdateLink
dbo.EnsureLocalizationExists
dbo.FindBanners
dbo.FindDatabaseVersion
dbo.GetAffiliate
dbo.GetAffiliates
dbo.GetAllFiles
dbo.GetAllHtmlText
dbo.GetAllModules
dbo.GetAllProfiles
dbo.GetAllTabs
dbo.GetAllTabsModules
dbo.GetAllTabsModulesByModuleID
dbo.GetAllUsers
dbo.GetAuthenticationService
dbo.GetAuthenticationServiceByPackageID
dbo.GetAuthenticationServiceByType
dbo.GetAuthenticationServices
dbo.GetBanner
dbo.GetBannerGroups
dbo.GetBanners
dbo.GetContentItem
dbo.GetContentItems
dbo.GetContentItemsByTerm
dbo.GetContentTypes
dbo.GetCurrencies
dbo.GetDatabaseServer
dbo.GetDatabaseTime
dbo.GetDatabaseTimeUtc
dbo.GetDatabaseVersion
dbo.GetDefaultLanguageByModule
dbo.GetDeletedUsers
dbo.GetDesktopModulePermission
dbo.GetDesktopModulePermissions
dbo.GetDesktopModulePermissionsByPortalDesktopModuleID
dbo.GetDesktopModules
dbo.GetDesktopModulesByPortal
dbo.GetEnabledAuthenticationServices



dbo.GetEventLog
dbo.GetEventLogByLogGUID
dbo.GetEventLogConfig
dbo.GetEventLogPendingNotif
dbo.GetEventLogPendingNotifConfig
dbo.GetEventLogType
dbo.GetEventMessages
dbo.GetEventMessagesBySubscriber
dbo.GetExpiredPortals
dbo.GetFile
dbo.GetFileById
dbo.GetFileByUniqueId
dbo.GetFileContent
dbo.GetFiles
dbo.GetFolderByFolderID
dbo.GetFolderByFolderPath
dbo.GetFolderByUniqueId
dbo.GetFolderMapping
dbo.GetFolderMappingByMappingName
dbo.GetFolderMappings
dbo.GetFolderMappingsSetting
dbo.GetFolderMappingsSettings
dbo.GetFolderPermission
dbo.GetFolderPermissionsByFolderPath
dbo.GetFolderPermissionsByPortal
dbo.GetFolders
dbo.GetFoldersByPermissions
dbo.GetHostSetting
dbo.GetHostSettings
dbo.GetHtmlText
dbo.GetHtmlTextLog
dbo.GetHtmlTextUser
dbo.GetLanguagePackByPackage
dbo.GetLanguages
dbo.GetLanguagesByPortal
dbo.GetList
dbo.GetListEntries
dbo.GetListEntry
dbo.GetLists
dbo.GetMetaData
dbo.GetModule
dbo.GetModuleByDefinition

dbo.GetModuleByUniqueID
dbo.GetModuleControl
dbo.GetModuleControlByKeyAndSrc
dbo.GetModuleControls
dbo.GetModuleControlsByKey
dbo.GetModuleDefinitions
dbo.GetModulePackagesInUse
dbo.GetModulePermission
dbo.GetModulePermissionsByModuleID
dbo.GetModulePermissionsByPortal
dbo.GetModulePermissionsByTabID
dbo.GetModules
dbo.GetModuleSetting
dbo.GetModuleSettings
dbo.GetOnlineUser
dbo.GetOnlineUsers
dbo.GetPackage
dbo.GetPackageByName
dbo.GetPackages
dbo.GetPackagesByType
dbo.GetPackageType
dbo.GetPackageTypes
dbo.GetPermission
dbo.GetPermissionByCodeAndKey
dbo.GetPermissionsByFolder
dbo.GetPermissionsByModuleDefID
dbo.GetPermissionsByModuleID
dbo.GetPermissionsByPortalDesktopModule
dbo.GetPermissionsByTab
dbo.GetPortal
dbo.GetPortalAlias
dbo.GetPortalAliasByPortalAliasID
dbo.GetPortalAliasByPortalID
dbo.GetPortalByAlias
dbo.GetPortalByPortalAliasID
dbo.GetPortalByTab
dbo.GetPortalCount
dbo.GetPortalDefaultLanguage
dbo.GetPortalDesktopModules
dbo.GetPortalGroups
dbo.GetPortalRoles
dbo.GetPortals

dbo.GetPortalsByName
dbo.GetPortalSetting
dbo.GetPortalSettings
dbo.GetPortalSpaceUsed
dbo.GetProfile
dbo.GetPropertyDefinition
dbo.GetPropertyDefinitionByName
dbo.GetPropertyDefinitionsByCategory
dbo.GetPropertyDefinitionsByPortal
dbo.GetRole
dbo.GetRoleByName
dbo.GetRoleGroup
dbo.GetRoleGroupByName
dbo.GetRoleGroups
dbo.GetRoles
dbo.GetRolesByGroup
dbo.GetRolesByUser
dbo.GetSchedule
dbo.GetScheduleByEvent
dbo.GetScheduleByScheduleID
dbo.GetScheduleByTypeFullName
dbo.GetScheduleHistory
dbo.GetScheduleItemSettings
dbo.GetScheduleNextTask
dbo.GetScopeTypes
dbo.GetSearchCommonWordByID
dbo.GetSearchCommonWordsByLocale
dbo.GetSearchIndexers
dbo.GetSearchItem
dbo.GetSearchItems
dbo.GetSearchItemWord
dbo.GetSearchItemWordBySearchItem
dbo.GetSearchItemWordBySearchWord
dbo.GetSearchItemWordPosition
dbo.GetSearchItemWordPositionBySearchItemWord
dbo.GetSearchModules
dbo.GetSearchResultModules
dbo.GetSearchResults
dbo.GetSearchResultsByWord
dbo.GetSearchSettings
dbo.GetSearchWordByID
dbo.GetSearchWords

dbo.GetServerConfiguration
dbo.GetServers
dbo.GetServices
dbo.GetSiteLog1
dbo.GetSiteLog12
dbo.GetSiteLog2
dbo.GetSiteLog3
dbo.GetSiteLog4
dbo.GetSiteLog5
dbo.GetSiteLog6
dbo.GetSiteLog7
dbo.GetSiteLog8
dbo.GetSiteLog9
dbo.GetSkinControl
dbo.GetSkinControlByKey
dbo.GetSkinControlByPackageID
dbo.GetSkinControls
dbo.GetSkinPackage
dbo.GetSkinPackageByPackageID
dbo.GetSuperUsers
dbo.GetSystemMessage
dbo.GetSystemMessages
dbo.GetTab
dbo.GetTabByName
dbo.GetTabByUniqueID
dbo.GetTabCount
dbo.GetTables
dbo.GetTabModule
dbo.GetTabModuleOrder
dbo.GetTabModules
dbo.GetTabModuleSetting
dbo.GetTabModuleSettings
dbo.GetTabPanels
dbo.GetTabPaths
dbo.GetTabPermission
dbo.GetTabPermissionsByPortal
dbo.GetTabPermissionsByTabID
dbo.GetTabs
dbo.GetTabsByModuleID
dbo.GetTabsByPackageID
dbo.GetTabsByParentId
dbo.GetTabSetting

dbo.GetTabSettings
dbo.GetTerm
dbo.GetTermsByContent
dbo.GetTermsByVocabulary
dbo.GetTopHtmlText
dbo.GetUnAuthorizedUsers
dbo.GetUnIndexedContentItems
dbo.GetUrl
dbo.GetUrlLog
dbo.GetUrls
dbo.GetUrlTracking
dbo.GetUser
dbo.GetUserByAuthToken
dbo.GetUserByUsername
dbo.GetUserCountByPortal
dbo.GetUserProfile
dbo.GetUserRole
dbo.GetUserRoles
dbo.GetUserRolesByUsername
dbo.GetUsers
dbo.GetUsersByEmail
dbo.GetUsersByProfileProperty
dbo.GetUsersByRolename
dbo.GetUsersByUserName
dbo.GetVendor
dbo.GetVendorClassifications
dbo.GetVendors
dbo.GetVendorsByEmail
dbo.GetVendorsByName
dbo.GetVocabularies
dbo.GetWorkflows
dbo.GetWorkflowStates
dbo.InsertPortalLocalization
dbo.IsUserInRole
dbo.ListSearchItem
dbo.ListSearchItemWord
dbo.ListSearchItemWordPosition
dbo.Messaging_GetInbox
dbo.Messaging_GetInboxCount
dbo.Messaging_GetMessage
dbo.Messaging_GetNewMessageCount
dbo.Messaging_GetNextMessageForDispatch

dbo.Messaging_MarkMessageAsDispatched
dbo.Messaging_Save_Message
dbo.Messaging_UpdateMessage
dbo.Mobile_DeletePreviewProfile
dbo.Mobile_DeleteRedirection
dbo.Mobile_DeleteRedirectionRule
dbo.Mobile_GetAllRedirections
dbo.Mobile_GetPreviewProfiles
dbo.Mobile_GetRedirectionRules
dbo.Mobile_GetRedirections
dbo.Mobile_SavePreviewProfile
dbo.Mobile_SaveRedirection
dbo.Mobile_SaveRedirectionRule
dbo.MoveTabModule
dbo.PurgeEventLog
dbo.PurgeScheduleHistory
dbo.RegisterAssembly
dbo.RemoveTermsFromContent
dbo.RemoveUser
dbo.RestoreTabModule
dbo.RestoreUser
dbo.SaveCoreAuditTypes
dbo.SetEventMessageComplete
dbo.UnRegisterAssembly
dbo.UpdateAffiliate
dbo.UpdateAffiliateStats
dbo.UpdateAnonymousUser
dbo.UpdateAuthentication
dbo.UpdateBanner
dbo.UpdateBannerClickThrough
dbo.UpdateBannerViews
dbo.UpdateContentItem
dbo.UpdateContentType
dbo.UpdateDatabaseVersion
dbo.UpdateDatabaseVersionAndName
dbo.UpdateDesktopModule
dbo.UpdateDesktopModulePermission
dbo.UpdateEventLogConfig
dbo.UpdateEventLogPendingNotif
dbo.UpdateEventLogType
dbo.UpdateFile
dbo.UpdateFileContent

dbo.UpdateFileVersion
dbo.UpdateFolder
dbo.UpdateFolderMapping
dbo.UpdateFolderMappingsSetting
dbo.UpdateFolderPermission
dbo.UpdateFolderVersion
dbo.UpdateHeirarchicalTerm
dbo.UpdateHostSetting
dbo.UpdateHtmlText
dbo.UpdateLanguage
dbo.UpdateLanguagePack
dbo.UpdateListEntry
dbo.UpdateListSortOrder
dbo.UpdateModule
dbo.UpdateModuleControl
dbo.UpdateModuleDefinition
dbo.UpdateModuleLastContentModifiedOnDate
dbo.UpdateModuleOrder
dbo.UpdateModulePermission
dbo.UpdateModuleSetting
dbo.UpdateOnlineUser
dbo.UpdatePackage
dbo.UpdatePermission
dbo.UpdatePortalAlias
dbo.UpdatePortalAliasOnInstall
dbo.UpdatePortalDefaultLanguage
dbo.UpdatePortalGroup
dbo.UpdatePortalInfo
dbo.UpdatePortalLanguage
dbo.UpdatePortalSetting
dbo.UpdatePortalSetup
dbo.UpdateProfile
dbo.UpdatePropertyDefinition
dbo.UpdateRole
dbo.UpdateRoleGroup
dbo.UpdateSchedule
dbo.UpdateScheduleHistory
dbo.UpdateScopeType
dbo.UpdateSearchCommonWord
dbo.UpdateSearchItem
dbo.UpdateSearchItemWord
dbo.UpdateSearchItemWordPosition

dbo.UpdateSearchWord
dbo.UpdateServer
dbo.UpdateServerActivity
dbo.UpdateSimpleTerm
dbo.UpdateSkin
dbo.UpdateSkinControl
dbo.UpdateSkinPackage
dbo.UpdateSystemMessage
dbo.UpdateTab
dbo.UpdateTabModule
dbo.UpdateTabModuleSetting
dbo.UpdateTabModuleTranslationStatus
dbo.UpdateTabModuleVersion
dbo.UpdateTabModuleVersionByModule
dbo.UpdateTabOrder
dbo.UpdateTabPermission
dbo.UpdateTabSetting
dbo.UpdateTabTranslationStatus
dbo.UpdateTabVersion
dbo.UpdateUriTracking
dbo.UpdateUriTrackingStats
dbo.UpdateUser
dbo.UpdateUserProfileProperty
dbo.UpdateUserRole
dbo.UpdateVendor
dbo.UpdateVocabulary
dbo.VerifyPortal
dbo.VerifyPortalTab



## [dbo].[AddAffiliate]

(local) > DNNCE612 > Stored Procedures > dbo.AddAffiliate

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4
@StartDate	datetime	8
@EndDate	datetime	8
@CPC	float	8
@CPA	float	8

### Uses

---

[dbo].[Affiliates]  
dbo

## [dbo].[AddAuthentication]

(local) > DNNCE612 > Stored Procedures > dbo.AddAuthentication

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@AuthenticationType	nvarchar(100)	200
@IsEnabled	bit	1
@SettingsControlSrc	nvarchar(250)	500
@LoginControlSrc	nvarchar(250)	500
@LogoffControlSrc	nvarchar(250)	500
@CreatedByUserID	int	4

### Uses

---

[dbo].[Authentication]  
dbo

## [dbo].[AddBanner]

(local) > DNNCE612 > Stored Procedures > dbo.AddBanner

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@BannerName	nvarchar(100)	200
@VendorId	int	4
@ImageFile	nvarchar(100)	200
@URL	nvarchar(255)	510
@Impressions	int	4
@CPM	float	8
@StartDate	datetime	8
@EndDate	datetime	8
@UserName	nvarchar(100)	200
@BannerTypeId	int	4
@Description	nvarchar(2000)	4000
@GroupName	nvarchar(100)	200
@Criteria	bit	1
@Width	int	4
@Height	int	4

### Uses

---

[dbo].[Banners]  
dbo

## [dbo].[AddContentItem]

(local) > DNNCE612 > Stored Procedures > dbo.AddContentItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Content	nvarchar(max)	max
@ContentTypeID	int	4
@TabID	int	4
@ModuleID	int	4
@ContentKey	nvarchar(250)	500
@Indexed	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[ContentItems]  
dbo

## [dbo].[AddContentType]

(local) > DNNCE612 > Stored Procedures > dbo.AddContentType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentType	nvarchar(250)	500

### Uses

---

[dbo].[ContentTypes]  
dbo

## [dbo].[AddDefaultFolderTypes]

(local) > DNNCE612 > Stored Procedures > dbo.AddDefaultFolderTypes

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[AddDesktopModule]

(local) > DNNCE612 > Stored Procedures > dbo.AddDesktopModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@ModuleName	nvarchar(128)	256
@FolderName	nvarchar(128)	256
@FriendlyName	nvarchar(128)	256
@Description	nvarchar(2000)	4000
@Version	nvarchar(8)	16
@IsPremium	bit	1
@IsAdmin	bit	1
@BusinessController	nvarchar(200)	400
@SupportedFeatures	int	4
@CompatibleVersions	nvarchar(500)	1000
@Dependencies	nvarchar(400)	800
@Permissions	nvarchar(400)	800
@ContentItemId	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[DesktopModules]  
dbo

## [dbo].[AddDesktopModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.AddDesktopModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalDesktopModuleID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[DesktopModulePermission]  
dbo



## [dbo].[AddEventLog]

(local) > DNNCE612 > Stored Procedures > dbo.AddEventLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogGUID	varchar(36)	36
@LogTypeKey	nvarchar(35)	70
@LogUserID	int	4
@LogUserName	nvarchar(50)	100
@LogPortalID	int	4
@LogPortalName	nvarchar(100)	200
@LogCreateDate	datetime	8
@LogServerName	nvarchar(50)	100
@LogProperties	ntext	16
@LogConfigID	int	4

### Uses

---

[dbo].[EventLog]  
[dbo].[EventLogConfig]  
[dbo].[EventLogTypes]  
[dbo].[AddEventLogConfig]  
[dbo].[AddEventLogType]  
dbo

## [dbo].[AddEventLogConfig]

(local) > DNNCE612 > Stored Procedures > dbo.AddEventLogConfig

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogTypeKey	nvarchar(35)	70
@LogTypePortalID	int	4
@LoggingIsActive	bit	1
@KeepMostRecent	int	4
@EmailNotificationIsActive	bit	1
@NotificationThreshold	int	4
@NotificationThresholdTime	int	4
@NotificationThresholdTimeType	int	4
@MailFromAddress	nvarchar(50)	100
@MailToAddress	nvarchar(50)	100

### Uses

---

[dbo].[EventLogConfig]  
dbo

### Used By

---

[dbo].[AddEventLog]  
[dbo].[SaveCoreAuditTypes]

## [dbo].[AddEventLogType]

(local) > DNNCE612 > Stored Procedures > dbo.AddEventLogType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogTypeKey	nvarchar(35)	70
@LogTypeFriendlyName	nvarchar(50)	100
@LogTypeDescription	nvarchar(128)	256
@LogTypeOwner	nvarchar(100)	200
@LogTypeCSSClass	nvarchar(40)	80

### Uses

---

[dbo].[EventLogTypes]  
dbo

### Used By

---

[dbo].[AddEventLog]  
[dbo].[SaveCoreAuditTypes]

## [dbo].[AddEventMessage]

(local) > DNNCE612 > Stored Procedures > dbo.AddEventMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EventName	nvarchar(100)	200
@Priority	int	4
@ProcessorType	nvarchar(250)	500
@ProcessorCommand	nvarchar(250)	500
@Body	nvarchar(250)	500
@Sender	nvarchar(250)	500
@Subscriber	nvarchar(100)	200
@AuthorizedRoles	nvarchar(250)	500
@ExceptionMessage	nvarchar(250)	500
@SentDate	datetime	8
@ExpirationDate	datetime	8
@Attributes	ntext	16

### Uses

---

[dbo].[EventQueue]  
dbo

## [dbo].[AddFile]

(local) > DNNCE612 > Stored Procedures > dbo.AddFile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@Uniqueld	uniqueidentifier	16
@VersionGuid	uniqueidentifier	16
@FileName	nvarchar(246)	492
@Extension	nvarchar(100)	200
@Size	int	4
@Width	int	4
@Height	int	4
@ContentType	nvarchar(200)	400
@Folder	nvarchar(246)	492
@FolderID	int	4
@CreatedByUserID	int	4
@Hash	varchar(40)	40

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[AddFolder]

(local) > DNNCE612 > Stored Procedures > dbo.AddFolder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Uniqueld	uniqueidentifier	16
@VersionGuid	uniqueidentifier	16
@FolderPath	nvarchar(300)	600
@StorageLocation	int	4
@IsProtected	bit	1
@IsCached	bit	1
@LastUpdated	datetime	8
@CreatedByUserID	int	4
@FolderMappingID	int	4

### Uses

---

[dbo].[FolderMappings]

[dbo].[Folders]

dbo

## [dbo].[AddFolderMapping]

(local) > DNNCE612 > Stored Procedures > dbo.AddFolderMapping

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@MappingName	nvarchar(50)	100
@FolderProviderType	nvarchar(50)	100
@CreatedByUserID	int	4

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[AddFolderMappingsSetting]

(local) > DNNCE612 > Stored Procedures > dbo.AddFolderMappingsSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@CreatedByUserID	int	4

### Uses

---

[dbo].[FolderMappingsSettings]  
dbo



## [dbo].[AddFolderPermission]

(local) > DNNCE612 > Stored Procedures > dbo.AddFolderPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[FolderPermission]  
dbo

## [dbo].[AddHeirarchicalTerm]

(local) > DNNCE612 > Stored Procedures > dbo.AddHeirarchicalTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VocabularyID	int	4
@ParentTermID	int	4
@Name	nvarchar(250)	500
@Description	nvarchar(2500)	5000
@Weight	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[AddHostSetting]

(local) > DNNCE612 > Stored Procedures > dbo.AddHostSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(256)	512
@SettingIsSecure	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[HostSettings]  
dbo

## [dbo].[AddHtmlText]

(local) > DNNCE612 > Stored Procedures > dbo.AddHtmlText

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4
@Content	ntext	16
@Summary	ntext	16
@StateID	int	4
@IsPublished	bit	1
@UserID	int	4
@History	int	4

### Uses

---

[dbo].[HtmlText]  
dbo

## [dbo].[AddHtmlTextLog]

(local) > DNNCE612 > Stored Procedures > dbo.AddHtmlTextLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemID	int	4
@StateID	int	4
@Comment	nvarchar(4000)	8000
@Approved	bit	1
@UserID	int	4

### Uses

---

[dbo].[HtmlTextLog]  
dbo

## [dbo].[AddHtmlTextUser]

(local) > DNNCE612 > Stored Procedures > dbo.AddHtmlTextUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemID	int	4
@StateID	int	4
@ModuleID	int	4
@TabID	int	4
@UserID	int	4

### Uses

---

[dbo].[HtmlTextUsers]  
dbo

## [dbo].[AddLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.AddLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@CultureCode	nvarchar(50)	100
@CultureName	nvarchar(200)	400
@FallbackCulture	nvarchar(50)	100
@CreatedByUserID	int	4

### Uses

---

[dbo].[Languages]  
dbo

## [dbo].[AddLanguagePack]

(local) > DNNCE612 > Stored Procedures > dbo.AddLanguagePack

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@LanguageID	int	4
@DependentPackageID	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[LanguagePacks]  
dbo



## [dbo].[AddListEntry]

(local) > DNNCE612 > Stored Procedures > dbo.AddListEntry

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ListName	nvarchar(50)	100
@Value	nvarchar(100)	200
@Text	nvarchar(150)	300
@ParentID	int	4
@Level	int	4
@EnableSortOrder	bit	1
@DefinitionID	int	4
@Description	nvarchar(500)	1000
@PortalID	int	4
@SystemList	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[Lists]

dbo

## [dbo].[AddMetaData]

(local) > DNNCE612 > Stored Procedures > dbo.AddMetaData

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemID	int	4
@Name	nvarchar(100)	200
@Value	nvarchar(max)	max

### Uses

---

[dbo].[ContentItems\_MetaData]

[dbo].[MetaData]

dbo

## [dbo].[AddModule]

(local) > DNNCE612 > Stored Procedures > dbo.AddModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemID	int	4
@PortalID	int	4
@ModuleDefId	int	4
@AllTabs	bit	1
@StartDate	datetime	8
@EndDate	datetime	8
@InheritViewPermissions	bit	1
@IsDeleted	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[Modules]  
dbo

## [dbo].[AddModuleControl]

(local) > DNNCE612 > Stored Procedures > dbo.AddModuleControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleDefID	int	4
@ControlKey	nvarchar(50)	100
@ControlTitle	nvarchar(50)	100
@ControlSrc	nvarchar(256)	512
@IconFile	nvarchar(100)	200
@ControlType	int	4
@ViewOrder	int	4
@HelpUrl	nvarchar(200)	400
@SupportsPartialRendering	bit	1
@SupportsPopUps	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[ModuleControls]

dbo

## [dbo].[AddModuleDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.AddModuleDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DesktopModuleId	int	4
@FriendlyName	nvarchar(128)	256
@DefaultCacheTime	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[ModuleDefinitions]  
dbo

## [dbo].[AddModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.AddModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[ModulePermission]  
dbo

## [dbo].[AddModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.AddModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@CreatedByUserID	int	4

### Uses

---

[dbo].[ModuleSettings]  
dbo

## [dbo].[AddPackage]

(local) > DNNCE612 > Stored Procedures > dbo.AddPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Name	nvarchar(128)	256
@FriendlyName	nvarchar(250)	500
@Description	nvarchar(2000)	4000
@PackageType	nvarchar(50)	100
@Version	nvarchar(50)	100
@License	ntext	16
@Manifest	ntext	16
@Owner	nvarchar(100)	200
@Organization	nvarchar(100)	200
@Url	nvarchar(250)	500
@Email	nvarchar(100)	200
@ReleaseNotes	ntext	16
@IsSystemPackage	bit	1
@CreatedByUserID	int	4
@FolderName	nvarchar(127)	254
@IconFile	nvarchar(100)	200

### Uses

---

[dbo].[Packages]  
dbo



## [dbo].[AddPermission]

(local) > DNNCE612 > Stored Procedures > dbo.AddPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleDefID	int	4
@PermissionCode	varchar(50)	50
@PermissionKey	varchar(50)	50
@PermissionName	varchar(50)	50
@CreatedByUserID	int	4

### Uses

---

[dbo].[Permission]  
dbo

## [dbo].[AddPortalAlias]

(local) > DNNCE612 > Stored Procedures > dbo.AddPortalAlias

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@HTTPAlias	nvarchar(200)	400
@CreatedByUserID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[AddPortalDesktopModule]

(local) > DNNCE612 > Stored Procedures > dbo.AddPortalDesktopModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@DesktopModuleId	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[PortalDesktopModules]  
dbo

## [dbo].[AddPortalGroup]

(local) > DNNCE612 > Stored Procedures > dbo.AddPortalGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalGroupName	nvarchar(100)	200
@PortalGroupDescription	nvarchar(2000)	4000
@MasterPortalID	int	4
@AuthenticationDomain	nvarchar(200)	400
@CreatedByUserID	int	4

### Uses

---

[dbo].[PortalGroups]  
dbo

## [dbo].[AddPortalInfo]

(local) > DNNCE612 > Stored Procedures > dbo.AddPortalInfo

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalName	nvarchar(128)	256
@Currency	char(3)	3
@ExpiryDate	datetime	8
@HostFee	money	8
@HostSpace	int	4
@PageQuota	int	4
@UserQuota	int	4
@SiteLogHistory	int	4
@HomeDirectory	varchar(100)	100
@CreatedByUserID	int	4

### Uses

---

[dbo].[PortalLocalization]

[dbo].[Portals]

dbo

## [dbo].[AddPortalLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.AddPortalLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@LanguageId	int	4
@IsPublished	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[PortalLanguages]  
dbo

## [dbo].[AddProfile]

(local) > DNNCE612 > Stored Procedures > dbo.AddProfile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4

### Uses

---

[dbo].[Profile]  
dbo

## [dbo].[AddPropertyDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.AddPropertyDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@ModuleDefId	int	4
@DataType	int	4
@DefaultValue	ntext	16
@PropertyCategory	nvarchar(50)	100
@PropertyName	nvarchar(50)	100
@Required	bit	1
@ValidationExpression	nvarchar(2000)	4000
@ViewOrder	int	4
@Visible	bit	1
@Length	int	4
@DefaultVisibility	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[ProfilePropertyDefinition]

dbo



## [dbo].[AddRole]

(local) > DNNCE612 > Stored Procedures > dbo.AddRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@RoleGroupID	int	4
@RoleName	nvarchar(50)	100
@Description	nvarchar(1000)	2000
@ServiceFee	money	8
@BillingPeriod	int	4
@BillingFrequency	char	1
@TrialFee	money	8
@TrialPeriod	int	4
@TrialFrequency	char	1
@IsPublic	bit	1
@AutoAssignment	bit	1
@RSVPCode	nvarchar(50)	100
@IconFile	nvarchar(100)	200
@CreatedByUserID	int	4

### Uses

---

[dbo].[Roles]  
dbo

## [dbo].[AddRoleGroup]

(local) > DNNCE612 > Stored Procedures > dbo.AddRoleGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@RoleGroupName	nvarchar(50)	100
@Description	nvarchar(1000)	2000
@CreatedByUserID	int	4

### Uses

---

[dbo].[RoleGroups]  
dbo

## [dbo].[AddSchedule]

(local) > DNNCE612 > Stored Procedures > dbo.AddSchedule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TypeFullName	varchar(200)	200
@TimeLapse	int	4
@TimeLapseMeasurement	varchar(2)	2
@RetryTimeLapse	int	4
@RetryTimeLapseMeasurement	varchar(2)	2
@RetainHistoryNum	int	4
@AttachToEvent	varchar(50)	50
@CatchUpEnabled	bit	1
@Enabled	bit	1
@ObjectDependencies	varchar(300)	300
@Servers	varchar(150)	150
@CreatedByUserID	int	4
@FriendlyName	varchar(200)	200

### Uses

---

[dbo].[Schedule]  
dbo

## [dbo].[AddScheduleHistory]

(local) > DNNCE612 > Stored Procedures > dbo.AddScheduleHistory

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4
@StartDate	datetime	8
@Server	varchar(150)	150

### Uses

---

[dbo].[ScheduleHistory]

dbo

## [dbo].[AddScheduleItemSetting]

(local) > DNNCE612 > Stored Procedures > dbo.AddScheduleItemSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4
@Name	nvarchar(50)	100
@Value	nvarchar(256)	512

### Uses

---

[dbo].[ScheduleItemSettings]

dbo

## [dbo].[AddScopeType]

(local) > DNNCE612 > Stored Procedures > dbo.AddScopeType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScopeType	nvarchar(250)	500

### Uses

---

[dbo].[Taxonomy\_ScopeTypes]  
dbo

## [dbo].[AddSearchCommonWord]

(local) > DNNCE612 > Stored Procedures > dbo.AddSearchCommonWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@CommonWord	nvarchar(255)	510
@Locale	nvarchar(10)	20

### Uses

---

[dbo].[SearchCommonWords]  
dbo

## [dbo].[AddSearchItem]

(local) > DNNCE612 > Stored Procedures > dbo.AddSearchItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Title	nvarchar(200)	400
@Description	nvarchar(2000)	4000
@Author	int	4
@PubDate	datetime	8
@ModuleId	int	4
@SearchKey	nvarchar(100)	200
@Guid	nvarchar(200)	400
@ImageFileId	int	4

### Uses

---

[dbo].[SearchItem]  
dbo



## [dbo].[AddSearchItemWord]

(local) > DNNCE612 > Stored Procedures > dbo.AddSearchItemWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemID	int	4
@SearchWordsID	int	4
@Occurrences	int	4

### Uses

---

[dbo].[SearchItemWord]

dbo

## [dbo].[AddSearchItemWordPosition]

(local) > DNNCE612 > Stored Procedures > dbo.AddSearchItemWordPosition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordID	int	4
@ContentPositions	varchar(2000)	2000

### Uses

---

[dbo].[SearchItemWordPosition]  
dbo

## [dbo].[AddSearchWord]

(local) > DNNCE612 > Stored Procedures > dbo.AddSearchWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Word	nvarchar(100)	200

### Uses

---

[dbo].[SearchWord]  
dbo

## [dbo].[AddSimpleTerm]

(local) > DNNCE612 > Stored Procedures > dbo.AddSimpleTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VocabularyID	int	4
@Name	nvarchar(250)	500
@Description	nvarchar(2500)	5000
@Weight	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[AddSiteLog]

(local) > DNNCE612 > Stored Procedures > dbo.AddSiteLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DateTime	datetime	8
@PortalID	int	4
@UserID	int	4
@Referrer	nvarchar(255)	510
@Url	nvarchar(255)	510
@UserAgent	nvarchar(255)	510
@UserHostAddress	nvarchar(255)	510
@UserHostName	nvarchar(255)	510
@TabId	int	4
@AffiliateId	int	4

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[AddSkin]

(local) > DNNCE612 > Stored Procedures > dbo.AddSkin

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinPackageID	int	4
@SkinSrc	nvarchar(200)	400

### Uses

---

[dbo].[Skins]  
dbo

## [dbo].[AddSkinControl]

(local) > DNNCE612 > Stored Procedures > dbo.AddSkinControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@ControlKey	nvarchar(50)	100
@ControlSrc	nvarchar(256)	512
@SupportsPartialRendering	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[SkinControls]  
dbo

## [dbo].[AddSkinPackage]

(local) > DNNCE612 > Stored Procedures > dbo.AddSkinPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@PortalID	int	4
@SkinName	nvarchar(50)	100
@SkinType	nvarchar(20)	40
@CreatedByUserID	int	4

### Uses

---

[dbo].[SkinPackages]  
dbo



## [dbo].[AddSystemMessage]

(local) > DNNCE612 > Stored Procedures > dbo.AddSystemMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@MessageName	nvarchar(50)	100
@MessageValue	ntext	16

### Uses

---

[dbo].[SystemMessages]

dbo

## [dbo].[AddTab]

(local) > DNNCE612 > Stored Procedures > dbo.AddTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemID	int	4
@PortalID	int	4
@Uniqueld	uniqueidentifier	16
@VersionGuid	uniqueidentifier	16
@DefaultLanguageGuid	uniqueidentifier	16
@LocalizedVersionGuid	uniqueidentifier	16
@TabName	nvarchar(50)	100
@IsVisible	bit	1
@DisableLink	bit	1
@ParentId	int	4
@IconFile	nvarchar(100)	200
@IconFileLarge	nvarchar(100)	200
@Title	nvarchar(200)	400
@Description	nvarchar(500)	1000
@KeyWords	nvarchar(500)	1000
@Url	nvarchar(255)	510
@SkinSrc	nvarchar(200)	400
@ContainerSrc	nvarchar(200)	400
@TabPath	nvarchar(255)	510
@StartDate	datetime	8
@EndDate	datetime	8
@RefreshInterval	int	4
@PageHeadText	nvarchar(500)	1000
@IsSecure	bit	1
@PermanentRedirect	bit	1
@SiteMapPriority	float	8
@CreatedByUserID	int	4
@CultureCode	nvarchar(50)	100

## *Uses*

---

[dbo].[Tabs]  
dbo

## [dbo].[AddTabModule]

(local) > DNNCE612 > Stored Procedures > dbo.AddTabModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@ModuleId	int	4
@ModuleTitle	nvarchar(256)	512
@Header	ntext	16
@Footer	ntext	16
@ModuleOrder	int	4
@PaneName	nvarchar(50)	100
@CacheTime	int	4
@CacheMethod	varchar(50)	50
@Alignment	nvarchar(10)	20
@Color	nvarchar(20)	40
@Border	nvarchar	1
@IconFile	nvarchar(100)	200
@Visibility	int	4
@ContainerSrc	nvarchar(200)	400
@DisplayTitle	bit	1
@DisplayPrint	bit	1
@DisplaySyndicate	bit	1
@IsWebSlice	bit	1
@WebSliceTitle	nvarchar(256)	512
@WebSliceExpiryDate	datetime	8
@WebSliceTTL	int	4
@Uniqueld	uniqueidentifier	16
@VersionGuid	uniqueidentifier	16
@DefaultLanguageGuid	uniqueidentifier	16
@LocalizedVersionGuid	uniqueidentifier	16
@CultureCode	nvarchar(10)	20
@CreatedByUserID	int	4

## *Uses*

---

[dbo].[TabModules]

dbo

## [dbo].[AddTabModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.AddTabModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@CreatedByUserID	int	4

### Uses

---

[dbo].[TabModuleSettings]  
dbo

## [dbo].[AddTabPermission]

(local) > DNNCE612 > Stored Procedures > dbo.AddTabPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[TabPermission]  
dbo

## [dbo].[AddTabSetting]

(local) > DNNCE612 > Stored Procedures > dbo.AddTabSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@CreatedByUserID	int	4

### Uses

---

[dbo].[TabSettings]  
dbo



## [dbo].[AddTermToContent]

(local) > DNNCE612 > Stored Procedures > dbo.AddTermToContent

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TermID	int	4
@ContentItemID	int	4

### Uses

---

[dbo].[ContentItems\_Tags]  
dbo

## [dbo].[AddUrl]

(local) > DNNCE612 > Stored Procedures > dbo.AddUrl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510

### Uses

---

[dbo].[Urls]  
dbo

## [dbo].[AddUrlLog]

(local) > DNNCE612 > Stored Procedures > dbo.AddUrlLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UrlTrackingID	int	4
@UserID	int	4

### Uses

---

[dbo].[UrlLog]  
dbo

## [dbo].[AddUrlTracking]

(local) > DNNCE612 > Stored Procedures > dbo.AddUrlTracking

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510
@UrlType	char	1
@LogActivity	bit	1
@TrackClicks	bit	1
@ModuleId	int	4
@NewWindow	bit	1

### Uses

---

[dbo].[UrlTracking]  
dbo

## [dbo].[AddUser]

(local) > DNNCE612 > Stored Procedures > dbo.AddUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Username	nvarchar(100)	200
@FirstName	nvarchar(50)	100
@LastName	nvarchar(50)	100
@AffiliateId	int	4
@IsSuperUser	bit	1
@Email	nvarchar(256)	512
@DisplayName	nvarchar(100)	200
@UpdatePassword	bit	1
@Authorised	bit	1
@CreatedByUserID	int	4

### Uses

---

[dbo].[UserPortals]

[dbo].[Users]

dbo

## [dbo].[AddUserAuthentication]

(local) > DNNCE612 > Stored Procedures > dbo.AddUserAuthentication

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@AuthenticationType	nvarchar(100)	200
@AuthenticationToken	nvarchar(1000)	2000
@CreatedByUserID	int	4

### Uses

---

[dbo].[UserAuthentication]  
dbo

## [dbo].[AddUserRole]

(local) > DNNCE612 > Stored Procedures > dbo.AddUserRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4
@RoleId	int	4
@EffectiveDate	datetime	8
@ExpiryDate	datetime	8
@CreatedByUserID	int	4

### Uses

---

[dbo].[UserRoles]  
dbo

## [dbo].[AddVendor]

(local) > DNNCE612 > Stored Procedures > dbo.AddVendor

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@VendorName	nvarchar(50)	100
@Unit	nvarchar(50)	100
@Street	nvarchar(50)	100
@City	nvarchar(50)	100
@Region	nvarchar(50)	100
@Country	nvarchar(50)	100
@PostalCode	nvarchar(50)	100
@Telephone	nvarchar(50)	100
@Fax	nvarchar(50)	100
@Cell	nvarchar(50)	100
@Email	nvarchar(50)	100
@Website	nvarchar(100)	200
@FirstName	nvarchar(50)	100
@LastName	nvarchar(50)	100
@UserName	nvarchar(100)	200
@LogoFile	nvarchar(100)	200
@KeyWords	text	16
@Authorized	bit	1

### Uses

---

[dbo].[Vendors]  
dbo



## [dbo].[AddVendorClassification]

(local) > DNNCE612 > Stored Procedures > dbo.AddVendorClassification

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4
@ClassificationId	int	4

### Uses

---

[dbo].[VendorClassification]  
dbo

## [dbo].[AddVocabulary]

(local) > DNNCE612 > Stored Procedures > dbo.AddVocabulary

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VocabularyTypeID	int	4
@Name	nvarchar(250)	500
@Description	nvarchar(2500)	5000
@Weight	int	4
@ScopeID	int	4
@ScopeTypeID	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[Taxonomy\_Vocabularies]  
dbo

## [dbo].[aspnet\_AnyDataInTables]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_AnyDataInTables

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TablesToCheck	int	4

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
dbo  
[dbo].[aspnet\_WebEvent\_Events]  
[sys].[objects]  
[dbo].[aspnet\_PersonalizationPerUser]

## [dbo].[aspnet\_Applications\_CreateApplication]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Applications\_CreateApplication

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)	Direction
@ApplicationName	nvarchar(256)	512	
@ApplicationId	uniqueidentifier	16	Out

### Uses

---

[dbo].[aspnet\_Applications]  
dbo

### Used By

---

[dbo].[aspnet\_Membership\_CreateUser]  
[dbo].[aspnet\_Profile\_SetProperties]  
[dbo].[aspnet\_Roles\_CreateRole]

## [dbo].[aspnet\_CheckSchemaVersion]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_CheckSchemaVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Feature	nvarchar(128)	256
@CompatibleSchemaVersion	nvarchar(128)	256

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess
Grant	Execute	aspnet_Profile_BasicAccess
Grant	Execute	aspnet_Profile_ReportingAccess
Grant	Execute	aspnet_Roles_BasicAccess
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_SchemaVersions]  
dbo

## [dbo].[aspnet\_Membership\_ChangePasswordQuestionAndAnswer]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_ChangePasswordQuestionAndAnswer

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@NewPasswordQuestion	nvarchar(256)	512
@NewPasswordAnswer	nvarchar(128)	256

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_CreateUser]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_CreateUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)	Direction
@ApplicationName	nvarchar(256)	512	
@UserName	nvarchar(256)	512	
@Password	nvarchar(128)	256	
@PasswordSalt	nvarchar(128)	256	
@Email	nvarchar(256)	512	
@PasswordQuestion	nvarchar(256)	512	
@PasswordAnswer	nvarchar(128)	256	
@IsApproved	bit	1	
@CurrentTimeUtc	datetime	8	
@CreateDate	datetime	8	
@UniqueEmail	int	4	
@PasswordFormat	int	4	
@UserId	uniqueidentifier	16	Out

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_Applications\_CreateApplication]  
[dbo].[aspnet\_Users\_CreateUser]  
dbo

## [dbo].[aspnet\_Membership\_FindUsersByEmail]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_FindUsersByEmail

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@EmailToMatch	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo



## [dbo].[aspnet\_Membership\_FindUsersByName]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_FindUsersByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserNameToMatch	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetAllUsers]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetAllUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetNumberOfUsersOnline]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetNumberOfUsersOnline

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@MinutesSinceLastInActive	int	4
@CurrentTimeUtc	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetPassword]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetPassword

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@MaxInvalidPasswordAttempts	int	4
@PasswordAttemptWindow	int	4
@CurrentTimeUtc	datetime	8
@PasswordAnswer	nvarchar(128)	256

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetPasswordWithFormat]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetPasswordWithFormat

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@UpdateLastLoginActivityDate	bit	1
@CurrentTimeUtc	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetUserByEmail]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetUserByEmail

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@Email	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetUserByName]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetUserByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@CurrentTimeUtc	datetime	8
@UpdateLastActivity	bit	1

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_GetUserById]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_GetUserById

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserId	uniqueidentifier	16
@CurrentTimeUtc	datetime	8
@UpdateLastActivity	bit	1

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess

### Uses

---

[dbo].[aspnet\_Membership]

[dbo].[aspnet\_Users]

dbo



## [dbo].[aspnet\_Membership\_ResetPassword]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_ResetPassword

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@NewPassword	nvarchar(128)	256
@MaxInvalidPasswordAttempts	int	4
@PasswordAttemptWindow	int	4
@PasswordSalt	nvarchar(128)	256
@CurrentTimeUtc	datetime	8
@PasswordFormat	int	4
@PasswordAnswer	nvarchar(128)	256

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_SetPassword]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_SetPassword

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@NewPassword	nvarchar(128)	256
@PasswordSalt	nvarchar(128)	256
@CurrentTimeUtc	datetime	8
@PasswordFormat	int	4

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_UnlockUser]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_UnlockUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_UpdateUser]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_UpdateUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@Email	nvarchar(256)	512
@Comment	ntext	16
@IsApproved	bit	1
@LastLoginDate	datetime	8
@LastActivityDate	datetime	8
@UniqueEmail	int	4
@CurrentTimeUtc	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Membership\_UpdateUserInfo]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Membership\_UpdateUserInfo

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@IsPasswordCorrect	bit	1
@UpdateLastLoginActivityDate	bit	1
@MaxInvalidPasswordAttempts	int	4
@PasswordAttemptWindow	int	4
@CurrentTimeUtc	datetime	8
@LastLoginDate	datetime	8
@LastActivityDate	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Profile\_DeletInactiveProfiles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Profile\_DeletInactiveProfiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@ProfileAuthOptions	int	4
@InactiveSinceDate	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Profile_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Profile\_DeleteProfiles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Profile\_DeleteProfiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserNames	nvarchar(4000)	8000

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Profile_FullAccess

### Uses

---

[dbo].[aspnet\_Users\_DeleteUser]  
dbo

## [dbo].[aspnet\_Profile\_GetNumberOfInactiveProfiles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Profile\_GetNumberOfInactiveProfiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@ProfileAuthOptions	int	4
@InactiveSinceDate	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Profile_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Users]  
dbo



## [dbo].[aspnet\_Profile\_GetProfiles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Profile\_GetProfiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@ProfileAuthOptions	int	4
@PageIndex	int	4
@PageSize	int	4
@UserNameToMatch	nvarchar(256)	512
@InactiveSinceDate	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Profile_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Profile\_GetProperties]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Profile\_GetProperties

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@CurrentTimeUtc	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Profile_BasicAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Users]  
dbo

## [dbo].[aspnet\_Profile\_SetProperties]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Profile\_SetProperties

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@PropertyNames	ntext	16
@PropertyValuesString	ntext	16
@PropertyValuesBinary	image	16
@UserName	nvarchar(256)	512
@IsUserAnonymous	bit	1
@CurrentTimeUtc	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Profile_BasicAccess

### Uses

---

[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_Applications\_CreateApplication]  
[dbo].[aspnet\_Users\_CreateUser]  
dbo

## [dbo].[aspnet\_RegisterSchemaVersion]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_RegisterSchemaVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Feature	nvarchar(128)	256
@CompatibleSchemaVersion	nvarchar(128)	256
@IsCurrentVersion	bit	1
@RemoveIncompatibleSchema	bit	1

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess
Grant	Execute	aspnet_Profile_BasicAccess
Grant	Execute	aspnet_Profile_ReportingAccess
Grant	Execute	aspnet_Roles_BasicAccess
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_SchemaVersions]  
dbo

## [dbo].[aspnet\_Roles\_CreateRole]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Roles\_CreateRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@RoleName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_FullAccess

### Uses

---

[dbo].[aspnet\_Roles]

[dbo].[aspnet\_Applications\_CreateApplication]

dbo

## [dbo].[aspnet\_Roles\_DeleteRole]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Roles\_DeleteRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@RoleName	nvarchar(256)	512
@DeleteOnlyIfRolesEmpty	bit	1

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[aspnet\_Roles\_GetAllRoles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Roles\_GetAllRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]

[dbo].[aspnet\_Roles]

dbo

## [dbo].[aspnet\_Roles\_RoleExists]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Roles\_RoleExists

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@RoleName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]

[dbo].[aspnet\_Roles]

dbo



## [dbo].[aspnet\_Setup\_RemoveAllRoleMembers]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Setup\_RemoveAllRoleMembers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@name	sysname	256

### Uses

---

dbo

## [dbo].[aspnet\_UnRegisterSchemaVersion]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UnRegisterSchemaVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Feature	nvarchar(128)	256
@CompatibleSchemaVersion	nvarchar(128)	256

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_BasicAccess
Grant	Execute	aspnet_Membership_ReportingAccess
Grant	Execute	aspnet_Profile_BasicAccess
Grant	Execute	aspnet_Profile_ReportingAccess
Grant	Execute	aspnet_Roles_BasicAccess
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_SchemaVersions]  
dbo

## [dbo].[aspnet\_Users\_CreateUser]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Users\_CreateUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)	Direction
@ApplicationId	uniqueidentifier	16	
@UserName	nvarchar(256)	512	
@IsUserAnonymous	bit	1	
@LastActivityDate	datetime	8	
@UserId	uniqueidentifier	16	Out

### Uses

---

[dbo].[aspnet\_Users]  
dbo

### Used By

---

[dbo].[aspnet\_Membership\_CreateUser]  
[dbo].[aspnet\_Profile\_SetProperties]

## [dbo].[aspnet\_Users\_DeleteUser]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_Users\_DeleteUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)	Direction
@ApplicationName	nvarchar(256)	512	
@UserName	nvarchar(256)	512	
@TablesToDeleteFrom	int	4	
@NumTablesDeletedFrom	int	4	Out

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Membership_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Membership]  
[dbo].[aspnet\_Profile]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo  
[dbo].[aspnet\_PersonalizationPerUser]  
[sys].[objects]

### Used By

---

[dbo].[aspnet\_Profile\_DeleteProfiles]

## [dbo].[aspnet\_UsersInRoles\_AddUsersToRoles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UsersInRoles\_AddUsersToRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserNames	nvarchar(4000)	8000
@RoleNames	nvarchar(4000)	8000
@CurrentTimeUtc	datetime	8

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[aspnet\_UsersInRoles\_FindUsersInRole]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UsersInRoles\_FindUsersInRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@RoleName	nvarchar(256)	512
@UserNameToMatch	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[aspnet\_UsersInRoles\_GetRolesForUser]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UsersInRoles\_GetRolesForUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_BasicAccess
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[aspnet\_UsersInRoles\_GetUsersInRoles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UsersInRoles\_GetUsersInRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@RoleName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo



## [dbo].[aspnet\_UsersInRoles\_IsUserInRole]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UsersInRoles\_IsUserInRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserName	nvarchar(256)	512
@RoleName	nvarchar(256)	512

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_BasicAccess
Grant	Execute	aspnet_Roles_ReportingAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[aspnet\_UsersInRoles\_RemoveUsersFromRoles]

(local) > DNNCE612 > Stored Procedures > dbo.aspnet\_UsersInRoles\_RemoveUsersFromRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ApplicationName	nvarchar(256)	512
@UserNames	nvarchar(4000)	8000
@RoleNames	nvarchar(4000)	8000

### Permissions

---

Type	Action	Owning Principal
Grant	Execute	aspnet_Roles_FullAccess

### Uses

---

[dbo].[aspnet\_Applications]  
[dbo].[aspnet\_Roles]  
[dbo].[aspnet\_Users]  
[dbo].[aspnet\_UsersInRoles]  
dbo

## [dbo].[CalculatePagingInformation]

(local) > DNNCE612 > Stored Procedures > dbo.CalculatePagingInformation

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)	Direction
@pageIndex	int	4	
@pageSize	int	4	
@rowsToReturn	int	4	Out
@pageLowerBound	int	4	Out
@pageUpperBound	int	4	Out

### Uses

---

dbo

### Used By

---

[dbo].[GetAllUsers]  
[dbo].[GetEventLog]  
[dbo].[GetUsersByEmail]  
[dbo].[Messaging\_GetInbox]

## [dbo].[CanDeleteSkin]

(local) > DNNCE612 > Stored Procedures > dbo.CanDeleteSkin

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinType	char	1
@SkinFolderName	nvarchar(200)	400

### Uses

---

[dbo].[TabModules]

[dbo].[Tabs]

dbo

## [dbo].[Dashboard\_AddControl]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_AddControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Packageld	int	4
@DashboardControlKey	nvarchar(50)	100
@IsEnabled	bit	1
@DashboardControlSrc	nvarchar(250)	500
@DashboardControlLocalResources	nvarchar(250)	500
@ControllerClass	nvarchar(250)	500
@ViewOrder	int	4

### Uses

---

[dbo].[Dashboard\_Controls]  
dbo

## [dbo].[Dashboard\_DeleteControl]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_DeleteControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DashboardControlID	int	4

### Uses

---

[dbo].[Dashboard\_Controls]  
dbo

## [dbo].[Dashboard\_GetControls]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_GetControls

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@IsEnabled	bit	1

### Uses

---

[dbo].[Dashboard\_Controls]  
dbo

## [dbo].[Dashboard\_GetDashboardControlByKey]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_GetDashboardControlByKey

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DashboardControlKey	nvarchar(50)	100

### Uses

---

[dbo].[Dashboard\_Controls]  
dbo



## [dbo].[Dashboard\_GetDbBackups]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_GetDbBackups

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

dbo

## [dbo].[Dashboard\_GetDbFileInfo]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_GetDbFileInfo

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

dbo

## [dbo].[Dashboard\_GetDbInfo]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_GetDbInfo

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

dbo

## [dbo].[Dashboard\_GetInstalledModules]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_GetInstalledModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[DesktopModules]  
[dbo].[ModuleDefinitions]  
[dbo].[Modules]  
dbo

## [dbo].[Dashboard\_UpdateControl]

(local) > DNNCE612 > Stored Procedures > dbo.Dashboard\_UpdateControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DashboardControlID	int	4
@DashboardControlKey	nvarchar(50)	100
@IsEnabled	bit	1
@DashboardControlSrc	nvarchar(250)	500
@DashboardControlLocalResources	nvarchar(250)	500
@ControllerClass	nvarchar(250)	500
@ViewOrder	int	4

### Uses

---

[dbo].[Dashboard\_Controls]  
dbo

## [dbo].[DeleteAffiliate]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteAffiliate

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Affiliateld	int	4

### Uses

---

[dbo].[Affiliates]  
dbo

## [dbo].[DeleteAuthentication]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteAuthentication

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AuthenticationID	int	4

### Uses

---

[dbo].[Authentication]  
[dbo].[UserAuthentication]  
dbo

## [dbo].[DeleteBanner]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteBanner

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@BannerId	int	4

### Uses

---

[dbo].[Banners]  
dbo



## [dbo].[DeleteContentItem]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteContentItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemId	int	4

### Uses

---

[dbo].[ContentItems]  
dbo

## [dbo].[DeleteContentType]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteContentType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentTypeId	int	4

### Uses

---

[dbo].[ContentTypes]  
dbo

## [dbo].[DeleteDesktopModule]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteDesktopModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DesktopModuleId	int	4

### Uses

---

[dbo].[DesktopModules]  
[dbo].[ModuleDefinitions]  
[dbo].[Permission]  
dbo

## [dbo].[DeleteDesktopModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteDesktopModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DesktopModulePermissionID	int	4

### Uses

---

[dbo].[DesktopModulePermission]  
dbo

## [dbo].[DeleteDesktopModulePermissionsByPortalDesktopModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteDesktopModulePermissionsByPortalDesktopModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalDesktopModuleID	int	4

### Uses

---

[dbo].[DesktopModulePermission]  
dbo

## [dbo].[DeleteDesktopModulePermissionsByUserID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteDesktopModulePermissionsByUserID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4

### Uses

---

[dbo].[DesktopModulePermission]  
dbo

## [dbo].[DeleteEventLog]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteEventLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogGUID	varchar(36)	36

### Uses

---

[dbo].[EventLog]  
dbo

## [dbo].[DeleteEventLogConfig]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteEventLogConfig

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ID	int	4

### Uses

---

[dbo].[EventLogConfig]  
dbo



## [dbo].[DeleteEventLogType]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteEventLogType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogTypeKey	nvarchar(35)	70

### Uses

---

[dbo].[EventLogTypes]  
dbo

## [dbo].[DeleteFile]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@FileName	nvarchar(246)	492
@FolderID	int	4

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[DeleteFiles]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[DeleteFolder]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFolder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@FolderPath	nvarchar(300)	600

### Uses

---

[dbo].[Folders]  
dbo

## [dbo].[DeleteFolderMapping]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFolderMapping

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[DeleteFolderPermission]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFolderPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderPermissionID	int	4

### Uses

---

[dbo].[FolderPermission]  
dbo

## [dbo].[DeleteFolderPermissionsByFolderPath]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFolderPermissionsByFolderPath

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@FolderPath	nvarchar(300)	600

### Uses

---

[dbo].[FolderPermission]

[dbo].[Folders]

dbo

## [dbo].[DeleteFolderPermissionsByUserID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteFolderPermissionsByUserID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4

### Uses

---

[dbo].[FolderPermission]

[dbo].[Folders]

dbo



## [dbo].[DeleteHeirarchicalTerm]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteHeirarchicalTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TermId	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[DeleteHtmlText]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteHtmlText

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4
@ItemID	int	4

### Uses

---

[dbo].[HtmlText]  
dbo

## [dbo].[DeleteHtmlTextUsers]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteHtmlTextUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[HtmlText]  
[dbo].[HtmlTextUsers]  
dbo

## [dbo].[DeleteLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LanguageID	int	4

### Uses

---

[dbo].[Languages]  
dbo

## [dbo].[DeleteLanguagePack]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteLanguagePack

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LanguagePackID	int	4

### Uses

---

[dbo].[LanguagePacks]  
dbo

## [dbo].[DeleteList]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteList

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ListName	nvarchar(50)	100
@ParentKey	nvarchar(150)	300

### Uses

---

[dbo].[vw\_Lists]  
dbo

## [dbo].[DeleteListEntryByID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteListEntryByID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EntryId	int	4
@DeleteChild	bit	1

### Uses

---

[dbo].[Lists]  
dbo

## [dbo].[DeleteMetaData]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteMetaData

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemId	int	4
@Name	nvarchar(100)	200
@Value	nvarchar(max)	max

### Uses

---

[dbo].[ContentItems\_MetaData]

[dbo].[MetaData]

dbo



## [dbo].[DeleteModule]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4

### Uses

---

[dbo].[Modules]  
dbo

## [dbo].[DeleteModuleControl]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModuleControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleControlId	int	4

### Uses

---

[dbo].[ModuleControls]  
dbo

## [dbo].[DeleteModuleDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModuleDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleDefId	int	4

### Uses

---

[dbo].[ModuleDefinitions]  
[dbo].[Permission]  
dbo

## [dbo].[DeleteModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModulePermissionID	int	4

### Uses

---

[dbo].[ModulePermission]  
dbo

## [dbo].[DeleteModulePermissionsByModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModulePermissionsByModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[ModulePermission]  
dbo

## [dbo].[DeleteModulePermissionsByUserID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModulePermissionsByUserID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4

### Uses

---

[dbo].[ModulePermission]

[dbo].[Modules]

dbo

## [dbo].[DeleteModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[ModuleSettings]  
dbo

## [dbo].[DeleteModuleSettings]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteModuleSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4

### Uses

---

[dbo].[ModuleSettings]  
dbo



## [dbo].[DeletePackage]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4

### Uses

---

[dbo].[Packages]  
dbo

## [dbo].[DeletePermission]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PermissionID	int	4

### Uses

---

[dbo].[Permission]  
dbo

## [dbo].[DeletePortalAlias]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortalAlias

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalAliasID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[DeletePortalDesktopModules]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortalDesktopModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@DesktopModuleId	int	4

### Uses

---

[dbo].[PortalDesktopModules]  
dbo

## [dbo].[DeletePortalGroup]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortalGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalGroupID	int	4

### Uses

---

[dbo].[PortalGroups]  
dbo

## [dbo].[DeletePortallInfo]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortallInfo

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortallID	int	4

### Uses

---

[dbo].[Modules]  
[dbo].[Packages]  
[dbo].[Portals]  
dbo

## [dbo].[DeletePortalLanguages]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortalLanguages

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@LanguageId	int	4

### Uses

---

[dbo].[PortalLanguages]  
dbo

## [dbo].[DeletePortalSetting]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortalSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@SettingName	nvarchar(50)	100
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[PortalSettings]

dbo



## [dbo].[DeletePortalSettings]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePortalSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[PortalSettings]  
dbo

## [dbo].[DeletePropertyDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.DeletePropertyDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PropertyDefinitionId	int	4

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo

## [dbo].[DeleteRole]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RoleId	int	4

### Uses

---

[dbo].[FolderPermission]  
[dbo].[ModulePermission]  
[dbo].[Roles]  
[dbo].[TabPermission]  
dbo

## [dbo].[DeleteRoleGroup]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteRoleGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RoleGroupId	int	4

### Uses

---

[dbo].[RoleGroups]  
dbo

## [dbo].[DeleteSchedule]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSchedule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4

### Uses

---

[dbo].[Schedule]  
dbo

## [dbo].[DeleteScopeType]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteScopeType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScopeTypeId	int	4

### Uses

---

[dbo].[Taxonomy\_ScopeTypes]  
dbo

## [dbo].[DeleteSearchCommonWord]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchCommonWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@CommonWordID	int	4

### Uses

---

[dbo].[SearchCommonWords]  
dbo

## [dbo].[DeleteSearchItem]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemID	int	4

### Uses

---

[dbo].[SearchItem]  
dbo



## [dbo].[DeleteSearchItems]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchItems

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[SearchItem]  
dbo

## [dbo].[DeleteSearchItemWord]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchItemWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordID	int	4

### Uses

---

[dbo].[SearchItemWord]  
dbo

## [dbo].[DeleteSearchItemWordPosition]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchItemWordPosition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordPositionID	int	4

### Uses

---

[dbo].[SearchItemWordPosition]  
dbo

## [dbo].[DeleteSearchItemWords]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchItemWords

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemID	int	4

### Uses

---

[dbo].[SearchItemWord]  
dbo

## [dbo].[DeleteSearchWord]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSearchWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchWordsID	int	4

### Uses

---

[dbo].[SearchWord]  
dbo

## [dbo].[DeleteServer]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteServer

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ServerID	int	4

### Uses

---

[dbo].[WebServers]  
dbo

## [dbo].[DeleteSimpleTerm]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSimpleTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TermId	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[DeleteSiteLog]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSiteLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DateTime	datetime	8
@PortalID	int	4

### Uses

---

[dbo].[SiteLog]  
dbo



## [dbo].[DeleteSkin]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSkin

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinID	int	4

### Uses

---

[dbo].[Skins]  
dbo

## [dbo].[DeleteSkinControl]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSkinControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinControlId	int	4

### Uses

---

[dbo].[SkinControls]  
dbo

## [dbo].[DeleteSkinPackage]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSkinPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinPackageID	int	4

### Uses

---

[dbo].[SkinPackages]  
dbo

## [dbo].[DeleteSystemMessage]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteSystemMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@MessageName	nvarchar(50)	100

### Uses

---

[dbo].[SystemMessages]  
dbo

## [dbo].[DeleteTab]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4

### Uses

---

[dbo].[Tabs]  
dbo

## [dbo].[DeleteTabModule]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@ModuleId	int	4
@SoftDelete	bit	1

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[DeleteTabModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[TabModuleSettings]  
dbo

## [dbo].[DeleteTabModuleSettings]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabModuleSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4

### Uses

---

[dbo].[TabModuleSettings]  
dbo



## [dbo].[DeleteTabPermission]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabPermissionID	int	4

### Uses

---

[dbo].[TabPermission]  
dbo

## [dbo].[DeleteTabPermissionsByTabID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabPermissionsByTabID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4

### Uses

---

[dbo].[TabPermission]  
dbo

## [dbo].[DeleteTabPermissionsByUserID]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabPermissionsByUserID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4

### Uses

---

[dbo].[TabPermission]

[dbo].[Tabs]

dbo

## [dbo].[DeleteTabSetting]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[TabSettings]  
dbo

## [dbo].[DeleteTabSettings]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteTabSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4

### Uses

---

[dbo].[TabSettings]  
dbo

## [dbo].[DeleteUrl]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteUrl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510

### Uses

---

[dbo].[Urls]  
dbo

## [dbo].[DeleteUrlTracking]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteUrlTracking

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510
@ModuleID	int	4

### Uses

---

[dbo].[UrlTracking]

dbo

## [dbo].[DeleteUserPortal]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteUserPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4

### Uses

---

[dbo].[UserPortals]

[dbo].[Users]

dbo



## [dbo].[DeleteUserRole]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteUserRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@RoleId	int	4

### Uses

---

[dbo].[UserRoles]  
dbo

## [dbo].[DeleteUsersOnline]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteUsersOnline

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TimeWindow	int	4

### Uses

---

[dbo].[AnonymousUsers]  
[dbo].[UsersOnline]  
dbo

## [dbo].[DeleteVendor]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteVendor

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4

### Uses

---

[dbo].[Vendors]  
dbo

## [dbo].[DeleteVendorClassifications]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteVendorClassifications

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4

### Uses

---

[dbo].[VendorClassification]  
dbo

## [dbo].[DeleteVocabulary]

(local) > DNNCE612 > Stored Procedures > dbo.DeleteVocabulary

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VocabularyID	int	4

### Uses

---

[dbo].[Taxonomy\_Vocabularies]  
dbo

## [dbo].[dnnLinks\_AddLink]

(local) > DNNCE612 > Stored Procedures > dbo.dnnLinks\_AddLink

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@UserId	int	4
@CreateDate	datetime	8
@Title	nvarchar(100)	200
@Url	nvarchar(250)	500
@ViewOrder	int	4
@Description	nvarchar(2000)	4000

### Uses

---

[dbo].[Links]  
dbo

## [dbo].[dnnLinks\_DeleteLink]

(local) > DNNCE612 > Stored Procedures > dbo.dnnLinks\_DeleteLink

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemId	int	4
@ModuleId	int	4

### Uses

---

[dbo].[Links]  
dbo

## [dbo].[dnnLinks\_GetLink]

(local) > DNNCE612 > Stored Procedures > dbo.dnnLinks\_GetLink

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemId	int	4
@ModuleId	int	4

### Uses

---

[dbo].[Links]  
[dbo].[UrlTracking]  
dbo



## [dbo].[dnnLinks\_GetLinks]

(local) > DNNCE612 > Stored Procedures > dbo.dnnLinks\_GetLinks

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4

### Uses

---

[dbo].[Links]  
[dbo].[UriTracking]  
dbo

## [dbo].[dnnLinks\_UpdateLink]

(local) > DNNCE612 > Stored Procedures > dbo.dnnLinks\_UpdateLink

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemId	int	4
@UserId	int	4
@CreateDate	datetime	8
@Title	nvarchar(100)	200
@Url	nvarchar(250)	500
@ViewOrder	int	4
@Description	nvarchar(2000)	4000

### Uses

---

[dbo].[Links]  
dbo

## [dbo].[EnsureLocalizationExists]

(local) > DNNCE612 > Stored Procedures > dbo.EnsureLocalizationExists

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@CultureCode	nvarchar(10)	20

### Uses

---

[dbo].[Languages]  
[dbo].[PortalLanguages]  
[dbo].[PortalLocalization]  
[dbo].[Portals]  
dbo

## [dbo].[FindBanners]

(local) > DNNCE612 > Stored Procedures > dbo.FindBanners

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@BannerTypeID	int	4
@GroupName	nvarchar(100)	200

### Uses

---

[dbo].[Banners]  
[dbo].[Files]  
[dbo].[Vendors]  
dbo

## [dbo].[FindDatabaseVersion]

(local) > DNNCE612 > Stored Procedures > dbo.FindDatabaseVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Major	int	4
@Minor	int	4
@Build	int	4

### Uses

---

[dbo].[Version]  
dbo

## [dbo].[GetAffiliate]

(local) > DNNCE612 > Stored Procedures > dbo.GetAffiliate

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AffiliateId	int	4
@VendorId	int	4
@PortalID	int	4

### Uses

---

[dbo].[Affiliates]  
[dbo].[Vendors]  
dbo

## [dbo].[GetAffiliates]

(local) > DNNCE612 > Stored Procedures > dbo.GetAffiliates

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4

### Uses

---

[dbo].[Affiliates]  
dbo

## [dbo].[GetAllFiles]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllFiles

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Files]  
[dbo].[Folders]  
dbo



## [dbo].[GetAllHtmlText]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllHtmlText

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[HtmlText]  
[dbo].[Modules]  
[dbo].[Users]  
[dbo].[Workflow]  
[dbo].[WorkflowStates]  
dbo

## [dbo].[GetAllModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[vw\_Modules]

dbo

## [dbo].[GetAllProfiles]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllProfiles

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Profile]

dbo

## [dbo].[GetAllTabs]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllTabs

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[vw\_Tabs]

dbo

## [dbo].[GetAllTabsModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllTabsModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@AllTabs	bit	1

### Uses

---

[dbo].[TabModules]

[dbo].[vw\_Modules]

dbo

## [dbo].[GetAllTabsModulesByModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllTabsModulesByModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[vw\_Modules]  
dbo

## [dbo].[GetAllUsers]

(local) > DNNCE612 > Stored Procedures > dbo.GetAllUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PageIndex	int	4
@PageSize	int	4
@IncludeDeleted	bit	1
@SuperUsersOnly	bit	1

### Uses

---

[dbo].[UserPortals]  
[dbo].[Users]  
[dbo].[vw\_Users]  
[dbo].[CalculatePagingInformation]  
dbo

## [dbo].[GetAuthenticationService]

(local) > DNNCE612 > Stored Procedures > dbo.GetAuthenticationService

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AuthenticationID	int	4

### Uses

---

[dbo].[Authentication]  
dbo



## [dbo].[GetAuthenticationServiceByPackageID]

(local) > DNNCE612 > Stored Procedures > dbo.GetAuthenticationServiceByPackageID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4

### Uses

---

[dbo].[Authentication]  
dbo

## [dbo].[GetAuthenticationServiceByType]

(local) > DNNCE612 > Stored Procedures > dbo.GetAuthenticationServiceByType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AuthenticationType	nvarchar(100)	200

### Uses

---

[dbo].[Authentication]  
dbo

## [dbo].[GetAuthenticationServices]

(local) > DNNCE612 > Stored Procedures > dbo.GetAuthenticationServices

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Authentication]

dbo

## [dbo].[GetBanner]

(local) > DNNCE612 > Stored Procedures > dbo.GetBanner

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@BannerId	int	4

### Uses

---

[dbo].[Banners]  
[dbo].[Files]  
[dbo].[Users]  
[dbo].[Vendors]  
dbo

## [dbo].[GetBannerGroups]

(local) > DNNCE612 > Stored Procedures > dbo.GetBannerGroups

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Banners]  
[dbo].[Vendors]  
dbo

## [dbo].[GetBanners]

(local) > DNNCE612 > Stored Procedures > dbo.GetBanners

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4

### Uses

---

[dbo].[Banners]  
dbo

## [dbo].[GetContentItem]

(local) > DNNCE612 > Stored Procedures > dbo.GetContentItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemId	int	4

### Uses

---

[dbo].[ContentItems]  
dbo

## [dbo].[GetContentItems]

(local) > DNNCE612 > Stored Procedures > dbo.GetContentItems

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentTypeId	int	4
@TabId	int	4
@ModuleId	int	4

### Uses

---

[dbo].[ContentItems]

dbo



## [dbo].[GetContentItemsByTerm]

(local) > DNNCE612 > Stored Procedures > dbo.GetContentItemsByTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Term	nvarchar(250)	500

### Uses

---

[dbo].[ContentItems]  
[dbo].[ContentItems\_Tags]  
[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[GetContentTypes]

(local) > DNNCE612 > Stored Procedures > dbo.GetContentTypes

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[ContentTypes]

dbo

## [dbo].[GetCurrencies]

(local) > DNNCE612 > Stored Procedures > dbo.GetCurrencies

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

dbo

[dbo].[CodeCurrency]

## [dbo].[GetDatabaseServer]

(local) > DNNCE612 > Stored Procedures > dbo.GetDatabaseServer

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

dbo

## [dbo].[GetDatabaseTime]

(local) > DNNCE612 > Stored Procedures > dbo.GetDatabaseTime

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

dbo

## [dbo].[GetDatabaseTimeUtc]

(local) > DNNCE612 > Stored Procedures > dbo.GetDatabaseTimeUtc

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

dbo

## [dbo].[GetDatabaseVersion]

(local) > DNNCE612 > Stored Procedures > dbo.GetDatabaseVersion

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Version]

dbo

## [dbo].[GetDefaultLanguageByModule]

(local) > DNNCE612 > Stored Procedures > dbo.GetDefaultLanguageByModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleList	varchar(1000)	1000

### Uses

---

[dbo].[Modules]  
[dbo].[Portals]  
dbo



## [dbo].[GetDeletedUsers]

(local) > DNNCE612 > Stored Procedures > dbo.GetDeletedUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[vw\_Users]  
dbo

## [dbo].[GetDesktopModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.GetDesktopModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DesktopModulePermissionID	int	4

### Uses

---

[dbo].[vw\_DesktopModulePermissions]  
dbo

## [dbo].[GetDesktopModulePermissions]

(local) > DNNCE612 > Stored Procedures > dbo.GetDesktopModulePermissions

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[vw\_DesktopModulePermissions]

dbo

## [dbo].[GetDesktopModulePermissionsByPortalDesktopModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.GetDesktopModulePermissionsByPortalDesktopModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalDesktopModuleID	int	4

### Uses

---

[dbo].[vw\_DesktopModulePermissions]  
dbo

## [dbo].[GetDesktopModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetDesktopModules

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[vw\_DesktopModules]

dbo

## [dbo].[GetDesktopModulesByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetDesktopModulesByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[PortalDesktopModules]  
[dbo].[vw\_DesktopModules]  
dbo

## [dbo].[GetEnabledAuthenticationServices]

(local) > DNNCE612 > Stored Procedures > dbo.GetEnabledAuthenticationServices

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Authentication]

dbo

## [dbo].[GetEventLog]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@LogTypeKey	nvarchar(35)	70
@PageSize	int	4
@PageIndex	int	4

### Uses

---

[dbo].[EventLog]  
[dbo].[CalculatePagingInformation]  
dbo



## [dbo].[GetEventLogByLogGUID]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventLogByLogGUID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogGUID	varchar(36)	36

### Uses

---

[dbo].[EventLog]  
dbo

## [dbo].[GetEventLogConfig]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventLogConfig

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ID	int	4

### Uses

---

[dbo].[EventLogConfig]  
[dbo].[EventLogTypes]  
dbo

## [dbo].[GetEventLogPendingNotif]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventLogPendingNotif

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogConfigID	int	4

### Uses

---

[dbo].[EventLog]  
dbo

## [dbo].[GetEventLogPendingNotifConfig]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventLogPendingNotifConfig

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[EventLog]  
[dbo].[EventLogConfig]  
dbo

## [dbo].[GetEventLogType]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventLogType

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[EventLogTypes]

dbo

## [dbo].[GetEventMessages]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventMessages

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EventName	nvarchar(100)	200

### Uses

---

[dbo].[EventQueue]  
dbo

## [dbo].[GetEventMessagesBySubscriber]

(local) > DNNCE612 > Stored Procedures > dbo.GetEventMessagesBySubscriber

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EventName	nvarchar(100)	200
@Subscriber	nvarchar(100)	200

### Uses

---

[dbo].[EventQueue]  
dbo

## [dbo].[GetExpiredPortals]

(local) > DNNCE612 > Stored Procedures > dbo.GetExpiredPortals

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[vw\_Portals]

dbo



## [dbo].[GetFile]

(local) > DNNCE612 > Stored Procedures > dbo.GetFile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FileName	nvarchar(246)	492
@FolderID	int	4

### Uses

---

[dbo].[Files]  
[dbo].[Folders]  
dbo

## [dbo].[GetFileById]

(local) > DNNCE612 > Stored Procedures > dbo.GetFileById

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FileId	int	4

### Uses

---

[dbo].[Files]  
[dbo].[Folders]  
dbo

## [dbo].[GetFileByUniqueID]

(local) > DNNCE612 > Stored Procedures > dbo.GetFileByUniqueID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UniqueID	uniqueidentifier	16

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[GetFileContent]

(local) > DNNCE612 > Stored Procedures > dbo.GetFileContent

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FileId	int	4

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[GetFiles]

(local) > DNNCE612 > Stored Procedures > dbo.GetFiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderID	int	4

### Uses

---

[dbo].[Files]  
[dbo].[Folders]  
dbo

## [dbo].[GetFolderByFolderID]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderByFolderID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderID	int	4

### Uses

---

[dbo].[Folders]  
dbo

## [dbo].[GetFolderByFolderPath]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderByFolderPath

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@FolderPath	nvarchar(300)	600

### Uses

---

[dbo].[Folders]  
dbo

## [dbo].[GetFolderByUniqueId]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderByUniqueId

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UniqueId	uniqueidentifier	16

### Uses

---

[dbo].[Folders]  
dbo



## [dbo].[GetFolderMapping]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderMapping

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[GetFolderMappingByMappingName]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderMappingByMappingName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@MappingName	nvarchar(50)	100

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[GetFolderMappings]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderMappings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[GetFolderMappingsSetting]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderMappingsSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[FolderMappingsSettings]  
dbo

## [dbo].[GetFolderMappingsSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderMappingsSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4

### Uses

---

[dbo].[FolderMappingsSettings]  
dbo

## [dbo].[GetFolderPermission]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderPermissionID	int	4

### Uses

---

[dbo].[vw\_FolderPermissions]  
dbo

## [dbo].[GetFolderPermissionsByFolderPath]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderPermissionsByFolderPath

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@FolderPath	nvarchar(300)	600
@PermissionID	int	4

### Uses

---

[dbo].[vw\_FolderPermissions]  
dbo

## [dbo].[GetFolderPermissionsByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolderPermissionsByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[vw\_FolderPermissions]  
dbo



## [dbo].[GetFolders]

(local) > DNNCE612 > Stored Procedures > dbo.GetFolders

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Folders]  
dbo

## [dbo].[GetFoldersByPermissions]

(local) > DNNCE612 > Stored Procedures > dbo.GetFoldersByPermissions

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Permissions	nvarchar(300)	600
@UserID	int	4
@FolderID	int	4
@FolderPath	nvarchar(300)	600

### Uses

---

[dbo].[FolderPermission]  
[dbo].[Folders]  
[dbo].[Permission]  
[dbo].[Roles]  
[dbo].[UserRoles]  
[dbo].[Users]  
dbo

## [dbo].[GetHostSetting]

(local) > DNNCE612 > Stored Procedures > dbo.GetHostSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[HostSettings]  
dbo

## [dbo].[GetHostSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetHostSettings

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[HostSettings]

dbo

## [dbo].[GetHtmlText]

(local) > DNNCE612 > Stored Procedures > dbo.GetHtmlText

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4
@ItemID	int	4

### Uses

---

[dbo].[HtmlText]  
[dbo].[Modules]  
[dbo].[Users]  
[dbo].[Workflow]  
[dbo].[WorkflowStates]  
dbo

## [dbo].[GetHtmlTextLog]

(local) > DNNCE612 > Stored Procedures > dbo.GetHtmlTextLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemID	int	4

### Uses

---

[dbo].[HtmlTextLog]  
[dbo].[Users]  
[dbo].[WorkflowStates]  
dbo

## [dbo].[GetHtmlTextUser]

(local) > DNNCE612 > Stored Procedures > dbo.GetHtmlTextUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4

### Uses

---

[dbo].[HtmlTextUsers]  
[dbo].[WorkflowStates]  
dbo

## [dbo].[GetLanguagePackByPackage]

(local) > DNNCE612 > Stored Procedures > dbo.GetLanguagePackByPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4

### Uses

---

[dbo].[LanguagePacks]  
dbo



## [dbo].[GetLanguages]

(local) > DNNCE612 > Stored Procedures > dbo.GetLanguages

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Languages]

dbo

## [dbo].[GetLanguagesByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetLanguagesByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[Languages]  
[dbo].[PortalLanguages]  
dbo

## [dbo].[GetList]

(local) > DNNCE612 > Stored Procedures > dbo.GetList

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ListName	nvarchar(50)	100
@ParentKey	nvarchar(150)	300
@PortalID	int	4

### Uses

---

[dbo].[vw\_Lists]  
dbo

## [dbo].[GetListEntries]

(local) > DNNCE612 > Stored Procedures > dbo.GetListEntries

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ListName	nvarchar(50)	100
@ParentKey	nvarchar(150)	300
@PortalID	int	4

### Uses

---

[dbo].[vw\_Lists]  
dbo

## [dbo].[GetListEntry]

(local) > DNNCE612 > Stored Procedures > dbo.GetListEntry

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ListName	nvarchar(50)	100
@Value	nvarchar(200)	400
@EntryID	int	4

### Uses

---

[dbo].[vw\_Lists]  
dbo

## [dbo].[GetLists]

(local) > DNNCE612 > Stored Procedures > dbo.GetLists

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[vw\_Lists]  
dbo

## [dbo].[GetMetaData]

(local) > DNNCE612 > Stored Procedures > dbo.GetMetaData

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemId	int	4

### Uses

---

[dbo].[ContentItems\_MetaData]  
dbo

## [dbo].[GetModule]

(local) > DNNCE612 > Stored Procedures > dbo.GetModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@TabId	int	4

### Uses

---

[dbo].[vw\_Modules]  
dbo



## [dbo].[GetModuleByDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleByDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@FriendlyName	nvarchar(128)	256

### Uses

---

[dbo].[ModuleDefinitions]

[dbo].[Tabs]

[dbo].[vw\_Modules]

dbo

## [dbo].[GetModuleByUniqueID]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleByUniqueID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UniqueID	uniqueidentifier	16

### Uses

---

[dbo].[vw\_Modules]  
dbo

## [dbo].[GetModuleControl]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleControlId	int	4

### Uses

---

[dbo].[ModuleControls]  
dbo

## [dbo].[GetModuleControlByKeyAndSrc]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleControlByKeyAndSrc

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleDefId	int	4
@ControlKey	nvarchar(50)	100
@ControlSrc	nvarchar(256)	512

### Uses

---

[dbo].[ModuleControls]  
dbo

## [dbo].[GetModuleControls]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleControls

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[ModuleControls]

dbo

## [dbo].[GetModuleControlsByKey]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleControlsByKey

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ControlKey	nvarchar(50)	100
@ModuleDefId	int	4

### Uses

---

[dbo].[ModuleControls]  
dbo

## [dbo].[GetModuleDefinitions]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleDefinitions

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[ModuleDefinitions]

dbo

## [dbo].[GetModulePackagesInUse]

(local) > DNNCE612 > Stored Procedures > dbo.GetModulePackagesInUse

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@ForHost	bit	1

### Uses

---

[dbo].[DesktopModules]  
[dbo].[Packages]  
[dbo].[Tabs]  
[dbo].[vw\_Modules]  
dbo



## [dbo].[GetModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.GetModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModulePermissionID	int	4

### Uses

---

[dbo].[vw\_ModulePermissions]  
dbo

## [dbo].[GetModulePermissionsByModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.GetModulePermissionsByModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4
@PermissionID	int	4

### Uses

---

[dbo].[vw\_ModulePermissions]  
dbo

## [dbo].[GetModulePermissionsByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetModulePermissionsByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Modules]  
[dbo].[vw\_ModulePermissions]  
dbo

## [dbo].[GetModulePermissionsByTabID]

(local) > DNNCE612 > Stored Procedures > dbo.GetModulePermissionsByTabID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4

### Uses

---

[dbo].[TabModules]  
[dbo].[vw\_ModulePermissions]  
dbo

## [dbo].[GetModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[vw\_Modules]  
dbo

## [dbo].[GetModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[Files]  
[dbo].[ModuleSettings]  
dbo

## [dbo].[GetModuleSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetModuleSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4

### Uses

---

[dbo].[Files]  
[dbo].[ModuleSettings]  
dbo

## [dbo].[GetOnlineUser]

(local) > DNNCE612 > Stored Procedures > dbo.GetOnlineUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4

### Uses

---

[dbo].[Users]  
[dbo].[UsersOnline]  
dbo



## [dbo].[GetOnlineUsers]

(local) > DNNCE612 > Stored Procedures > dbo.GetOnlineUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[UserPortals]  
[dbo].[UsersOnline]  
[dbo].[vw\_Users]  
dbo

## [dbo].[GetPackage]

(local) > DNNCE612 > Stored Procedures > dbo.GetPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4

### Uses

---

[dbo].[Packages]  
dbo

## [dbo].[GetPackageByName]

(local) > DNNCE612 > Stored Procedures > dbo.GetPackageByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Name	nvarchar(128)	256

### Uses

---

[dbo].[Packages]  
dbo

## [dbo].[GetPackages]

(local) > DNNCE612 > Stored Procedures > dbo.GetPackages

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Packages]  
dbo

## [dbo].[GetPackagesByType]

(local) > DNNCE612 > Stored Procedures > dbo.GetPackagesByType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PackageType	nvarchar(50)	100

### Uses

---

[dbo].[Packages]  
dbo

## [dbo].[GetPackageType]

(local) > DNNCE612 > Stored Procedures > dbo.GetPackageType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageType	nvarchar(50)	100

### Uses

---

[dbo].[PackageTypes]  
dbo

## [dbo].[GetPackageTypes]

(local) > DNNCE612 > Stored Procedures > dbo.GetPackageTypes

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[PackageTypes]

dbo

## [dbo].[GetPermission]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PermissionID	int	4

### Uses

---

[dbo].[Permission]  
dbo



## [dbo].[GetPermissionByCodeAndKey]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermissionByCodeAndKey

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PermissionCode	varchar(50)	50
@PermissionKey	varchar(50)	50

### Uses

---

[dbo].[Permission]  
dbo

## [dbo].[GetPermissionsByFolder]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermissionsByFolder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Permission]

dbo

## [dbo].[GetPermissionsByModuleDefID]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermissionsByModuleDefID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleDefID	int	4

### Uses

---

[dbo].[Permission]  
dbo

## [dbo].[GetPermissionsByModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermissionsByModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[Modules]  
[dbo].[Permission]  
dbo

## [dbo].[GetPermissionsByPortalDesktopModule]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermissionsByPortalDesktopModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Permission]

dbo

## [dbo].[GetPermissionsByTab]

(local) > DNNCE612 > Stored Procedures > dbo.GetPermissionsByTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Permission]

dbo

## [dbo].[GetPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[vw\_Portals]  
dbo

## [dbo].[GetPortalAlias]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalAlias

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@HTTPAlias	nvarchar(200)	400
@PortalID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo



## [dbo].[GetPortalAliasByPortalAliasID]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalAliasByPortalAliasID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalAliasID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[GetPortalAliasByPortalID]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalAliasByPortalID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[GetPortalByAlias]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalByAlias

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@HTTPAlias	nvarchar(200)	400

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[GetPortalByPortalAliasID]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalByPortalAliasID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalAliasId	int	4

### Uses

---

[dbo].[PortalAlias]  
[dbo].[vw\_Portals]  
dbo

## [dbo].[GetPortalByTab]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalByTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@HTTPAlias	nvarchar(200)	400

### Uses

---

[dbo].[PortalAlias]

[dbo].[Tabs]

dbo

## [dbo].[GetPortalCount]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalCount

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Portals]

dbo

## [dbo].[GetPortalDefaultLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalDefaultLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[Portals]  
dbo

## [dbo].[GetPortalDesktopModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalDesktopModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@DesktopModuleId	int	4

### Uses

---

[dbo].[DesktopModules]  
[dbo].[PortalDesktopModules]  
[dbo].[vw\_Portals]  
dbo



## [dbo].[GetPortalGroups]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalGroups

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[PortalGroups]

dbo

## [dbo].[GetPortalRoles]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[Lists]  
[dbo].[Roles]  
dbo

## [dbo].[GetPortals]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortals

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[vw\_Portals]  
dbo

## [dbo].[GetPortalsByName]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalsByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@NameToMatch	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4

### Uses

---

[dbo].[vw\_PortalsDefaultLanguage]  
dbo

## [dbo].[GetPortalSetting]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@SettingName	nvarchar(50)	100
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[Files]  
[dbo].[PortalSettings]  
dbo

## [dbo].[GetPortalSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[Files]  
[dbo].[PortalSettings]  
dbo

## [dbo].[GetPortalSpaceUsed]

(local) > DNNCE612 > Stored Procedures > dbo.GetPortalSpaceUsed

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[GetProfile]

(local) > DNNCE612 > Stored Procedures > dbo.GetProfile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4

### Uses

---

[dbo].[Profile]  
dbo



## [dbo].[GetPropertyDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.GetPropertyDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PropertyDefinitionID	int	4

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo

## [dbo].[GetPropertyDefinitionByName]

(local) > DNNCE612 > Stored Procedures > dbo.GetPropertyDefinitionByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Name	nvarchar(50)	100

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo

## [dbo].[GetPropertyDefinitionsByCategory]

(local) > DNNCE612 > Stored Procedures > dbo.GetPropertyDefinitionsByCategory

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Category	nvarchar(50)	100

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo

## [dbo].[GetPropertyDefinitionsByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetPropertyDefinitionsByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo

## [dbo].[GetRole]

(local) > DNNCE612 > Stored Procedures > dbo.GetRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RoleId	int	4
@PortalID	int	4

### Uses

---

[dbo].[Roles]  
dbo

## [dbo].[GetRoleByName]

(local) > DNNCE612 > Stored Procedures > dbo.GetRoleByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@RoleName	nvarchar(50)	100

### Uses

---

[dbo].[Roles]  
dbo

## [dbo].[GetRoleGroup]

(local) > DNNCE612 > Stored Procedures > dbo.GetRoleGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@RoleGroupID	int	4

### Uses

---

[dbo].[RoleGroups]  
dbo

## [dbo].[GetRoleGroupName]

(local) > DNNCE612 > Stored Procedures > dbo.GetRoleGroupName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@RoleGroupName	nvarchar(50)	100

### Uses

---

[dbo].[RoleGroups]  
dbo



## [dbo].[GetRoleGroups]

(local) > DNNCE612 > Stored Procedures > dbo.GetRoleGroups

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[RoleGroups]  
dbo

## [dbo].[GetRoles]

(local) > DNNCE612 > Stored Procedures > dbo.GetRoles

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Roles]

dbo

## [dbo].[GetRolesByGroup]

(local) > DNNCE612 > Stored Procedures > dbo.GetRolesByGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RoleGroupId	int	4
@PortalId	int	4

### Uses

---

[dbo].[Lists]  
[dbo].[Roles]  
dbo

## [dbo].[GetRolesByUser]

(local) > DNNCE612 > Stored Procedures > dbo.GetRolesByUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4

### Uses

---

[dbo].[Roles]  
[dbo].[UserRoles]  
[dbo].[Users]  
dbo

## [dbo].[GetSchedule]

(local) > DNNCE612 > Stored Procedures > dbo.GetSchedule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Server	varchar(150)	150

### Uses

---

[dbo].[Schedule]  
[dbo].[ScheduleHistory]  
dbo

## [dbo].[GetScheduleByEvent]

(local) > DNNCE612 > Stored Procedures > dbo.GetScheduleByEvent

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EventName	varchar(50)	50
@Server	varchar(150)	150

### Uses

---

[dbo].[Schedule]  
dbo

## [dbo].[GetScheduleByScheduleID]

(local) > DNNCE612 > Stored Procedures > dbo.GetScheduleByScheduleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4

### Uses

---

[dbo].[Schedule]  
dbo

## [dbo].[GetScheduleByTypeFullName]

(local) > DNNCE612 > Stored Procedures > dbo.GetScheduleByTypeFullName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TypeFullName	varchar(200)	200
@Server	varchar(150)	150

### Uses

---

[dbo].[Schedule]  
dbo



## [dbo].[GetScheduleHistory]

(local) > DNNCE612 > Stored Procedures > dbo.GetScheduleHistory

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4

### Uses

---

[dbo].[Schedule]  
[dbo].[ScheduleHistory]  
dbo

## [dbo].[GetScheduleItemSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetScheduleItemSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4

### Uses

---

[dbo].[ScheduleItemSettings]  
dbo

## [dbo].[GetScheduleNextTask]

(local) > DNNCE612 > Stored Procedures > dbo.GetScheduleNextTask

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Server	varchar(150)	150

### Uses

---

[dbo].[Schedule]  
[dbo].[ScheduleHistory]  
dbo

## [dbo].[GetScopeTypes]

(local) > DNNCE612 > Stored Procedures > dbo.GetScopeTypes

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Taxonomy\_ScopeTypes]

dbo

## [dbo].[GetSearchCommonWordByID]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchCommonWordByID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@CommonWordID	int	4

### Uses

---

[dbo].[SearchCommonWords]  
dbo

## [dbo].[GetSearchCommonWordsByLocale]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchCommonWordsByLocale

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Locale	nvarchar(10)	20

### Uses

---

[dbo].[SearchCommonWords]  
dbo

## [dbo].[GetSearchIndexers]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchIndexers

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[SearchIndexer]

dbo

## [dbo].[GetSearchItem]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@SearchKey	varchar(100)	100

### Uses

---

[dbo].[SearchItem]  
dbo



## [dbo].[GetSearchItems]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItems

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@TabId	int	4
@ModuleId	int	4

### Uses

---

[dbo].[vw\_SearchItems]

dbo

## [dbo].[GetSearchItemWord]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItemWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordID	int	4

### Uses

---

[dbo].[SearchItemWord]  
dbo

## [dbo].[GetSearchItemWordBySearchItem]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItemWordBySearchItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemID	int	4

### Uses

---

[dbo].[SearchItemWord]  
dbo

## [dbo].[GetSearchItemWordBySearchWord]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItemWordBySearchWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchWordsID	int	4

### Uses

---

[dbo].[SearchItemWord]  
dbo

## [dbo].[GetSearchItemWordPosition]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItemWordPosition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordPositionID	int	4

### Uses

---

[dbo].[SearchItemWordPosition]  
dbo

## [dbo].[GetSearchItemWordPositionBySearchItemWord]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchItemWordPositionBySearchItemWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordID	int	4

### Uses

---

[dbo].[SearchItemWordPosition]  
dbo

## [dbo].[GetSearchModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Tabs]  
[dbo].[vw\_Modules]  
dbo

## [dbo].[GetSearchResultModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchResultModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[ModuleDefinitions]  
[dbo].[Modules]  
[dbo].[TabModules]  
[dbo].[Tabs]  
dbo



## [dbo].[GetSearchResults]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchResults

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@TabId	int	4
@ModuleId	int	4

### Uses

---

[dbo].[vw\_SearchItems]  
dbo

## [dbo].[GetSearchResultsByWord]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchResultsByWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Word	nvarchar(100)	200

### Uses

---

[dbo].[Modules]  
[dbo].[SearchItem]  
[dbo].[SearchItemWord]  
[dbo].[SearchWord]  
[dbo].[TabModules]  
[dbo].[Tabs]  
[dbo].[Users]  
dbo

## [dbo].[GetSearchSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[Modules]  
[dbo].[Portals]  
[dbo].[PortalSettings]  
dbo

## [dbo].[GetSearchWordByID]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchWordByID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchWordsID	int	4

### Uses

---

[dbo].[SearchWord]  
dbo

## [dbo].[GetSearchWords]

(local) > DNNCE612 > Stored Procedures > dbo.GetSearchWords

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[SearchWord]

dbo

## [dbo].[GetServerConfiguration]

(local) > DNNCE612 > Stored Procedures > dbo.GetServerConfiguration

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[WebServers]  
dbo

## [dbo].[GetServers]

(local) > DNNCE612 > Stored Procedures > dbo.GetServers

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[WebServers]

dbo

## [dbo].[GetServices]

(local) > DNNCE612 > Stored Procedures > dbo.GetServices

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@UserId	int	4

### Uses

---

[dbo].[Roles]  
[dbo].[UserRoles]  
[dbo].[Users]  
dbo



## [dbo].[GetSiteLog1]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog1

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[GetSiteLog12]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog12

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[GetSiteLog2]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog2

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
[dbo].[Tabs]  
[dbo].[Users]  
dbo

## [dbo].[GetSiteLog3]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog3

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
[dbo].[Users]  
dbo

## [dbo].[GetSiteLog4]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog4

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[GetSiteLog5]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog5

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[GetSiteLog6]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog6

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[GetSiteLog7]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog7

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo



## [dbo].[GetSiteLog8]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog8

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
dbo

## [dbo].[GetSiteLog9]

(local) > DNNCE612 > Stored Procedures > dbo.GetSiteLog9

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalAlias	nvarchar(50)	100
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[SiteLog]  
[dbo].[Tabs]  
dbo

## [dbo].[GetSkinControl]

(local) > DNNCE612 > Stored Procedures > dbo.GetSkinControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinControlID	int	4

### Uses

---

[dbo].[SkinControls]  
dbo

## [dbo].[GetSkinControlByKey]

(local) > DNNCE612 > Stored Procedures > dbo.GetSkinControlByKey

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ControlKey	nvarchar(50)	100

### Uses

---

[dbo].[SkinControls]  
dbo

## [dbo].[GetSkinControlByPackageID]

(local) > DNNCE612 > Stored Procedures > dbo.GetSkinControlByPackageID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4

### Uses

---

[dbo].[SkinControls]  
dbo

## [dbo].[GetSkinControls]

(local) > DNNCE612 > Stored Procedures > dbo.GetSkinControls

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[SkinControls]

dbo

## [dbo].[GetSkinPackage]

(local) > DNNCE612 > Stored Procedures > dbo.GetSkinPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@SkinName	nvarchar(50)	100
@SkinType	nvarchar(50)	100

### Uses

---

[dbo].[SkinPackages]  
dbo

## [dbo].[GetSkinPackageByPackageID]

(local) > DNNCE612 > Stored Procedures > dbo.GetSkinPackageByPackageID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4

### Uses

---

[dbo].[SkinPackages]  
[dbo].[Skins]  
dbo



## [dbo].[GetSuperUsers]

(local) > DNNCE612 > Stored Procedures > dbo.GetSuperUsers

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Users]

dbo

## [dbo].[GetSystemMessage]

(local) > DNNCE612 > Stored Procedures > dbo.GetSystemMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@MessageName	nvarchar(50)	100

### Uses

---

[dbo].[SystemMessages]  
dbo

## [dbo].[GetSystemMessages]

(local) > DNNCE612 > Stored Procedures > dbo.GetSystemMessages

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[SystemMessages]

dbo

## [dbo].[GetTab]

(local) > DNNCE612 > Stored Procedures > dbo.GetTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4

### Uses

---

[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabByName]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabName	nvarchar(50)	100
@PortalID	int	4

### Uses

---

[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabByUniqueID]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabByUniqueID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UniqueID	uniqueidentifier	16

### Uses

---

[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabCount]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabCount

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[Tabs]  
[dbo].[vw\_Portals]  
dbo

## [dbo].[GetTables]

(local) > DNNCE612 > Stored Procedures > dbo.GetTables

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

dbo



## [dbo].[GetTabModule]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleID	int	4

### Uses

---

[dbo].[vw\_TabModules]  
dbo

## [dbo].[GetTabModuleOrder]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabModuleOrder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@PaneName	nvarchar(50)	100

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[GetTabModules]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabModules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4

### Uses

---

[dbo].[vw\_TabModules]  
dbo

## [dbo].[GetTabModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[TabModuleSettings]  
dbo

## [dbo].[GetTabModuleSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabModuleSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4

### Uses

---

[dbo].[TabModuleSettings]  
dbo

## [dbo].[GetTabPanes]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabPanes

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[GetTabPaths]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabPaths

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@CultureCode	nvarchar(10)	20

### Uses

---

[dbo].[Tabs]  
dbo

## [dbo].[GetTabPermission]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabPermissionID	int	4

### Uses

---

[dbo].[vw\_TabPermissions]  
dbo



## [dbo].[GetTabPermissionsByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabPermissionsByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[vw\_TabPermissions]  
dbo

## [dbo].[GetTabPermissionsByTabID]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabPermissionsByTabID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@PermissionID	int	4

### Uses

---

[dbo].[vw\_TabPermissions]  
dbo

## [dbo].[GetTabs]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabs

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabsByModuleID]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabsByModuleID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[TabModules]  
[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabsByPackageID]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabsByPackageID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PackageID	int	4
@ForHost	bit	1

### Uses

---

[dbo].[DesktopModules]  
[dbo].[vw\_Modules]  
[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabsByParentId]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabsByParentId

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ParentId	int	4

### Uses

---

[dbo].[vw\_Tabs]  
dbo

## [dbo].[GetTabSetting]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@SettingName	nvarchar(50)	100

### Uses

---

[dbo].[Files]  
[dbo].[TabSettings]  
dbo

## [dbo].[GetTabSettings]

(local) > DNNCE612 > Stored Procedures > dbo.GetTabSettings

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4

### Uses

---

[dbo].[Files]  
[dbo].[TabSettings]  
dbo



## [dbo].[GetTerm]

(local) > DNNCE612 > Stored Procedures > dbo.GetTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TermId	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[GetTermsByContent]

(local) > DNNCE612 > Stored Procedures > dbo.GetTermsByContent

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemID	int	4

### Uses

---

[dbo].[ContentItems\_Tags]  
[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[GetTermsByVocabulary]

(local) > DNNCE612 > Stored Procedures > dbo.GetTermsByVocabulary

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VocabularyID	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[GetTopHtmlText]

(local) > DNNCE612 > Stored Procedures > dbo.GetTopHtmlText

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4
@IsPublished	bit	1

### Uses

---

[dbo].[HtmlText]  
[dbo].[Modules]  
[dbo].[Users]  
[dbo].[Workflow]  
[dbo].[WorkflowStates]  
dbo

## [dbo].[GetUnAuthorizedUsers]

(local) > DNNCE612 > Stored Procedures > dbo.GetUnAuthorizedUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@IncludeDeleted	bit	1
@SuperUsersOnly	bit	1

### Uses

---

[dbo].[vw\_Users]  
dbo

## [dbo].[GetUnIndexedContentItems]

(local) > DNNCE612 > Stored Procedures > dbo.GetUnIndexedContentItems

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[ContentItems]

dbo

## [dbo].[GetUrl]

(local) > DNNCE612 > Stored Procedures > dbo.GetUrl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510

### Uses

---

[dbo].[Urls]  
dbo

## [dbo].[GetUrlLog]

(local) > DNNCE612 > Stored Procedures > dbo.GetUrlLog

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@URLTrackingID	int	4
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[UriLog]  
[dbo].[UriTracking]  
[dbo].[Users]  
dbo



## [dbo].[GetUrls]

(local) > DNNCE612 > Stored Procedures > dbo.GetUrls

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Urls]  
dbo

## [dbo].[GetUrlTracking]

(local) > DNNCE612 > Stored Procedures > dbo.GetUrlTracking

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510
@ModuleId	int	4

### Uses

---

[dbo].[UrlTracking]  
dbo

## [dbo].[GetUser]

(local) > DNNCE612 > Stored Procedures > dbo.GetUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4

### Uses

---

[dbo].[vw\_Users]  
dbo

## [dbo].[GetUserByAuthToken]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserByAuthToken

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@UserToken	nvarchar(1000)	2000
@AuthType	nvarchar(100)	200

### Uses

---

[dbo].[UserAuthentication]

[dbo].[vw\_Users]

dbo

## [dbo].[GetUserByUsername]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserByUsername

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Username	nvarchar(100)	200

### Uses

---

[dbo].[vw\_Users]  
dbo

## [dbo].[GetUserCountByPortal]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserCountByPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[UserPortals]  
dbo

## [dbo].[GetUserProfile]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserProfile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4

### Uses

---

[dbo].[UserProfile]  
dbo

## [dbo].[GetUserRole]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4
@RoleId	int	4

### Uses

---

[dbo].[vw\_UserRoles]

dbo



## [dbo].[GetUserRoles]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserRoles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@UserId	int	4

### Uses

---

[dbo].[vw\_UserRoles]  
dbo

## [dbo].[GetUserRolesByUsername]

(local) > DNNCE612 > Stored Procedures > dbo.GetUserRolesByUsername

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Username	nvarchar(100)	200
@Rolename	nvarchar(50)	100

### Uses

---

[dbo].[vw\_UserRoles]  
dbo

## [dbo].[GetUsers]

(local) > DNNCE612 > Stored Procedures > dbo.GetUsers

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[UserPortals]  
[dbo].[Users]  
dbo

## [dbo].[GetUsersByEmail]

(local) > DNNCE612 > Stored Procedures > dbo.GetUsersByEmail

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@EmailToMatch	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4
@IncludeDeleted	bit	1
@SuperUsersOnly	bit	1

### Uses

---

[dbo].[vw\_Users]

[dbo].[CalculatePagingInformation]

dbo

## [dbo].[GetUsersByProfileProperty]

(local) > DNNCE612 > Stored Procedures > dbo.GetUsersByProfileProperty

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PropertyName	nvarchar(256)	512
@PropertyValue	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4
@IncludeDeleted	bit	1
@SuperUsersOnly	bit	1

### Uses

---

[dbo].[ProfilePropertyDefinition]  
[dbo].[UserProfile]  
[dbo].[vw\_Users]  
dbo

## [dbo].[GetUsersByRolename]

(local) > DNNCE612 > Stored Procedures > dbo.GetUsersByRolename

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Rolename	nvarchar(50)	100

### Uses

---

[dbo].[Roles]  
[dbo].[UserPortals]  
[dbo].[UserRoles]  
[dbo].[Users]  
dbo

## [dbo].[GetUsersByUserName]

(local) > DNNCE612 > Stored Procedures > dbo.GetUsersByUserName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserNameToMatch	nvarchar(256)	512
@PageIndex	int	4
@PageSize	int	4
@IncludeDeleted	bit	1
@SuperUsersOnly	bit	1

### Uses

---

[dbo].[vw\_Users]  
dbo

## [dbo].[GetVendor]

(local) > DNNCE612 > Stored Procedures > dbo.GetVendor

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4
@PortalID	int	4

### Uses

---

[dbo].[Files]  
[dbo].[Users]  
[dbo].[Vendors]  
dbo



## [dbo].[GetVendorClassifications]

(local) > DNNCE612 > Stored Procedures > dbo.GetVendorClassifications

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4

### Uses

---

[dbo].[Classification]  
[dbo].[VendorClassification]  
dbo

## [dbo].[GetVendors]

(local) > DNNCE612 > Stored Procedures > dbo.GetVendors

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Unauthorized	bit	1
@PageSize	int	4
@PageIndex	int	4

### Uses

---

[dbo].[Banners]  
[dbo].[Vendors]  
dbo

## [dbo].[GetVendorsByEmail]

(local) > DNNCE612 > Stored Procedures > dbo.GetVendorsByEmail

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Filter	nvarchar(50)	100
@PortalID	int	4
@PageSize	int	4
@PageIndex	int	4

### Uses

---

[dbo].[Banners]  
[dbo].[Vendors]  
dbo

## [dbo].[GetVendorsByName]

(local) > DNNCE612 > Stored Procedures > dbo.GetVendorsByName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Filter	nvarchar(50)	100
@PortalID	int	4
@PageSize	int	4
@PageIndex	int	4

### Uses

---

[dbo].[Banners]  
[dbo].[Vendors]  
dbo

## [dbo].[GetVocabularies]

(local) > DNNCE612 > Stored Procedures > dbo.GetVocabularies

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Taxonomy\_Vocabularies]

dbo

## [dbo].[GetWorkflows]

(local) > DNNCE612 > Stored Procedures > dbo.GetWorkflows

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Workflow]  
dbo

## [dbo].[GetWorkflowStates]

(local) > DNNCE612 > Stored Procedures > dbo.GetWorkflowStates

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@WorkflowID	int	4

### Uses

---

[dbo].[Workflow]  
[dbo].[WorkflowStates]  
dbo

## [dbo].[InsertPortalLocalization]

(local) > DNNCE612 > Stored Procedures > dbo.InsertPortalLocalization

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@CultureCode	nvarchar(10)	20
@PortalName	nvarchar(128)	256
@LogoFile	nvarchar(50)	100
@FooterText	nvarchar(100)	200
@Description	nvarchar(500)	1000
@KeyWords	nvarchar(500)	1000
@BackgroundFile	nvarchar(50)	100
@HomeTabId	int	4
@LoginTabId	int	4
@UserTabId	int	4
@AdminTabId	int	4
@SplashTabId	int	4
@CreatedByUserID	int	4

### Uses

---

[dbo].[PortalLocalization]  
dbo



## [dbo].[IsUserInRole]

(local) > DNNCE612 > Stored Procedures > dbo.IsUserInRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@RoleId	int	4
@PortalID	int	4

### Uses

---

[dbo].[Roles]  
[dbo].[UserRoles]  
dbo

## [dbo].[ListSearchItem]

(local) > DNNCE612 > Stored Procedures > dbo.ListSearchItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[SearchItem]  
dbo

## [dbo].[ListSearchItemWord]

(local) > DNNCE612 > Stored Procedures > dbo.ListSearchItemWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[SearchItemWord]

dbo

## [dbo].[ListSearchItemWordPosition]

(local) > DNNCE612 > Stored Procedures > dbo.ListSearchItemWordPosition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[SearchItemWordPosition]

dbo

## [dbo].[Messaging\_GetInbox]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_GetInbox

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4
@PageNumber	int	4
@PageSize	int	4

### Uses

---

[dbo].[Messaging\_Messages]  
[dbo].[CalculatePagingInformation]  
dbo

## [dbo].[Messaging\_GetInboxCount]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_GetInboxCount

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4

### Uses

---

[dbo].[Messaging\_Messages]  
dbo

## [dbo].[Messaging\_GetMessage]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_GetMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@MessageID	bigint	8

### Uses

---

[dbo].[Messaging\_Messages]  
dbo

## [dbo].[Messaging\_GetNewMessageCount]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_GetNewMessageCount

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@UserID	int	4

### Uses

---

[dbo].[Messaging\_Messages]  
dbo



## [dbo].[Messaging\_GetNextMessageForDispatch]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_GetNextMessageForDispatch

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SchedulerInstance	uniqueidentifier	16

### Uses

---

[dbo].[Messaging\_Messages]  
dbo

## [dbo].[Messaging\_MarkMessageAsDispatched]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_MarkMessageAsDispatched

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@MessageId	int	4

### Uses

---

[dbo].[Messaging\_Messages]  
dbo

## [dbo].[Messaging\_Save\_Message]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_Save\_Message

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@FromUserID	int	4
@ToUserID	int	4
@ToRoleID	int	4
@Status	int	4
@Subject	nvarchar(max)	max
@Body	nvarchar(max)	max
@Date	datetime	8
@Conversation	uniqueidentifier	16
@ReplyTo	bigint	8
@AllowReply	bit	1
@SkipPortal	bit	1

### Uses

---

[dbo].[Messaging\_Messages]

[dbo].[Users]

dbo

## [dbo].[Messaging\_UpdateMessage]

(local) > DNNCE612 > Stored Procedures > dbo.Messaging\_UpdateMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@MessageID	bigint	8
@ToUserID	int	4
@ToRoleID	int	4
@Status	int	4
@Subject	nvarchar(max)	max
@Body	nvarchar(max)	max
@Date	datetime	8
@ReplyTo	bigint	8
@AllowReply	bit	1
@SkipPortal	bit	1

### Uses

---

[dbo].[Messaging\_Messages]  
dbo

## [dbo].[Mobile\_DeletePreviewProfile]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_DeletePreviewProfile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Id	int	4

### Uses

---

[dbo].[Mobile\_PreviewProfiles]  
dbo

## [dbo].[Mobile\_DeleteRedirection]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_DeleteRedirection

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Id	int	4

### Uses

---

[dbo].[Mobile\_RedirectionRules]  
[dbo].[Mobile\_Redirections]  
dbo

## [dbo].[Mobile\_DeleteRedirectionRule]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_DeleteRedirectionRule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Id	int	4

### Uses

---

[dbo].[Mobile\_RedirectionRules]  
dbo

## [dbo].[Mobile\_GetAllRedirections]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_GetAllRedirections

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

[dbo].[Mobile\_Redirections]

dbo



## [dbo].[Mobile\_GetPreviewProfiles]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_GetPreviewProfiles

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[Mobile\_PreviewProfiles]  
dbo

## [dbo].[Mobile\_GetRedirectionRules]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_GetRedirectionRules

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RedirectionId	int	4

### Uses

---

[dbo].[Mobile\_RedirectionRules]  
dbo

## [dbo].[Mobile\_GetRedirections]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_GetRedirections

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4

### Uses

---

[dbo].[Mobile\_Redirections]  
dbo

## [dbo].[Mobile\_SavePreviewProfile]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_SavePreviewProfile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Id	int	4
@PortalId	int	4
@Name	nvarchar(50)	100
@Width	int	4
@Height	int	4
@UserAgent	nvarchar(260)	520
@SortOrder	int	4
@UserId	int	4

### Uses

---

[dbo].[Mobile\_PreviewProfiles]

dbo

## [dbo].[Mobile\_SaveRedirection]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_SaveRedirection

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Id	int	4
@PortalId	int	4
@Name	nvarchar(50)	100
@Type	int	4
@SortOrder	int	4
@SourceTabId	int	4
@IncludeChildTabs	bit	1
@TargetType	int	4
@TargetValue	nvarchar(260)	520
@Enabled	bit	1
@UserId	int	4

### Uses

---

[dbo].[Mobile\_Redirections]

dbo

## [dbo].[Mobile\_SaveRedirectionRule]

(local) > DNNCE612 > Stored Procedures > dbo.Mobile\_SaveRedirectionRule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Id	int	4
@RedirectionId	int	4
@Capability	nvarchar(50)	100
@Expression	nvarchar(50)	100

### Uses

---

[dbo].[Mobile\_RedirectionRules]  
dbo

## [dbo].[MoveTabModule]

(local) > DNNCE612 > Stored Procedures > dbo.MoveTabModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FromTabId	int	4
@ModuleId	int	4
@ToTabId	int	4
@PaneName	nvarchar(50)	100
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[PurgeEventLog]

(local) > DNNCE612 > Stored Procedures > dbo.PurgeEventLog

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### *Uses*

---

dbo



## [dbo].[PurgeScheduleHistory]

(local) > DNNCE612 > Stored Procedures > dbo.PurgeScheduleHistory

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Uses

---

[dbo].[Schedule]  
[dbo].[ScheduleHistory]  
dbo

## [dbo].[RegisterAssembly]

(local) > DNNCE612 > Stored Procedures > dbo.RegisterAssembly

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@AssemblyName	nvarchar(250)	500
@Version	nvarchar(20)	40

### Uses

---

[dbo].[Assemblies]  
[dbo].[fn\_CompareVersion]  
dbo

## [dbo].[RemoveTermsFromContent]

(local) > DNNCE612 > Stored Procedures > dbo.RemoveTermsFromContent

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemID	int	4

### Uses

---

[dbo].[ContentItems\_Tags]  
dbo

## [dbo].[RemoveUser]

(local) > DNNCE612 > Stored Procedures > dbo.RemoveUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4

### Uses

---

[dbo].[UserPortals]

[dbo].[Users]

dbo

## [dbo].[RestoreTabModule]

(local) > DNNCE612 > Stored Procedures > dbo.RestoreTabModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@ModuleId	int	4

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[RestoreUser]

(local) > DNNCE612 > Stored Procedures > dbo.RestoreUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4

### Uses

---

[dbo].[UserPortals]

[dbo].[Users]

dbo

## [dbo].[SaveCoreAuditTypes]

(local) > DNNCE612 > Stored Procedures > dbo.SaveCoreAuditTypes

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogTypeKey	nvarchar(35)	70
@LogTypeFriendlyName	nvarchar(50)	100
@LogTypeOwner	nvarchar(100)	200
@LogTypeCSSClass	nvarchar(40)	80
@LoggingIsActive	bit	1
@KeepMostRecent	int	4
@EmailNotificationIsActive	bit	1

### Uses

---

[dbo].[EventLogConfig]  
[dbo].[EventLogTypes]  
[dbo].[AddEventLogConfig]  
[dbo].[AddEventLogType]  
dbo

## [dbo].[SetEventMessageComplete]

(local) > DNNCE612 > Stored Procedures > dbo.SetEventMessageComplete

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EventMessageID	int	4

### Uses

---

[dbo].[EventQueue]  
dbo



## [dbo].[UnRegisterAssembly]

(local) > DNNCE612 > Stored Procedures > dbo.UnRegisterAssembly

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PackageID	int	4
@AssemblyName	nvarchar(250)	500

### Uses

---

[dbo].[Assemblies]  
dbo

## [dbo].[UpdateAffiliate]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateAffiliate

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AffiliateId	int	4
@StartDate	datetime	8
@EndDate	datetime	8
@CPC	float	8
@CPA	float	8

### Uses

---

[dbo].[Affiliates]  
dbo

## [dbo].[UpdateAffiliateStats]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateAffiliateStats

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AffiliateId	int	4
@Clicks	int	4
@Acquisitions	int	4

### Uses

---

[dbo].[Affiliates]  
dbo

## [dbo].[UpdateAnonymousUser]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateAnonymousUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	char(36)	36
@PortalID	int	4
@TabID	int	4
@LastActiveDate	datetime	8

### Uses

---

[dbo].[AnonymousUsers]  
dbo

## [dbo].[UpdateAuthentication]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateAuthentication

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@AuthenticationID	int	4
@PackageID	int	4
@AuthenticationType	nvarchar(100)	200
@IsEnabled	bit	1
@SettingsControlSrc	nvarchar(250)	500
@LoginControlSrc	nvarchar(250)	500
@LogoffControlSrc	nvarchar(250)	500
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Authentication]  
dbo

## [dbo].[UpdateBanner]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateBanner

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@BannerId	int	4
@BannerName	nvarchar(100)	200
@ImageFile	nvarchar(100)	200
@URL	nvarchar(255)	510
@Impressions	int	4
@CPM	float	8
@StartDate	datetime	8
@EndDate	datetime	8
@UserName	nvarchar(100)	200
@BannerTypeId	int	4
@Description	nvarchar(2000)	4000
@GroupName	nvarchar(100)	200
@Criteria	bit	1
@Width	int	4
@Height	int	4

### Uses

---

[dbo].[Banners]  
dbo

## [dbo].[UpdateBannerClickThrough]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateBannerClickThrough

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@BannerId	int	4
@VendorId	int	4

### Uses

---

[dbo].[Banners]  
dbo

## [dbo].[UpdateBannerViews]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateBannerViews

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@BannerId	int	4
@StartDate	datetime	8
@EndDate	datetime	8

### Uses

---

[dbo].[Banners]  
dbo



## [dbo].[UpdateContentItem]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateContentItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentItemID	int	4
@Content	nvarchar(max)	max
@ContentTypeID	int	4
@TabID	int	4
@ModuleID	int	4
@ContentKey	nvarchar(250)	500
@Indexed	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[ContentItems]  
dbo

## [dbo].[UpdateContentType]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateContentType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ContentTypeId	int	4
@ContentType	nvarchar(250)	500

### Uses

---

[dbo].[ContentTypes]  
dbo

## [dbo].[UpdateDatabaseVersion]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateDatabaseVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Major	int	4
@Minor	int	4
@Build	int	4

### Uses

---

[dbo].[Version]  
dbo

## [dbo].[UpdateDatabaseVersionAndName]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateDatabaseVersionAndName

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Major	int	4
@Minor	int	4
@Build	int	4
@Name	nvarchar(50)	100

### Uses

---

[dbo].[Version]  
dbo

## [dbo].[UpdateDesktopModule]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateDesktopModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DesktopModuleId	int	4
@PackageID	int	4
@ModuleName	nvarchar(128)	256
@FolderName	nvarchar(128)	256
@FriendlyName	nvarchar(128)	256
@Description	nvarchar(2000)	4000
@Version	nvarchar(8)	16
@IsPremium	bit	1
@IsAdmin	bit	1
@BusinessController	nvarchar(200)	400
@SupportedFeatures	int	4
@CompatibleVersions	nvarchar(500)	1000
@Dependencies	nvarchar(400)	800
@Permissions	nvarchar(400)	800
@ContentItemId	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[DesktopModules]  
dbo

## [dbo].[UpdateDesktopModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateDesktopModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@DesktopModulePermissionID	int	4
@PortalDesktopModuleID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[DesktopModulePermission]  
dbo

## [dbo].[UpdateEventLogConfig]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateEventLogConfig

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ID	int	4
@LogTypeKey	nvarchar(35)	70
@LogTypePortalID	int	4
@LoggingIsActive	bit	1
@KeepMostRecent	int	4
@EmailNotificationIsActive	bit	1
@NotificationThreshold	int	4
@NotificationThresholdTime	int	4
@NotificationThresholdTimeType	int	4
@MailFromAddress	nvarchar(50)	100
@MailToAddress	nvarchar(50)	100

### Uses

---

[dbo].[EventLogConfig]

dbo

## [dbo].[UpdateEventLogPendingNotif]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateEventLogPendingNotif

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogConfigID	int	4

### Uses

---

[dbo].[EventLog]  
dbo



## [dbo].[UpdateEventLogType]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateEventLogType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LogTypeKey	nvarchar(35)	70
@LogTypeFriendlyName	nvarchar(50)	100
@LogTypeDescription	nvarchar(128)	256
@LogTypeOwner	nvarchar(100)	200
@LogTypeCSSClass	nvarchar(40)	80

### Uses

---

[dbo].[EventLogTypes]  
dbo

## [dbo].[UpdateFile]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FileId	int	4
@VersionGuid	uniqueidentifier	16
@FileName	nvarchar(246)	492
@Extension	nvarchar(100)	200
@Size	int	4
@Width	int	4
@Height	int	4
@ContentType	nvarchar(200)	400
@Folder	nvarchar(246)	492
@FolderID	int	4
@LastModifiedByUserID	int	4
@Hash	varchar(40)	40

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[UpdateFileContent]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFileContent

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FileId	int	4
@Content	image	16

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[UpdateFileVersion]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFileVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FileID	int	4
@VersionGuid	uniqueidentifier	16

### Uses

---

[dbo].[Files]  
dbo

## [dbo].[UpdateFolder]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFolder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@VersionGuid	uniqueidentifier	16
@FolderID	int	4
@FolderPath	nvarchar(300)	600
@StorageLocation	int	4
@IsProtected	bit	1
@IsCached	bit	1
@LastUpdated	datetime	8
@LastModifiedByUserID	int	4
@FolderMappingID	int	4

### Uses

---

[dbo].[Folders]  
dbo

## [dbo].[UpdateFolderMapping]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFolderMapping

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4
@MappingName	nvarchar(50)	100
@Priority	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[FolderMappings]  
dbo

## [dbo].[UpdateFolderMappingsSetting]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFolderMappingsSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderMappingID	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[FolderMappingsSettings]  
dbo

## [dbo].[UpdateFolderPermission]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFolderPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderPermissionID	int	4
@FolderID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[FolderPermission]  
dbo



## [dbo].[UpdateFolderVersion]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateFolderVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@FolderID	int	4
@VersionGuid	uniqueidentifier	16

### Uses

---

[dbo].[Folders]  
dbo

## [dbo].[UpdateHeirarchicalTerm]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateHeirarchicalTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TermID	int	4
@VocabularyID	int	4
@ParentTermID	int	4
@Name	nvarchar(250)	500
@Description	nvarchar(2500)	5000
@Weight	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[UpdateHostSetting]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateHostSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(256)	512
@SettingIsSecure	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[HostSettings]  
dbo

## [dbo].[UpdateHtmlText]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateHtmlText

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ItemID	int	4
@Content	ntext	16
@Summary	ntext	16
@StateID	int	4
@IsPublished	bit	1
@UserID	int	4

### Uses

---

[dbo].[HtmlText]  
dbo

## [dbo].[UpdateLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LanguageID	int	4
@CultureCode	nvarchar(50)	100
@CultureName	nvarchar(200)	400
@FallbackCulture	nvarchar(50)	100
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Languages]  
dbo

## [dbo].[UpdateLanguagePack]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateLanguagePack

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@LanguagePackID	int	4
@PackageID	int	4
@LanguageID	int	4
@DependentPackageID	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[LanguagePacks]  
dbo

## [dbo].[UpdateListEntry]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateListEntry

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EntryID	int	4
@Value	nvarchar(100)	200
@Text	nvarchar(150)	300
@Description	nvarchar(500)	1000
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Lists]  
dbo

## [dbo].[UpdateListSortOrder]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateListSortOrder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@EntryID	int	4
@MoveUp	bit	1

### Uses

---

[dbo].[Lists]  
dbo



## [dbo].[UpdateModule]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@ContentItemID	int	4
@AllTabs	bit	1
@StartDate	datetime	8
@EndDate	datetime	8
@InheritViewPermissions	bit	1
@IsDeleted	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Modules]  
dbo

## [dbo].[UpdateModuleControl]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModuleControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleControlId	int	4
@ModuleDefID	int	4
@ControlKey	nvarchar(50)	100
@ControlTitle	nvarchar(50)	100
@ControlSrc	nvarchar(256)	512
@IconFile	nvarchar(100)	200
@ControlType	int	4
@ViewOrder	int	4
@HelpUrl	nvarchar(200)	400
@SupportsPartialRendering	bit	1
@SupportsPopUps	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[ModuleControls]  
dbo

## [dbo].[UpdateModuleDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModuleDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleDefId	int	4
@FriendlyName	nvarchar(128)	256
@DefaultCacheTime	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[ModuleDefinitions]  
dbo

## [dbo].[UpdateModuleLastContentModifiedDate]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModuleLastContentModifiedDate

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[Modules]  
dbo

## [dbo].[UpdateModuleOrder]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModuleOrder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@ModuleId	int	4
@ModuleOrder	int	4
@PaneName	nvarchar(50)	100

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[UpdateModulePermission]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModulePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModulePermissionID	int	4
@ModuleID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[ModulePermission]  
dbo

## [dbo].[UpdateModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleId	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[ModuleSettings]  
dbo

## [dbo].[UpdateOnlineUser]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateOnlineUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4
@TabID	int	4
@LastActiveDate	datetime	8

### Uses

---

[dbo].[UsersOnline]  
dbo



## [dbo].[UpdatePackage]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Name	nvarchar(128)	256
@FriendlyName	nvarchar(250)	500
@Description	nvarchar(2000)	4000
@PackageType	nvarchar(50)	100
@Version	nvarchar(50)	100
@License	ntext	16
@Manifest	ntext	16
@Owner	nvarchar(100)	200
@Organization	nvarchar(100)	200
@Url	nvarchar(250)	500
@Email	nvarchar(100)	200
@ReleaseNotes	ntext	16
@IsSystemPackage	bit	1
@LastModifiedByUserID	int	4
@FolderName	nvarchar(128)	256
@IconFile	nvarchar(100)	200

### Uses

---

[dbo].[Packages]  
dbo

## [dbo].[UpdatePermission]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PermissionID	int	4
@PermissionCode	varchar(50)	50
@ModuleDefID	int	4
@PermissionKey	varchar(50)	50
@PermissionName	varchar(50)	50
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Permission]  
dbo

## [dbo].[UpdatePortalAlias]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalAlias

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalAliasID	int	4
@PortalID	int	4
@HTTPAlias	nvarchar(200)	400
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[UpdatePortalAliasOnInstall]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalAliasOnInstall

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalAlias	nvarchar(200)	400
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[PortalAlias]  
dbo

## [dbo].[UpdatePortalDefaultLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalDefaultLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[Portals]  
dbo

## [dbo].[UpdatePortalGroup]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalGroupID	int	4
@PortalGroupName	nvarchar(100)	200
@PortalGroupDescription	nvarchar(2000)	4000
@AuthenticationDomain	nvarchar(200)	400
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[PortalGroups]  
dbo

## [dbo].[UpdatePortallInfo]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortallInfo

### *Properties*

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PortalGroupID	int	4
@PortalName	nvarchar(128)	256
@LogoFile	nvarchar(50)	100
@FooterText	nvarchar(100)	200
@ExpiryDate	datetime	8
@UserRegistration	int	4
@BannerAdvertising	int	4
@Currency	char(3)	3
@AdministratorId	int	4
@HostFee	money	8
@HostSpace	int	4
@PageQuota	int	4
@UserQuota	int	4
@PaymentProcessor	nvarchar(50)	100
@ProcessorUserId	nvarchar(50)	100
@ProcessorPassword	nvarchar(50)	100
@Description	nvarchar(500)	1000
@KeyWords	nvarchar(500)	1000
@BackgroundFile	nvarchar(50)	100
@SiteLogHistory	int	4
@SplashTabId	int	4
@HomeTabId	int	4
@LoginTabId	int	4
@RegisterTabId	int	4
@UserTabId	int	4
@SearchTabId	int	4
@DefaultLanguage	nvarchar(10)	20
@HomeDirectory	varchar(100)	100
@LastModifiedByUserID	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[PortalLocalization]  
[dbo].[Portals]  
dbo



## [dbo].[UpdatePortalLanguage]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalLanguage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@LanguageId	int	4
@IsPublished	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[PortalLanguages]  
dbo

## [dbo].[UpdatePortalSetting]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@UserID	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[PortalSettings]  
dbo

## [dbo].[UpdatePortalSetup]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePortalSetup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalId	int	4
@AdministratorId	int	4
@AdministratorRoleId	int	4
@RegisteredRoleId	int	4
@SplashTabId	int	4
@HomeTabId	int	4
@LoginTabId	int	4
@RegisterTabId	int	4
@UserTabId	int	4
@SearchTabId	int	4
@AdminTabId	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[PortalLocalization]

[dbo].[Portals]

dbo

## [dbo].[UpdateProfile]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateProfile

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4
@ProfileData	ntext	16

### Uses

---

[dbo].[Profile]  
dbo

## [dbo].[UpdatePropertyDefinition]

(local) > DNNCE612 > Stored Procedures > dbo.UpdatePropertyDefinition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PropertyDefinitionId	int	4
@DataType	int	4
@DefaultValue	nvarchar(50)	100
@PropertyCategory	nvarchar(50)	100
@PropertyName	nvarchar(50)	100
@Required	bit	1
@ValidationExpression	nvarchar(100)	200
@ViewOrder	int	4
@Visible	bit	1
@Length	int	4
@DefaultVisibility	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo

## [dbo].[UpdateRole]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RoleId	int	4
@RoleGroupId	int	4
@Description	nvarchar(1000)	2000
@ServiceFee	money	8
@BillingPeriod	int	4
@BillingFrequency	char	1
@TrialFee	money	8
@TrialPeriod	int	4
@TrialFrequency	char	1
@IsPublic	bit	1
@AutoAssignment	bit	1
@RSVPCode	nvarchar(50)	100
@IconFile	nvarchar(100)	200
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Roles]  
dbo

## [dbo].[UpdateRoleGroup]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateRoleGroup

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@RoleGroupId	int	4
@RoleGroupName	nvarchar(50)	100
@Description	nvarchar(1000)	2000
@LastModifiedUserID	int	4

### Uses

---

[dbo].[RoleGroups]  
dbo

## [dbo].[UpdateSchedule]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSchedule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleID	int	4
@TypeFullName	varchar(200)	200
@TimeLapse	int	4
@TimeLapseMeasurement	varchar(2)	2
@RetryTimeLapse	int	4
@RetryTimeLapseMeasurement	varchar(2)	2
@RetainHistoryNum	int	4
@AttachToEvent	varchar(50)	50
@CatchUpEnabled	bit	1
@Enabled	bit	1
@ObjectDependencies	varchar(300)	300
@Servers	varchar(150)	150
@LastModifiedByUserID	int	4
@FriendlyName	varchar(200)	200

### Uses

---

[dbo].[Schedule]  
dbo



## [dbo].[UpdateScheduleHistory]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateScheduleHistory

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScheduleHistoryID	int	4
@EndDate	datetime	8
@Succeeded	bit	1
@LogNotes	ntext	16
@NextStart	datetime	8

### Uses

---

[dbo].[ScheduleHistory]  
dbo

## [dbo].[UpdateScopeType]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateScopeType

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ScopeTypeId	int	4
@ScopeType	nvarchar(250)	500

### Uses

---

[dbo].[Taxonomy\_ScopeTypes]  
dbo

## [dbo].[UpdateSearchCommonWord]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSearchCommonWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@CommonWordID	int	4
@CommonWord	nvarchar(255)	510
@Locale	nvarchar(10)	20

### Uses

---

[dbo].[SearchCommonWords]  
dbo

## [dbo].[UpdateSearchItem]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSearchItem

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemID	int	4
@Title	nvarchar(200)	400
@Description	nvarchar(2000)	4000
@Author	int	4
@PubDate	datetime	8
@ModuleId	int	4
@SearchKey	nvarchar(100)	200
@Guid	nvarchar(200)	400
@HitCount	int	4
@ImageFileId	int	4

### Uses

---

[dbo].[SearchItem]  
dbo

## [dbo].[UpdateSearchItemWord]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSearchItemWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordID	int	4
@SearchItemID	int	4
@SearchWordsID	int	4
@Occurrences	int	4

### Uses

---

[dbo].[SearchItemWord]  
dbo

## [dbo].[UpdateSearchItemWordPosition]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSearchItemWordPosition

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchItemWordPositionID	int	4
@SearchItemWordID	int	4
@ContentPosition	int	4

### Uses

---

[dbo].[SearchItemWordPosition]

dbo

## [dbo].[UpdateSearchWord]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSearchWord

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SearchWordsID	int	4
@Word	nvarchar(100)	200
@IsCommon	bit	1
@HitCount	int	4

### Uses

---

[dbo].[SearchWord]  
dbo

## [dbo].[UpdateServer]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateServer

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ServerID	int	4
@URL	nvarchar(255)	510
@Enabled	bit	1

### Uses

---

[dbo].[WebServers]  
dbo



## [dbo].[UpdateServerActivity]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateServerActivity

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ServerName	nvarchar(50)	100
@IISAppName	nvarchar(200)	400
@CreatedDate	datetime	8
@LastActivityDate	datetime	8

### Uses

---

[dbo].[WebServers]  
dbo

## [dbo].[UpdateSimpleTerm]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSimpleTerm

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TermID	int	4
@VocabularyID	int	4
@Name	nvarchar(250)	500
@Description	nvarchar(2500)	5000
@Weight	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Taxonomy\_Terms]  
dbo

## [dbo].[UpdateSkin]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSkin

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinID	int	4
@SkinSrc	nvarchar(200)	400

### Uses

---

[dbo].[Skins]  
dbo

## [dbo].[UpdateSkinControl]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSkinControl

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinControlID	int	4
@PackageID	int	4
@ControlKey	nvarchar(50)	100
@ControlSrc	nvarchar(256)	512
@SupportsPartialRendering	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[SkinControls]  
dbo

## [dbo].[UpdateSkinPackage]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSkinPackage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@SkinPackageID	int	4
@PackageID	int	4
@PortalID	int	4
@SkinName	nvarchar(50)	100
@SkinType	nvarchar(20)	40
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[SkinPackages]  
dbo

## [dbo].[UpdateSystemMessage]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateSystemMessage

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@MessageName	nvarchar(50)	100
@MessageValue	ntext	16

### Uses

---

[dbo].[SystemMessages]

dbo

## [dbo].[UpdateTab]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@ContentItemID	int	4
@PortalId	int	4
@VersionGuid	uniqueidentifier	16
@DefaultLanguageGuid	uniqueidentifier	16
@LocalizedVersionGuid	uniqueidentifier	16
@TabName	nvarchar(50)	100
@IsVisible	bit	1
@DisableLink	bit	1
@ParentId	int	4
@IconFile	nvarchar(100)	200
@IconFileLarge	nvarchar(100)	200
@Title	nvarchar(200)	400
@Description	nvarchar(500)	1000
@KeyWords	nvarchar(500)	1000
@IsDeleted	bit	1
@Url	nvarchar(255)	510
@SkinSrc	nvarchar(200)	400
@ContainerSrc	nvarchar(200)	400
@TabPath	nvarchar(255)	510
@StartDate	datetime	8
@EndDate	datetime	8
@RefreshInterval	int	4
@PageHeadText	nvarchar(500)	1000
@IsSecure	bit	1
@PermanentRedirect	bit	1
@SiteMapPriority	float	8
@LastModifiedByUserID	int	4
@CultureCode	nvarchar(50)	100

### Uses

---

[dbo].[Tabs]  
dbo



## [dbo].[UpdateTabModule]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabModule

### Properties

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4
@TabId	int	4
@ModuleId	int	4
@ModuleTitle	nvarchar(256)	512
@Header	ntext	16
@Footer	ntext	16
@ModuleOrder	int	4
@PaneName	nvarchar(50)	100
@CacheTime	int	4
@CacheMethod	varchar(50)	50
@Alignment	nvarchar(10)	20
@Color	nvarchar(20)	40
@Border	nvarchar	1
@IconFile	nvarchar(100)	200
@Visibility	int	4
@ContainerSrc	nvarchar(200)	400
@DisplayTitle	bit	1
@DisplayPrint	bit	1
@DisplaySyndicate	bit	1
@IsWebSlice	bit	1
@WebSliceTitle	nvarchar(256)	512
@WebSliceExpiryDate	datetime	8
@WebSliceTTL	int	4
@VersionGuid	uniqueidentifier	16
@DefaultLanguageGuid	uniqueidentifier	16
@LocalizedVersionGuid	uniqueidentifier	16
@CultureCode	nvarchar(10)	20
@LastModifiedByUserID	int	4

## *Uses*

---

[dbo].[TabModules]  
dbo

## [dbo].[UpdateTabModuleSetting]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabModuleSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[TabModuleSettings]  
dbo

## [dbo].[UpdateTabModuleTranslationStatus]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabModuleTranslationStatus

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleId	int	4
@LocalizedVersionGuid	uniqueidentifier	16
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[UpdateTabModuleVersion]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabModuleVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabModuleID	int	4
@VersionGuid	uniqueidentifier	16

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[UpdateTabModuleVersionByModule]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabModuleVersionByModule

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ModuleID	int	4

### Uses

---

[dbo].[TabModules]  
dbo

## [dbo].[UpdateTabOrder]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabOrder

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@TabOrder	int	4
@Level	int	4
@ParentId	int	4
@TabPath	nvarchar(255)	510
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Tabs]  
dbo

## [dbo].[UpdateTabPermission]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabPermission

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabPermissionID	int	4
@TabID	int	4
@PermissionID	int	4
@RoleID	int	4
@AllowAccess	bit	1
@UserID	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[TabPermission]  
dbo



## [dbo].[UpdateTabSetting]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabSetting

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@SettingName	nvarchar(50)	100
@SettingValue	nvarchar(2000)	4000
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[TabSettings]  
dbo

## [dbo].[UpdateTabTranslationStatus]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabTranslationStatus

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabId	int	4
@LocalizedVersionGuid	uniqueidentifier	16
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Tabs]  
dbo

## [dbo].[UpdateTabVersion]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateTabVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@TabID	int	4
@VersionGuid	uniqueidentifier	16

### Uses

---

[dbo].[Tabs]  
dbo

## [dbo].[UpdateUrlTracking]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateUrlTracking

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510
@LogActivity	bit	1
@TrackClicks	bit	1
@ModuleId	int	4
@NewWindow	bit	1

### Uses

---

[dbo].[UrlTracking]  
dbo

## [dbo].[UpdateUrlTrackingStats]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateUrlTrackingStats

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@Url	nvarchar(255)	510
@ModuleId	int	4

### Uses

---

[dbo].[UrlTracking]  
dbo

## [dbo].[UpdateUser]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateUser

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserID	int	4
@PortalID	int	4
@FirstName	nvarchar(50)	100
@LastName	nvarchar(50)	100
@IsSuperUser	bit	1
@Email	nvarchar(256)	512
@DisplayName	nvarchar(100)	200
@UpdatePassword	bit	1
@Authorised	bit	1
@RefreshRoles	bit	1
@LastIPAddress	nvarchar(50)	100
@IsDeleted	bit	1
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[UserPortals]

[dbo].[Users]

dbo

## [dbo].[UpdateUserProfileProperty]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateUserProfileProperty

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ProfileID	int	4
@UserID	int	4
@PropertyDefinitionID	int	4
@PropertyValue	ntext	16
@Visibility	int	4
@LastUpdatedDate	datetime	8

### Uses

---

[dbo].[UserProfile]  
dbo

## [dbo].[UpdateUserRole]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateUserRole

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@UserRoleId	int	4
@EffectiveDate	datetime	8
@ExpiryDate	datetime	8
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[UserRoles]  
dbo



## [dbo].[UpdateVendor]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateVendor

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VendorId	int	4
@VendorName	nvarchar(50)	100
@Unit	nvarchar(50)	100
@Street	nvarchar(50)	100
@City	nvarchar(50)	100
@Region	nvarchar(50)	100
@Country	nvarchar(50)	100
@PostalCode	nvarchar(50)	100
@Telephone	nvarchar(50)	100
@Fax	nvarchar(50)	100
@Cell	nvarchar(50)	100
@Email	nvarchar(50)	100
@Website	nvarchar(100)	200
@FirstName	nvarchar(50)	100
@LastName	nvarchar(50)	100
@UserName	nvarchar(100)	200
@LogoFile	nvarchar(100)	200
@KeyWords	text	16
@Authorized	bit	1

### Uses

---

[dbo].[Vendors]  
dbo

## [dbo].[UpdateVocabulary]

(local) > DNNCE612 > Stored Procedures > dbo.UpdateVocabulary

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@VocabularyID	int	4
@VocabularyTypeID	int	4
@Name	nvarchar(250)	500
@Description	nvarchar(2500)	5000
@Weight	int	4
@ScopeID	int	4
@ScopeTypeID	int	4
@LastModifiedByUserID	int	4

### Uses

---

[dbo].[Taxonomy\_Vocabularies]  
dbo

## [dbo].[VerifyPortal]

(local) > DNNCE612 > Stored Procedures > dbo.VerifyPortal

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4

### Uses

---

[dbo].[Portals]  
[dbo].[Tabs]  
dbo

## [dbo].[VerifyPortalTab]

(local) > DNNCE612 > Stored Procedures > dbo.VerifyPortalTab

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@TabId	int	4

### Uses

---

[dbo].[Portals]

[dbo].[Tabs]

dbo

## Scalar-valued Functions

(local) > DNNCE612 > Scalar-valued Functions

Name
dbo.fn_CompareVersion
dbo.fn_GetVersion
dbo.GetElement
dbo.GetListParentKey
dbo.GetProfileElement
dbo.GetProfilePropertyDefinitionID

## [dbo].[fn\_CompareVersion]

(local) > DNNCE612 > Scalar-valued Functions > dbo.fn\_CompareVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@Version	nvarchar(20)	40
@CurrentVersion	nvarchar(20)	40

### Uses

---

dbo

### Used By

---

[dbo].[RegisterAssembly]

## [dbo].[fn\_GetVersion]

(local) > DNNCE612 > Scalar-valued Functions > dbo.fn\_GetVersion

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@maj	int	4
@min	int	4
@bld	int	4

### Uses

---

[dbo].[Version]  
dbo

## [dbo].[GetElement]

(local) > DNNCE612 > Scalar-valued Functions > dbo.GetElement

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ord	int	4
@str	varchar(8000)	8000
@delim	varchar	1

### Uses

---

dbo

### Used By

---

[dbo].[GetProfileElement]



## [dbo].[GetListParentKey]

(local) > DNNCE612 > Scalar-valued Functions > dbo.GetListParentKey

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@ParentID	int	4
@ListName	nvarchar(50)	100
@Type	nvarchar(50)	100
@Count	int	4

### Uses

---

[dbo].[Lists]  
dbo

### Used By

---

[dbo].[vw\_Lists]

## [dbo].[GetProfileElement]

(local) > DNNCE612 > Scalar-valued Functions > dbo.GetProfileElement

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@fieldName	nvarchar(100)	200
@fields	nvarchar(4000)	8000
@values	nvarchar(4000)	8000

### Uses

---

[dbo].[GetElement]  
dbo

## [dbo].[GetProfilePropertyDefinitionID]

(local) > DNNCE612 > Scalar-valued Functions > dbo.GetProfilePropertyDefinitionID

### Properties

---

Property	Value
ANSI Nulls On	✓
Quoted Identifier On	✓

### Parameters

---

Name	Data Type	Max Length (Bytes)
@PortalID	int	4
@PropertyName	nvarchar(50)	100

### Uses

---

[dbo].[ProfilePropertyDefinition]  
dbo